



## **Authors' Index (E)**

## A

- Abd Ellah M.M.H., Kornreif C., Kremser C., Jaschke W., Klauser A.**  
New approach for B-mode ultrasound (US) measurements of the plantar aponeurosis in healthy volunteers (SS 310), B-0273
- Abd Ellah M.M.H., Kremser C., Cartez-Zumelzu F., Gizewski E., Klauser A.**  
Role of diffusion tensor imaging and tractography of median nerve as a quantitative method in diagnosing carpal tunnel syndrome (CTS) (SS 1410), B-0960
- Abdel Aal A.M.K., Moustafa A.S., Hamed M.F., Ertel N.**  
Outcomes of fluoroscopic and ultrasound guided placement versus laparoscopic placement of peritoneal dialysis catheters (SS 609), B-0544
- Abdel Razek N.M.**  
Non-surgical complete excision of small suspicious breast lesions using the breast lesion excision biopsy system (BLES) (SS 202), B-0017
- Abdolell M., Tsuruda K.M., Iles S.E., Caines J., Lightfoot C.B., Brown P., Raza S.A., Schaller G.H.**  
Disagreement between the 4th and 5th editions of the BI-RADS density lexicon (SS 1502), B-1120
- Abdolell M., Tsuruda K., Iles S.E., Caines J., Lightfoot C.B., Brown P., Raza S.A., Schaller G.**  
Agreement between radiologists' visual assessments and automated software: BI-RADS 5th edition density classifications (SS 1502), B-1125
- Abdullayev N., Neuhaus V., Bratke G., Voss S., Wulff A., Maintz D., Borggreffe J.**  
Effects of contrast enhancement on phantom-less bone mineral density measurements in computed tomography (SS 1410), B-0953
- Abidi Z., Faeghi F., Mardanshahi Z.**  
Assessment of the diagnostic accuracy of double inversion recovery sequence in comparison with FLAIR and T2W\_TSE in detection of brain multiple sclerosis plaques (SS 1511), B-1113
- Abishev B.**  
Uterine artery embolisation for prevention and treatment of obstetric bleeding (SS 1515), B-1097
- Aboelsoud A.M., Atta H., Abd Ellah M., Gabr A., Imam H.M.K.**  
Standardisation of diffusion weighted MRI technique in characterisation of cervical lymphadenopathy (SS 608), B-0563
- Abolhasani Foroughi A., Nikseresht A., Nazeri M., Salahi R., Heidari H.**  
Comparison of diffusion weighted image and enhanced T1-weighted sequence in patients with multiple sclerosis (SS 1511), B-1107
- Abouelenein S.D.**  
Role of dynamic contrast-enhanced and diffusion weighted MRI in the differentiation between post-treatment changes and recurrent laryngeal cancers (SS 608), B-0565
- Abrantes A.F.C.L., Paias P., Ribeiro L.P., Ribeiro A.M., Almeida R.P.P., Azevedo K.B.**  
Assessment of image quality criteria from abdominal CT examinations (SS 314), B-0351
- Abrantes A.F.C.L., Rodrigues I., Almeida R.P.P., Pinheiro J.P., Lesyuk O.**  
Assessment of musculoskeletal ultrasound pathologies by radiographers and undergraduated radiography students (SS 714), B-0713
- Abrantes A.F.C.L., Rebelo C., Sousa P., Rodrigues S., Almeida R.P.P., Pinheiro J.P., Azevedo K.B., Ribeiro L.P.**  
Radioprotection in mobile x-ray examinations (SS 1814), B-1251
- Abu Hamdeh S., Marklund N., Lannsjö M., Howells T., Raininko R., Wikström J., Enblad P.**  
MRI analysis of diffuse axonal injury: haemorrhagic lesions in the mesencephalon indicate poor long-term outcome (SS 211b), B-0203
- Adam A.**  
Image fusion for image-guided interventions: Chairman's introduction (RC 109), A-045
- Adam E.J.**  
You too can definitely do audits: Chairman's introduction (EuroSafe 4), A-685
- Adamus R., Guni E., Loose R.**  
Radiation exposition of staff in SIRT: a proposal for a better  $\beta$  radiation protection (SS 1409), B-1000
- Adcock I.**  
Imaging of airways: what the respirologist needs to know: Role of airway obstruction and remodeling in the progression of COPD (ESR/ERS), A-625
- Adubeiro N., Nogueira L., Ribeiro E., La Fuente J.M., Ferreira H.A.**  
Diagnostic performance of the monoexponential model and diffusion kurtosis imaging in the analysis of prostate cancer (SS 707), B-0703
- Agasthya G., D'Orsi C.J., Holbrook A., Ho C., Piraner M., Newell M., Gilliland L., Sechopoulos I.**  
Reduction in digital breast tomosynthesis interpretation time by slabbing of the reconstructed slices (SS 1802), B-1131
- Ageev A., Dergilev A., Obodov V., Zykov O.**  
Morphometric symptoms of dacryocystitis in non-enhanced computed tomography (SS 208), B-0154
- Agladioglu K., Cetin E.N., Pekel G., Yagci R., Yilmaz K.**  
Can real-time ultrasound elastography be used in early period of Graves' ophthalmopathy instead of MRI? (SS 208), B-0155
- Ahmad H., van der Lugt A., van Gils L., van Mieghem N.M., van der Werf H.W., Brueren G., van den Heuvel A.F.M., Koudstaal P., de Jaegere P.P.T.**  
Reduction in cerebral embolic lesions during Transcatheter Aortic Valve Replacement (TAVR) with an embolic protection device (MISTRAL-C) (SS 311c), B-0400
- Ahn S., Kim J., Kim S., Han J., Jang Y.**  
Hepatocellular carcinoma: preoperative gadoteric acid-enhanced MRI to predict early recurrence, microscopic vessel invasion and tumour grade using image features and texture analysis (SS 216a), B-0090
- Ai V., Wong R., Otani K., Chin W., Lau S., Leung L., Lo G.**  
Image quality and sharpness of ground-glass nodules on ultralow-dose CT at 0.3 mSv using Tin filtration: comparison of five iterative reconstruction strengths (SS 1404), B-0988
- Ailianou A.**  
Paediatric: how we do head and neck imaging in children: C. Cysts and lumps in the neck (RC 808), A-254
- Aime S.**  
Brain hypersignals after repeated gadolinium administrations: Chemistry of Gd chelates and fundamentals in toxicity (SF 9c), A-335
- Aissa J., Boos J., Rubbert C., Caspers J., Thomas C., Kröpil P., Antoch G., Miese F.**  
Image quality and diagnostic acceptability of a novel 80 kVp CT low dose protocol with automated tube current modulation in screening of body packing (SS 201b), B-0044
- Aissa J., Boos J., Schleich C., Lanzman R., Kröpil P., Antoch G., Thomas C.**  
Iterative metal artifact reduction in computed tomography following deep-brain-stimulation (DBS) surgery (SS 311b), B-0394
- Akata D.**  
Female pelvis: Keynote speaker (SS 607a), K-13
- Akata D.**  
Urogenital: Chairman's introduction (E<sup>3</sup> 1923), A-803
- Akbas T., Ugurluer G., Acil M., Arpacı T., Serin M.**  
Role and benefits of intraoperative ultrasound guidance in intracavitary brachytherapy for cervical cancer (SS 607a), B-0469
- Akesson M.**  
Basic principles of varicose vein diagnosis and endovascular treatment: B. Saphenous vein ablation (RC 415), A-111
- Akisik F., Wang Q., Jennings G., Tirkes T., Sandrasegaran K.**  
Distribution and correlation of pancreatic gland and duct dimensions on MRCP in patients without evidence of chronic pancreatitis (SS 201a), B-0001
- Akisik F., Wang Q., Jennings G., Tirkes T., Sandrasegaran K.**  
MRCP pancreatic dimensions as predictors of chronic pancreatitis severity (SS 201a), B-0003
- Albano D., Patti C., La Grutta L., Grassedonio E., Mulè A., Lagalla R., Midiri M., Galia M.**  
Osteonecrosis detected by whole body magnetic resonance (WB-MRI) in patients with Hodgkin lymphoma treated by BEACOPP (SS 716), B-0658
- Albarelo F., Parenti G.C., Nanni I., Ansaloni F., Passari A., Giganti M., Campioni P., Valentino M.**  
Addition of diffusion-weighted imaging for the clinical MR assessment of acute pyelonephritis (APN): a prospective multicentric study (SS 207), B-0137
- Albert N.L.**  
Advanced imaging techniques in brain tumours: B. Hybrid imaging with MRI/PET of brain tumours (E<sup>3</sup> 519), A-179
- Alberts A.R., Roobol M.J., Bokhorst L.P., Bangma C.H., Schoots I.G.**  
MRI-targeted prostate biopsy outcomes after previous negative TRUS-guided random biopsy: correlation to risk-based patient selection (SS 307), B-0336
- Alberts A.R., Schoots I.G., Bokhorst L.P., Leenders G.J.L.H., Bangma C.H., Roobol M.J.**  
Risk-based patient selection for MRI-targeted prostate biopsy after negative transrectal ultrasound-guided random biopsy avoids unnecessary MRI scans (SS 307), B-0340

# Authors' Index

- Albrecht M.H., Wichmann J.L., Bodelle B., Dewes P., Bucher A.M., Bauer R.W., Zangos S., Lehnert T., Vogl T.J.**  
Impact of CAIPRINHA VIBE on interobserver agreement in comparison with conventional VIBE sequences in contrast-enhanced MRI of focal liver lesions (SS 1401), B-0976
- Albrecht M.H., Martin S.S., Scholtz J., Nour-Eldin N.A., Fischer S., Bauer R.W., Schoepf U.J., Vogl T.J., Wichmann J.L.**  
Comparison of different virtual monoenergetic and linear-blended algorithms for dual-energy CT angiography of the thorax and abdomen: effects on contrast and image quality (SS 1815), B-1178
- Albrecht M.H., Vogl T.J., Wichmann J.L., Fischer S., Hammerstingl R., Harth M., Thalhammer A., Zangos S., Bauer R.W.**  
Dynamic 4D-CT angiography of the upper abdomen for guiding TACE: impact on reduction of contrast material, operator radiation exposure, catheter consumption and diagnostic confidence (SS 1809), B-1222
- Alcalá-Galiano A.**  
The elbow: a comprehensive approach: Chairman's introduction (RC 110), A-020
- Alessi S., Pricolo P., Summers P., Tagliabue E., Petralia G.**  
Low PI-RADS scores exclude extracapsular extension of prostate cancer: a histology validated study including 301 operated patients (SS 1407), B-0950
- Alhasan A.S., Gaillot K., Bertrand P., Guennoc A., Lauvin M., Cottier J.**  
Multiple sclerosis imaging at 3-Tesla MR: comparison between 3D-FLAIR sequence and standard T2-TSE for the detection of inflammatory lesions (SS 1511), B-1115
- Aliberti S.**  
Imaging of airways: what the respirologist needs to know: Classification and impact of bronchiectasis (ESR/ERS), A-623
- Alkadhi H.**  
Severe trauma patients: myths, realities and future: Where is the proper place for fast FAST (focused assessment with sonography for trauma)? (SF 13d), A-554
- Alkadhi H.**  
'Special patients' in the emergency room: when and how to image them?: B. Pregnant patients (RC 417), A-122
- Allam K.E.**  
Role of diffusion weighted imaging with background suppression in early detection of breast cancer in young patients (SS 702), B-0607
- Allen G.M., DeDea M., Wilson D.J.**  
Do we need image guidance for subacromial subdeltoid injections? (SS 310), B-0280
- Allen, Jr. B.**  
Delivering higher value care in radiology: how to make it work in clinical practice - perspectives from the American College of Radiology: Awareness to accountability: coping with the mandates for documenting higher-value care (ACR), A-288
- Almansoori T., Glikstein R., Hamagandi P., Patro S., Torres C., Schwarz B.**  
Early cervical spine degenerative changes in MS patients under 35 years of age (SS 1811), B-1192
- Almeida R.P.P., Calafate A., Sousa P., Rodrigues S., Ribeiro L.P., Pinheiro J.P., Azevedo K.B., Abrantes A.F.C.L.**  
Quantification of tertiary scatter radiation in a CT room (SS 1014), B-0869
- Almeida R.P.P., Santos J.R., Rodrigues S., Sousa P., Ribeiro L.P., Azevedo K.B., Pinheiro J.P., Abrantes A.F.C.L.**  
Radiation dose reduction on lens and thyroid in orthopantomography exams (SS 1814), B-1246
- Almeida R.P.P., Santos E., Sousa P., Rodrigues S., Ribeiro L.P., Azevedo K.B., Pinto N.M., Abrantes A.F.C.L.**  
Radioprotection in thorax CT: an approach with the application of bismuth breast shield (SS 1814), B-1249
- Alomaim W., O'Leary D., Ryan J., Rainford L., Foley S.**  
The impact of breast density on radiologist fixation time in mammography (SS 1502), B-1122
- Alonso J.**  
Sports injuries: diagnosis and management: How I face a sport injury: the sport physician's approach (MS 16b), A-691
- Alqahtani M.S., Lees J.E., Bugby S.L., Jambi L.K., Bhatia B., Dawood N., McKnight W., Ng A.H., Perkins A.C.**  
Investigation of a novel small field of view hybrid compact gamma camera (HCGC) for scintigraphic imaging (SS 206), B-0033
- Iqahtani S.J.M., Knapp K.M., Palfrey R.M., Hopkins S.J., Meakin J.R., Fulford J.**  
Body composition changes in obese population (SS 714), B-0709
- Alt C.D.**  
MRI for gynaecologic imaging: how I do it: Chairman's introduction (RC 1207), A-450
- Alt C.D.**  
Gynaecological and obstetrics: Chairman's introduction (E<sup>3</sup> 1523), A-636
- Alvarez de Sierra Garcia B., Calatayud J., Exposito D.**  
Value of Dixon based MRI for the evaluation of inflammatory activity on sacroiliac joint - comparative with variety of fat suppression and water-fat separation methods (SS 210), B-0072
- Alvarez-Linera J.**  
Toxic brain disorders: C. Treatment-induced effects on the brain parenchyma (RC 111), A-041
- Alves M., Fernandes P., Costa D., Paulo G., Santos J.**  
The impact of paediatric computed tomography tube current and tube voltage modulation intensity in organ dose and image quality (SS 1814), B-1245
- Amadu A.M., Rodrigues J.C.L., Ghosh Dastidar A., Baritussio A., Lawton C.B., Venuti G., Meloni G.B., Conti M., Bucciarelli-Ducci C.**  
Role of cardiac magnetic resonance in the diagnosis of ARVC/D and phenocopies (SS 303a), B-0254
- Amer H., Schmitzberger F., Kussmaul J., El Tohamy M.F., Tantawy H.I., Fallenberg E.M.**  
Digital breast tomosynthesis vs mammography: which modality provides more accurate prediction of margin status in specimen radiography? (SS 1802), B-1135
- Amin W.M., Kotb H.T., Farahat A.A., Barakat M.S., Rafallah A.E., Fadel S.H.**  
Chondrogenic tumours: role of advanced magnetic resonance imaging (SS 1010a), B-0808
- An D., Wu L., Chen B., Ouyang R., Xu J.**  
Quantitative T1 mapping for detecting fibrosis and myocardial interstitial expansion in hypertrophic cardiomyopathy (SS 203a), B-0051
- An Y., Byeon J., Kang B.**  
The usefulness of the qualitative analysis of breast lesions at high-resolution diffusion-weighted MRI as an adjunct to quantitative analysis (SS 702), B-0606
- Andersen H.K., Völgyes D., Stray-Pedersen A., Martinsen A.C.T.**  
Comparison of different iterative and FBP reconstruction techniques with respect to image quality in chest CT examinations (SS 213), B-0105
- Andersson B.T.**  
The professional role of Swedish radiographers in medical imaging: The Swedish radiographer as a professional (EM 4), A-407
- Andersson J.**  
CT imaging: effects of body size and use of iterative reconstruction: Keynote speaker (SS 213), K-04
- Andersson J.S., Pavlicek W.**  
Patient organ dose with computed tomography - a review of present methodology and DICOM information: executive summary of the joint report of AAPM task group 246 and EFOMP (SS 313), B-0303
- Ando T., Nakano S., Fujii K., Kousaka J., Mouri Y., Tetsuka R., Goto M., Imai T., Ishiguchi T.**  
Preoperative planning using an MRI-US fusion imaging system for breast-conserving surgery in patients with non-mass-like enhancement on breast MRI (SS 1902b), B-1277
- Andreisek G.**  
Sports injuries to the knee: improving my report: A. Reporting meniscal tears: pitfalls and how I avoid them (RC 810), A-261
- Andronikou- Zouvani M.**  
Can we identify the normal and abnormal radiological findings after laparoscopic, adjustable gastric banding (LAGB)? (SS 701b), B-0632
- Annoni A.D., Formenti A., Pontone G., Nobili E., Baggiano A., Conte E., Montorsi P., Pepl M., Andreini D.**  
Submillisievert CT angiography for carotid arteries using new adaptive statistical iterative reconstruction - V (SS 615), B-0480
- Anooshiravani-Dumont M.**  
Expanding horizons in paediatric imaging: A. Elastography in paediatrics (E<sup>3</sup> 1226b), A-493
- Antoch G.**  
Medical hybrid imaging: Training of hybrid physicians (ESR/ESH), A-727
- Aoki S.**  
State-of-the-art radiology: State-of-the-art of neuroimaging (EM 2), A-571
- Ap Dafydd D., Messiou C., Thway K., Moskovic E.**  
The role of imaging in paratesticular sarcomas (SS 1907), B-1335
- Arcuri P., Roccia S., Raiola G., Cirillo M., Pingitore A., Fodero G.**  
Juvenile idiopathic arthritis (JIA): whole-body MRI (WBMRI) approach in diagnosis and assessment of therapeutic efficacy (SS 312), B-0366
- Arendt C.R.T., Dewes P., Wichmann J.L., Kerl J.M., Vogl T.J., Bauer R.W.**  
Using coronary CT angiography for guiding invasive coronary angiography: Potential role to reduce intra-procedural radiation exposure (SS 1503), B-1077
- Arenson R.L.**  
Improving radiology departments: B. The role of radiology departments in patient-centred care: requirements for improvement (MIR 3), A-474

# Authors' Index

## Argyropoulou M.I.

Paediatric: A. Paediatric neuro imaging (E<sup>3</sup> 1823), A-790

## Arias L. M., Maestre H., Lorente M., Jimenez R., Perez J., Garcia F., Mas A., Franco A.

Pulmonary embolism: do we evaluate the risk factors properly in the ED? Pulmonary angio-CT in risk stratified patients according to the revised Geneva score (SS 617), B-0521

## Armando E., Capitulo L., Cesarani F.

Image quality evaluation of a high-resolution 3D SPACE T2-weighted sequence (SPACE) in prostate multiparametric MRI (mp-MRI) (SS 707), B-0707

## Armbruster M., Nörenberg D., Hoffmann K., Andrassy J., Kramer H.

Comparison of HCC tumour size measured in MRI and histopathology: does the sequence matter? (SS 216a), B-0088

## Armbruster M., Gassenmaier S., Haack M., Sommer W., Braun F.

Structured reporting of the petrous bone: potential effects on surgical planning (SS 708), B-0719

## Armbruster M., Sommer W., Reiser M.F., Brandlhuber M.

Diagnostic accuracy of dynamic contrast-enhanced MRI for locoregional staging of rectal cancer (SS 1001a), B-0777

## Arrigoni F.

MSK and intervention: D. Painful solitary bone lesions: what is the most appropriate approach? (E<sup>3</sup> 1826), A-778

## Arvanitaki M.

A tour around cholangiopathies: A. Clinical scenarios (E<sup>3</sup> 426a), A-062

## Asbach P., Cash H., Hamm B., Haas M.

Influence of the PI-RADS version on the scoring of prostatic lesions (SS 1407), B-0945

## Asogan Vaishnavi J., C.R. S., Ali A., Bhat H., Sharma S.

Role of diffusion-weighted magnetic resonance imaging of testes in patients with testicular varicocele (SS 1907), B-1332

## Aström G.K.O.

MSK and intervention: A. How to biopsy soft tissue and bone tumours (E<sup>3</sup> 1826), A-775

## Aswani Y., Saifi S.

Therapeutic implications of nerve ultrasound in leprosy (SS 310), B-0277

## Attard S., Couto J.G., Zarb F.

Use of anatomical side markers (ASMs) during planar x-ray imaging (SS 714), B-0718

## Avanesov M., Münch J., Weinrich J., Well L., Säring D., Stehning C., Tahir E., Adam G., Lund G.

Prediction of the estimated 5 year risk of sudden cardiac death (SCD) by quantitative CMR sequences in patients with hypertrophic cardiomyopathy (HCM) (SS 203a), B-0049

## Avesani G., Negrelli R., Boninsegna E., Frulloni L., Manfredi R., Pozzi Mucelli R.

MRI-MRCP findings in focal and diffuse autoimmune pancreatitis and comparison of focal type of the head and of the body-tail (SS 201a), B-0005

## Aviano D., Presilla S., Mangiarotti M., Ruda F., Moccetti M.

Dosimetric advantage of percutaneous femoral artery approach vs radial approach in coronary angiography: preliminary analysis (SS 1014), B-0874

## Aviram G., Sadovnik O., Soikher E., Bendet A., Ziv-Baran T., Berliner S., Shmueli H., Friedensohn L., Topilsky Y.

Automatic assessment of cardiac load due to acute pulmonary embolism: saddle vs. central and peripheral emboli distribution (SS 204), B-0115

## Aviram G., Hadad Y., Soikher E., Bendet A., Berliner S., Greenberg S., Topilsky Y., Ziv-Baran T., Milwidsky A.

Acute pulmonary embolism among patients with and without malignancy: comparison of cardiac measurements using CT pulmonary angiography (SS 204), B-0116

## Avni F.

Imaging of foetus and infant: B. Foetal body imaging (RC 512), A-139

## Aydingoz U.

Sports injuries to the knee: improving my report: B. The collateral ligaments and posterolateral corner: what are they, why do they matter and how do I assess them? (RC 810), A-262

## Ayuso C.

Hepatocellular tumours: B. HCC staging: what is new in imaging and can predict prognosis (RC 901), A-316

## Azarine A.A., Chandesris O., Mousseaux E., Mallat Z., Kachenoura N., Picard C., Clément O., Redheuil A.

Reduced strain and distensibility of the ascending aorta in human STAT3 deficiency patients with frequent medium-size-artery aneurysms (SS 1015), B-0763

## Azavedo E.

Breast density: how not to be confused?: Chairman's introduction (SF 9a), A-343

## Azevedo K.B., Messias N., Ribeiro L.P., Pinheiro J.P., Almeida R.P.P., Sousa P., Ribeiro A.M., Abrantes A.F.C.L.

Effectiveness of the American Association of Physics in Medicine criteria to assess diagnostic monitors (SS 714), B-0717

## Azevedo K.B., Bernardino E.,

## Abrantes A.F.C.L., Ribeiro A.M.,

## da Silva C.A., Almeida R.P.P., Pinto N.M., Ribeiro L.P.

Survey on patient safety culture: an approach into imaging departments (SS 1414), B-1010

## B

## Ba-Ssalamah A.

Use of staging and classification systems: B. Gastrointestinal-abdominal masses (E<sup>3</sup> 1221), A-424

## Ba-Ssalamah A.

Colorectal cancer: synchronous and metachronous metastases: B. Optimal diagnostic algorithm (E<sup>3</sup> 1518), A-614

## Bachmann Nielsen M.

Innovative education in medical imaging: Chairmen's introduction (part 2) (RC 1514), A-647

## Baessler B., Dick A., Schaarschmidt F., Michels G., Maintz D., Bunck A.C.

Diagnostic implications of feature tracking derived left and right atrial strain parameters in CMR-positive acute myocarditis (SS 203a), B-0047

## Baessler B., Schaarschmidt F., Dick A., Treutlein M., Schnackenburg B., Stehning C., Michels G., Maintz D., Bunck A.C.

Validation of a novel analytical approach to quantitative myocardial edema imaging in acute myocarditis using T2-mapping (SS 203a), B-0048

## Bai L., Guo Y., Duan X.

FDG SUVmax and metabolic tumour burden are associated with major chemotherapy-related tumour markers in NSCLC patients (SS 206), B-0025

## Baik J., Jung J., Jee W.

Differentiation of benign and malignant marrow infiltration with multiparametric MR imaging: pilot study (SS 1010a), B-0804

## Baik J., Jung J., Chun C., Jee W.

Non-contrast enhanced MRI with diffusion-weighted imaging: diagnostic performance for abscess formation in cellulitis patients in comparison with contrast-enhanced MRI (SS 1010b), B-0917

## Baiocco S., Barone D., Gavelli G., Bevilacqua A.

Improvement of perfusion characterisation in two lung tumour subtypes using de-noised CT perfusion maps (SS 605), B-0434

## Baiocco S., Barone D., Gavelli G., Bevilacqua A.

Texture analysis of blood flow maps in CT perfusion studies of NSCLC: correlation with the overall survival (SS 605), B-0435

## Baiocco S., Barone D., Gavelli G., Bevilacqua A.

CT perfusion heterogeneity as a prognostic biomarker in NSCLC (SS 616), B-0515

## Baiomy A., Youssef A., Mahmoud E.M.M., Yehya M.A.M.

Discrimination post-therapeutic changes from local residual / recurrent tumoural tissue in malignant neck masses following therapy using MR diffusion weighted imaging (SS 608), B-0567

## Balaji R., Arivudainambi D.

Intravoxel incoherent motion imaging (IVIM) in head and neck cancers and nodal metastases: can we predict patient outcome? (SS 616), B-0506

## Balaji R., Arivudainambi D.

Potential of intravoxel incoherent motion and diffusion in MR imaging of ductal carcinoma of breast: new vistas (SS 1002), B-0751

## Balaji R.

Diffusion tensor imaging of the prostate: assessing response following cyber knife therapy (SS 1016), B-0828

## Balaji R.

Diagnosing bone involvement in buccal malignancies with DWIBS (diffusion-weighted whole body imaging with background signal suppression): is it a better tool? (SS 1008), B-0887

## Balbo Mussetto A., Petracchini M., Tribunella A., Macera A., Cavanna S., Lario C., Gallo T., Cirillo S.

Change in ADC as a promising imaging biomarker for predicting long-term loco-regional control for locally advanced head and neck cancer treated with chemo-radiotherapy (SS 608), B-0566

## Balbo Mussetto A., Saviolo C.,

## Petracchini M., Vietti E., Lario C.,

## De Libero A., Gottardi D., Tarella C., Cirillo S.

Qualitative and quantitative evaluation of whole body MRI with DWI for bone marrow involvement in follicular lymphoma (SS 716), B-0659

# Authors' Index

## Bali M.A.

Differential diagnosis in pancreatic imaging: B. Cystic tumours vs pseudocysts (RC 1701), A-723

## Balleyguier C.S.

Breast ultrasound 2016: B. Elastasonography: true advances or false hope? (RC 102), A-025

## Balleyguier C.S.

Gynaecology: A. MR imaging techniques and normal anatomy of the female pelvis (E<sup>3</sup> 922), A-379

## Balodis A., Radzina M., Preinbergs M., Kupcs K., Miglāne E., Savlovskis J., Kidikas H., Veiss A.

Large vessel acute ischemic stroke active reperfusion therapy comparison (SS 1011b), B-0816

## Balta C., Bouwman R.W., van Engen R.E., Schopphoven S., Sechopoulos I., Karssemeijer N., Broeders M.J.M., Veldkamp W.J.H.

Towards a framework to objectively assess clinical image quality in digital mammography (SS 1913), B-1355

## Baltzer P.A.T.

Common mistakes in breast imaging: Common mistakes in second-look ultrasound after MRI (SF 8a), A-245

## Baltzer P.A.T.

Breast density: how not to be confused?: The MRI dense breast (SF 9a), A-346

## Baltzer P.A.T.

Lessons I learned from mistakes in kidney and adrenal imaging: B. PET/CT in nephrourology (RC 1307), A-527

## Bamberg F.

Biobanks meet imaging: Population-based cohort: image banks (PC 9a), A-328

## Bamberg F., Ghoshhajra B., Hoffmann U., Kitakawa K., Kono A., Vliegenthart R., van der Harst P., Alkadhi H., Manka R., Schoepf U., Steinberg D., Achenbach S., Lell M., Geisler T., Nikolaou K., Pugliese F., Coenen A., Nieman K.

Dynamic stress perfusion CT for detection of inducible myocardial ischemia: rationale and design of the SPECIFIC-trial (CTIR 2)

## Bankier A.A.

Actionable pulmonary nodules: should we rely on size only?: How necessary is clinical data? (SF 17b), A-762

## Bannas P., Bookwalter C., Ziemlewicz T., Motosugi U., Munoz del Rio A., Potretzke T., Adam G., Nagle S., Reeder S.B.

Combined gadoxetic acid and gadofosveset enhanced liver MRI for detection and characterisation of liver metastases (SS 301a), B-0206

## Bannas P., Bell L.C., Johnson K.M., Schiebler M.L., Francois C.J., Motosugi U., Consigny D., Reeder S.B., Nagle S.K.

Pulmonary embolism detection with 3D ultrashort echo time MRI: experimental study in canines (SS 304), B-0322

## Bannas P., Kramer H., Hernando D., Agni R., Motosugi U., Sharma S.D., Fernandez L., Adam G., Reeder S.B.

Quantitative MR imaging of hepatic steatosis: validation in ex vivo human livers (SS 1401), B-0982

## Bannas P., Roldan-Alzate A., Johnson K.M., Ozkan O., Motosugi U., Wieben O., Adam G., Reeder S.B., Kramer H.

Longitudinal monitoring of hepatic blood flow before and after TIPS implantation using 4D-flow MRI (SS 1515), B-1099

## Baratella E., Quaia E., Gabriele P., Kus S., Cercato C., Cova M.

Digital tomosynthesis as problem-solving technique to confirm or exclude pulmonary lesions in the hidden areas (SS 1004), B-0848

## Barbosa F., De Febis E., Brambillasca P., Solcia M., Migliorisi C., Nichelatti M., Lista A., Romani F., Rampoldi A.

Thoracic endovascular aortic repair for complicated type B intramural hematoma (IMH) and penetrating ulcers (PAU): endoleak, follow up and long term survival (SS 1015), B-0772

## Barbuto L., Nappi C., Ponsiglione A., Puglia M., Imbriaco M., Nicolai E., Spinelli L., Cuocolo A.

Simultaneous positron emission tomography-magnetic resonance imaging for the early detection of cardiac involvement in patients with Anderson-Fabry disease (SS 603), B-0453

## Barkhausen J.

Influence of digital breast tomosynthesis on BI-RADS classification (SY 1c)

## Barkhof F.

White spots in the brain: C. Is there a need for quantitative reporting of white matter lesions? (RC 1511), A-657

## Barkhof F.

Imaging in dementia: B. MR contribution to diagnosis and differential diagnosis (E<sup>3</sup> 1726d), A-772

## Baron R.L.

The many faces of benign liver lesions: C. Hepatocellular (RC 501), A-133

## Barth B.K., Cornelius A., Nanz D., Eberli D., Donati O.F.

Comparison of image quality and patient discomfort in prostate MRI using a pelvic array or an endorectal coil (SS 707), B-0698

## Bartolome P., Garcia Barquin P., Quilez A., Caballeros M., Pueyo J.C., Bastarrika G.

Accuracy and time-efficiency of an automated software tool to assess left ventricular volumes in cardiac MRI (SS 1903), B-1312

## Bartolozzi C.

Hepatocellular tumours: Chairman's introduction (RC 901), A-314

## Bartolozzi C.

Non-alcoholic fatty liver disease (NAFLD): Chairman's introduction: Defining the clinical problem (SF 13c), A-541

## Barwick T.

Evaluating lymph node involvement: an impossible task?: C. PET and other nuclear medicine techniques (RC 416), A-088

## Basilico R.

Acute pain: your friend and enemy in emergency radiology: C. Abdomen (RC 917), A-378

## Basilico R.

Severe trauma patients: myths, realities and future: Missed lesions in trauma patients: the Damocles' sword (SF 13d), A-555

## Basilico R.

Emergency imaging of the pregnant patient: Chairman's introduction (SA 17), A-743

## Bassi M., Raimondi E., Ferrante Z., Malta B., Montalto C., Rizzati R., Giganti M., Benea G.

Follow-up of acute complicated diverticulitis: role of CT colonography (SS 301b), B-0241

## Batohi B., Michell M.J., Evans D., Goligher J., Morel J., Peacock C., Satchithananda K., Wasan R., Wijesuriya S., Rahim R.

A four year review of screening-detected breast cancers with discordant interpretations on double read screening mammography (SS 1402a), B-0928

## Bäuerle T.

Lessons I learned from mistakes in kidney and adrenal imaging: A. Renal cancer (RC 1307), A-526

## Baum T., Ruschke S., Cordes C., Dieckmeyer M., Kooijman H., Burgkart R., Rummeny E.J., Bauer J.S., Karampinos D.C.

Association of MRS-based bone marrow fat fraction and unsaturation level with vertebral bone strength (SS 610a), B-0485

## Baxa J., Matouskova T., Flohr T., Schmidt B., Sedlmair M., Ferda J.

Dual phase dual-energy CT in patients treated with erlotinib for advanced non-small cell lung cancer: possible benefits of iodine quantification in response assessment (SS 616), B-0508

## Baykara M., Yazar F.M., Yurttutan N., Kızıldağ B., Sarica M.A.

Is class III obesity increase cardiovascular risk? (SS 215), B-0065

## Baykara M., Demirel A., Berk E., Kızıldağ B., Sarica M.A., Yurttutan N.

Can we diagnose piriformis muscle syndrome via sonoelastography: preliminary findings of twenty-one patients (SS 710), B-0637

## Becker A.S., Nagel H.W., Wolfrum C., Burger I.A.

Morphological distribution and metabolic activity of brown adipose tissue in adult humans (SS 206), B-0026

## Becker C.D.

Radiology ten years from now: where will it be?: Chairman's introduction (PC 9b), A-330

## Becker M.

Head and neck: C. Oral cavity, oro- and hypopharynx and larynx (E<sup>3</sup> 1423), A-592

## Beckers R.C.J., Lambregts D.M., Schnerr R.S., Rao S., Kessels A.G.H., Maas M., Beets G.L., Verhoef C., Beets-Tan R.G.H.

Whole liver CT texture analysis to predict the development of colorectal liver metastases: a multicentre study (SS 216b), B-0191

## Beckers R.C.J., Lambregts D.M., Schnerr R.S., Kessels A.G.H., Maas M., Pruijsers S.R., da Costa Andrade L.A., Beets G.L., Beets-Tan R.G.H.

Whole volume vs segmental CT texture analysis of the liver: can we predict which areas are at risk to develop metachronous colorectal liver metastases? (SS 216b), B-0192

## Bedlington N.

Patient-centred care in clinical radiology: do we really put our patients first?: Chairmen's introduction (part 1) (ESR-PAG 1), A-529

## Bedlington N.

Mind the gap - data-sharing for better patient outcomes - the key issues for patients and the radiology community: Chairmen's introduction (part 1) (ESR-PAG 2), A-583

## Bednarova S., Bednarova I., d'Angelo P., Linda A., Girometti R., Zuiani C., Bazzocchi M.

DCIS (ductal carcinoma in situ) in breast MRI: comparison of diffusion-weighted imaging findings in pure DCIS and in DCIS with associated invasive cancer or microinvasion (SS 702), B-0605

## Beer A.J.

MR/PET: role in oncology: MR/PET: imaging prostate cancer (SF 13a), A-517

## Beer M.

Myocardial characterisation: established modalities vs new ones: C. Cardiac spectroscopy: is it ready for clinical practice? (E<sup>3</sup> 1520), A-622

## Beets G.L.

Rectal cancer: update on organ saving treatments: A. The surgical perspective (E<sup>3</sup> 1218), A-431

## Beets-Tan R.G.H.

Rectal cancer: update on organ saving treatments: C. The radiological perspective (E<sup>3</sup> 1218), A-433

## Behairy N.H., EL Mozy W., El Saeidi S., Shafik M.

Delayed myocardial enhancement in paediatric hypertrophic cardiomyopathy: correlation with LV functional and demographic parameters (SS 203a), B-0050

## Behzadi C., Henes F.O., Quitzke A., Kaul M.G., Adam G., Regier M.

Quantitative T2\* analysis of articular cartilage of the tibiotalar joint in professional soccer players and healthy individuals at 3T MRI (SS 610b), B-0550

Behzadi C., Welsch G.H., Henes F.O., Quitzke A., Schoen G., Adam G., Regier M. Comparison of T2\* relaxation times of articular cartilage of the knee in elite professional soccer players and age- and BMI-matched volunteers (SS 710), B-0642

## Beigelman C.

Reporting chest radiology made easy: B. Pleural disease (E<sup>3</sup> 25C), A-404

## Belli A.-M.

Uterine myomas: radiological diagnosis and treatment: Chairman's introduction (MS 16a), A-681

## Belli A.-M.

Uterine myomas: radiological diagnosis and treatment: Radiological treatments for fibroids (MS 16a), A-684

## Bellin M.-F.

Retroperitoneum and adrenals: B. Differential diagnoses of retroperitoneal masses (E<sup>3</sup> 522), A-198

## Belousova E., Kondratyev E., Karmazanovsky G.

Preserving image quality in low contrast media and radiation dose abdominal MDCT using iterative reconstruction algorithm in normal-weight patients (SS 701c), B-0732

## Belousova E., Glotov A., Kalinin D., Karmazanovsky G.

MDCT features of pancreatic neuroendocrine tumours correlate with intratumoural microvascular density and predict tumour grade (SS 1901a), B-1264

## Beltrachini L.

The VPH-DARE@IT Project: delivering a clinical decision support platform for earlier dementia diagnosis: In silico characterisation of white matter microstructure using diffusion MRI (EIBIR 4), A-603

## Bende F.B., Sporea I., Popescu A., Sirli R., Mare R., Lupusoru R.

How many valid measurements are necessary to assess liver stiffness using 2D-SWE.GE? (SS 1501), B-1086

## Benedetti G., Esposito A., Cava M., Colombo M., Velardo D., Previtali S., Rovere Querini P., Del Maschio A., De Cobelli F.

From myocardial to skeletal muscle: late gadolinium enhancement as a new tool to reveal involvement in idiopathic inflammatory myopathies (SS 710), B-0638

## Bennani-Baiti B., Dietzel M., Baltzer P.A.T.

Background parenchymal enhancement is not associated with breast cancer in a non-high-risk population (SS 1502), B-1126

## Bensler S., Agten C.A., Pfirrmann C.W.A., Sutter R.

Osteophytes of the fovea capitis femoris are a common finding in MRI of asymptomatic volunteers (SS 1010b), B-0915

## Benz R.M.

Back to the future with 3D roentgenography: a travelogue of a journey into the third dimension and an outlook of what may lie ahead (SY 6)

## Berger N., Dubach-Schwizer S., Varga Z., Rageth C., Frauenfelder T., Boss A.

Assessment of the extent of microcalcifications to predict the size of a DCIS: comparison between tomosynthesis and conventional mammography (SS 1802), B-1134

## Berglund T.

Skindoses in cardiac intervention at St. Olavs University Hospital Norway (SS 1014), B-0871

## Bergström G., Blomberg A., Brandberg J., Cederlund K., Engström G., Engvall J., Hansson M.G., Jernberg T., Lind L., Lindberg E., Persson M., Rosengren A., Sundström J., Söderberg S., Torén K., Östgren C.

The Swedish CArdioPulmonary BioImage Study (SCAPIS): objectives and design (CTIR 1)

## Berlin L.

Risks and benefits of reporting incidental findings: A. Good reasons to ignore incidental findings (PS 427), A-124

## Berliner C., Marcel S., Braune S., Metschke M., Klose H., Kluge S., Adam G., Laqmani A.

Value of computed tomography of the chest in patients with acute respiratory distress syndrome (SS 1004), B-0855

## Bernardini A., Roiati S., Lattanzi R., Di Bartolomeo M., Iannesi F., Navarra F., Gregori L.M., Puglielli E.G., Di Egidio V.

Head CT scans from Emergency Department: a misplaced screening? (SS 717), B-0687

## Bernardo S., Vinci V., Saldari M., Marchionni E., Antonelli A., Pizzuti A., Catalano C., Manganaro L.

Isolated and syndromic corpus callosum dysgenesis (CCD): diagnostic value of foetal MRI (SS 212), B-0168

## Bernardo S., Vinci V., Saldari M., Giancotti A., Catalano C., Manganaro L.

MRI-US fusion imaging in real-time virtual sonography for the evaluation of foetal anomalies: preliminary study (SS 1012), B-0894

## Bernardoni A., Raimondi E., Clarizia A., Padroni M., Groppo E., Tamborino C., Saletti A., Giganti M., Fainardi E.

Predictive value of perfusional CT parameters in evaluating reperfusion effectiveness in acute ischemic stroke patients (SS 1011b), B-0813

## Bernathova M.

Diagnostic performance of digital breast tomosynthesis in the detection and characterisation of microcalcifications (SY 1c)

## Bernathova M.

Mammography/tomosynthesis perspective (SY 1d)

## Berritto D.

Preclinical imaging as a driver for translational research: how I do it: C. View of the young researcher (RC 906), A-366

## Bertolotto M.

Emergencies: A. Male pelvis emergencies (E<sup>3</sup> 722), A-234

## Berzovini C., Faletti R., Battisti G., Vanni E., Gallezio C., Mosso E., Bugianesi E., Rizzetto M., Gandini G.

Increased epicardial fat and signs of impaired systolic left ventricular function in NAFLD patients: MRI evaluation and correlation with abdominal and liver fat (SS 203a), B-0053

## Beyer T.

Molecular imaging: what can we quantify?: B. Advanced PET imaging techniques (RC 106), A-043

## Beyer T.

Artefacts and pitfalls in tomography: B. PET/CT (RC 413), A-099

## Beyer T.

Medical hybrid imaging: The beauty of physics in hybrid imaging (ESR/ESHI), A-728

## Beyer T., Herrmann K., Czernin J.

Variations of clinical PET/MR operations: an international web-based survey (SS 1006), B-0899

## Beytelman A., Klang E., Konen E., Greenberg D., Zimlichman E.

Excess use of minor head injury CT examinations in the emergency department (ER) (SS 717), B-0686

## Bezzi M.

Fire and ice outside the liver: Chairman's introduction (E<sup>3</sup> 1526), A-616

## Bezzina P.

Getting the radiation dose as low as possible: Keynote speaker (SS 1814), K-31

## Bezzina P.

Innovative education in medical imaging: Chairmen's introduction (part 1) (RC 1514), A-646

## Bhatnagar S., Shah D.

Accuracy in antenatal ultrasound in diagnosis of posterior fossa lesions with postnatal MRI correlation (SS 211a), B-0078

## Bianek-Bodzak A., Skrobisz-Baladowska K., Oboloneczyk L., Sworczak K.

Thyroid ultrasound in patients with chronic hepatitis C treated with interferon alpha (SS 1408), B-1027

## Bick U.

Update on BI-RADS: A. Mammography (RC 1502), A-640

## Bickelhaupt S.

Perspectives in diffusion weighted breast imaging (SY 1a)

## Bignotti B., Nosenzo F., Gristina L., Perinetti M., Barbagallo S., Secondini L., Succio G., Calabrese M., Tagliafico A.

Incidental breast lesions detected on body-MRI: frequency, clinical relevance, and patient outcomes (SS 1002), B-0760

## Bignotti B., Tagliafico A., Tagliafico G., Gristina L., Cevasco L., Valdora F., Signori A., Tosto S., Calabrese M.

Quantitative evaluation of background parenchymal enhancement (BPE) on breast MRI: a feasibility study with a semi-automatic and automatic software compared to observer-based scores (SS 1402b), B-1069

## Bilbao J.I.

Current trends in transarterial chemoembolisation (TACE) and radioembolisation for HCC: C. Radioembolisation: critical appraisal of techniques and guidelines for treatment (RC 809), A-305

# Authors' Index

## **Bilbao J.I.**

Interventional: B. Interventions of the hepatobiliary system (E<sup>3</sup> 1623), A-700

## **Binkert C.**

Endovascular: Keynote speaker (SS 1909), K-36

## **Binzel K., Zhang J., Saif T., Siva A., Lehn C., Knopp M.V.**

Optimisation of iterative image reconstruction for high-definition digital PET/CT (SS 206), B-0028

## **Binzel K., Magnussen R., Kaeding C., Flanigan D., Wei W., Knopp M.U., Knopp M.V.**

Initial experience of high resolution PET/MRI imaging of ACL graft viability using 18F-FDG and 3T (SS 610b), B-0556

## **Biondi A.**

Neurovascular interventions (1): Keynote speaker (SS 311c), K-08

## **Birch J.**

Mind the gap - data-sharing for better patient outcomes - the key issues for patients and the radiology community: View of a patient representative from the Pelvic Pain Support Network (ESR-PAG 2), A-586

## **Bisdas S.**

MR/PET: role in oncology: MR/PET: imaging head and neck cancer (SF 13a), A-516

## **Björkman-Burtscher I.M.**

CT radiation dose optimisation: are we doing enough?: Chairmen's introduction (part 1) (SF 8d), A-283

## **Björkman-Burtscher I.M.**

Enhancing research in radiography: a change of culture: Chairmen's introduction (part 2) (RC 1314), A-558

## **Blanke P.**

Cardiac CT and new interventions: B. CT before and after transcatheter mitral valve interventions (TMVI) (E<sup>3</sup> 126), A-054

## **Bloem J.L.**

New insights in bone tumour imaging: B. New insights in staging and restaging musculoskeletal tumours (RC 1216), A-463

## **Blomstergren A., Rydelius A., Lätt J., Bengzon J., Sundgren P.C.**

Quantification of diminished glioma volume following neurosurgical resection and correlation to survival (SS 1411b), B-1055

## **Bloomfield C., England A.**

The use of secondary lead rubber protection in paediatric extremity radiographic examinations (SS 1814), B-1244

## **Boada M., Vilanova J., Barcelo J., Villalón M.**

MR-only lesions: yield of biopsy (SS 202), B-0019

## **Boellaard R.**

Actionable pulmonary nodules: should we rely on size only?: Proliferation tracers and not only (SF 17b), A-761

## **Bogaert J.**

Cardiac and vascular: C. Cardiovascular imaging: myocardium and pericardium (E<sup>3</sup> 1323), A-548

## **Boland G.**

Clinical decision support (CDS): An effective clinical decision support system (PC 8a), A-258

## **Boland G.**

Improving quality and safety in radiology: C. Is there any evidence for decision support? (MIR 2), A-418

## **Bonaffini P.A., Ippolito D., Casiraghi A., Nasatti A., Talei Franzesi C., Sironi S.**

Staging multiple myeloma patients: quantitative analysis of apparent diffusion coefficient (ADC) maps as potential marker for bone marrow involvement characterisation (SS 1010a), B-0805

## **Bonaffini P.A., Crivellaro C., Cuzzocrea M., Casiraghi A., Ippolito D., Talei Franzesi C., Landoni C., Sironi S.**

Pre-operative DWI MRI and PET studies of uterine cervical cancer lesions: added value of combined quantitative and volumetric analysis (SS 1416), B-1030

## **Bonatti M., Lombardo F., Zamboni G., Cipriani A., Pozzi Mucelli R., Bonatti G.**

Dual-energy CT of the brain: comparison between virtual unenhanced images and true unenhanced ones in the detection of intracranial hemorrhage (SS 1011b), B-0819

## **Bonekamp D., Mouridsen K., Radbruch A., Wick A., Schlemmer H.-P., Wick W., Bendszus M., Østergaard L., Kickingereder P.**

Assessment of tumour oxygenation and its impact on treatment response in bevacizumab treated recurrent glioblastoma (SS 311a), B-0282

## **Bongiovanni S., Antonietti A., Balderi A., Pedrazzini F., Sortino D., Grosso M.**

Fourteen-year experience of PAVMs embolisation in patients with hereditary haemorrhagic telangiectasia: what has changed? (SS 1909), B-1371

## **Bonilla Saborido S., Granell Moreno E., Nuñez Marín F., Lozano Martínez A., Camacho Martí M., Fernandez Leon A., Gomez Anson B.**

Brain F-18Fluorocholine PET and the correlation between MRI in the diagnosis and follow-up of gliomas (SS 1411b), B-1053

## **Bonomo L.**

Actionable pulmonary nodules: should we rely on size only?: Chairman's introduction (SF 17b), A-758

## **Booi J.**

Safety issues in medical imaging: D. Safety in CT: dose minimisation and beyond (RC 1614), A-711

## **Boos J., Aissa J., Heusch P., Lanzman R.S., Schleich C., Thomas C., Antoch G., Kröpil P.**

Is body mass index superior to body weight as a surrogate parameter in the calculation of size specific dose estimates (SSDE)? (SS 213), B-0099

## **Boraschi P., Donati F., Urbani L., Castagna M., Pacciardi F., Giloni R., Falaschi F.**

Presurgical staging of colorectal liver metastases after chemotherapy: evaluation with diffusion-weighted MR imaging and gadoxetic acid-enhanced MRI at 3T device (SS 301a), B-0209

## **Borelli C., Mus R.D., Vreemann S., Dalmis M., Gubern-Mérida A., Mann R.M.**

Pure ductal carcinoma in situ: evaluation of early-phase dynamic characteristics on ultrafast breast MRI (SS 602a), B-0426

## **Borges A.**

Pathways for tumour spread: A. Pathways for oral cavity and oropharynx tumour spread (RC 508), A-141

## **Borggreffe J., Abdullayev N., Thomsen F., Hellmich M., Damm T., Glüer C., Krug B.**

Comparison of changes in quantitative computed tomography bone structure and bone density using two different iterative reconstruction methods (SS 610a), B-0493

## **Bouaboula M., Mauge L., Bouda D., Galy-Fauroux I., Autret G., Helley D., Balvay D., Fournier L.**

Imaging of tumour vessel normalisation under anti angiogenic therapy (SS 216a), B-0097

## **Boughrarou R.**

Computed tomography angiography and perfusion CT to assess coronary artery stenosis causing perfusion defects (SS 303b), B-0379

## **Bozovic G., Adlercreutz C., Höglund P., Björkman-Burtscher I., Reinstrup P., Ingemansson R., Schaefer-Prokop C., Siemund R., Geijer M.**

Radiological interpretation quality in lung imaging of organ donors and its clinical relevance - a retrospective analysis (SS 1004), B-0850

## **Brancatelli G.**

The many faces of benign liver lesions: B. Cystic-Biliary (RC 501), A-132

## **Brandão A., Barbosa B., Cardeman L., Crispi C.**

Correlation between MRI imaging of intestinal endometriosis and laparoscopy in 80 lesions (SS 1901b), B-1304

## **Braun M.J., Rauneker T., Hoffmann T., Dammann F., Dreyhaupt J., Beer M.**

Incidental findings in cone beam CT of the maxillofacial region (SS 1008), B-0883

## **Brea Alvarez B., Esteban L., García-Hidalgo Y., Tuñón M.**

MRI: the technique of choice in the study of Warthin tumours (SS 308), B-0355

## **Breen D.J.**

Basic principles of percutaneous tumour ablation: C. Cryoablation: ice can be better than heat (RC 409), A-119

## **Bremerich J.**

Comprehensive cardiothoracic radiology: the way to go?: Perspectives from cardiac imaging (PC 12a), A-468

## **Briers E.**

How to assess and communicate examination risks to patients and referring physicians?: A. Radiation risk: a patient's perspective (RC 513), A-170

## **Briers E.**

Communication in radiology: D. Patients' expectations in communication with radiologists (MIR 1), A-401

## **Briers E.**

Patient-centred care in clinical radiology: do we really put our patients first?: View of a patient with prostate cancer (ESR-PAG 1), A-533

## **Briers E.**

Mind the gap - data-sharing for better patient outcomes - the key issues for patients and the radiology community: View of a patient with prostate cancer (ESR-PAG 2), A-587

## **Brillet P.-Y.**

Occupational lung diseases: the known and the less known: C. Hypersensitivity pneumonitis (RC 1204), A-472

## **Brkljačić B.**

Mind the gap - data-sharing for better patient outcomes - the key issues for patients and the radiology community: Chairmen's introduction (part 2) (ESR-PAG 2), A-584

## **Brkljačić B.**

European variation in imaging: focus on technology: Equipment and innovation (PC 17), A-735

## **Brkljačić B.**

Breast ultrasound: Keynote speaker (SS 602b), K-12

# Authors' Index

**Brocchi S., Cappelli A., Mosconi C., Renzulli M., Modestino F., Nanni C., Balbi T., Fanti S., Golfieri R.**

FDG PET/CT guided biopsy (SS 1809), B-1231

**Brodmann M., Wissgott C., Holden A., Staffa R., Zeller T., Vasudevan T., Schneider P.**

Tack optimised balloon angioplasty below the knee (TOBA-BTK): six months results (SS 315), B-0260

**Brolin E.B., Agewall S., Cederlund K., Ekenbäck C., Henareh L., Malmqvist K., Rück A., Svensson A., Tornvall P.**

Cystatin C is associated with non-obstructive coronary artery disease determined by coronary computed tomography angiography (SS 703), B-0749

**Broutzos E.**

Abdominal aortic and other aneurysms: Keynote speaker (SS 1815), K-32

**Brown J.M., Dickerson E., Kaza R., Cohan R., Ellis J., Davenport M.**

"Concordance" revisited: a multi-disciplinary appraisal of concordant preliminary abdominopelvic CT reports (SS 717), B-0692

**Bruguier C., Grimm J., Zerlauth J., Michaud K., Mangin P., Meuli R., Grabherr S.**

MRI of neck victims of survived strangulation: evaluation of cases (SS 308), B-0362

**Bruno C., Bucci A., Dallaserra C., Pozzi Mucelli R.**

Acoustic radiation force impulse (ARFI) evaluation of small (<4 cm) renal masses-preliminary results (SS 207), B-0136

**Bruno F., La Marra A., Mariani S., Arrigoni F., Zugaro L., Barile A., Masciocchi C.**

Treatment of supraspinatus tendinopathy: dry needling as a stand-alone procedure vs dry needling and platelet-rich plasma (prp) (SS 309), B-0324

**Bruno F., La Marra A., Mariani S., Arrigoni F., Zugaro L., Barile A., Masciocchi C.**

Efficacy of ultrasound-guided needle tenotomy for the treatment of chronic tendinopathies (SS 309), B-0332

**Bucher A.M., Wang R., Wichman J.L., Meinel F.G., De Cecco C.N., Vogl T.J., Schoepf U.J.**

Assessment of semi-automatic plaque quantification of non-calcified plaque as a predictor of outcome for acute chest pain patients at coronary CT angiography (SS 703), B-0746

**Bücker A.**

Fixing a leaky EVAR: B. 2D and 3D CTA: current concepts (RC 915), A-369

**Buckley O.**

Low dose and no-dose chest imaging: opportunities and limitations: A. Low-dose CT (RC 904), A-347

**Bueber N.E., Frigg A., Zanetti M., Mamisch-Saupe N.**

Assessment of hindfoot malalignment using MRI: evaluation of the apparent moment arm measurements (Saltzman view) on non-weight-bearing coronal MR images (SS 1810), B-1186

**Burgard C.A., Gaaß T., Bondesson D., Reiser M.F., Dinkel J.**

Detection of artificial pulmonary lung nodules in ultralow-dose CT using an ex vivo lung phantom (SS 1404), B-0989

**Burulday V., Örnek K., Inal M., Güler H., Ünal Daphan B., Örnek N.**

Diffusion-weighted magnetic resonance imaging in diabetic retinopathy (SS 208), B-0161

**Buryakina S.A., Karmazanovsky G.G., Ruchkin D.V., Yang Q., Vishnevskaya A.V.**

Role of qualitative CT features in differential diagnosis of post-inflammatory oesophageal strictures (corrosive, peptic) from oesophageal cancer using two-phase dynamic MDCT (SS 701b), B-0624

**Buytaert D., Drieghe B., De Pooter J., Taeymans Y., Bacher K.**

The impact of dual axis rotational coronary angiography (DARCA) on patient and staff exposure while using novel X-ray imaging technology (SS 713), B-0675

**Buzan M.T.A., Dinkel J., Eichinger M., Colombi D., Kreuter M., Herth F., Kauczor H.-U., Pop C., Heussel C.**

Semi-quantitative visual scoring of fibrosing lung disease using T2-weighted BLADE sequences and comparison with multidetector computed tomography (SS 304), B-0315

**Byun H., Jang J., Han N., Lee S., Choi H., Jung S., Ahn K., Kim B.**

Morphological characteristics of intracranial arteries: their association with atherosclerotic risk factors and white matter hyperintensities (SS 711), B-0646

## C

**Caballeros M., Madrid J.M., Bartolome P., Garcia Barquin P., Pueyo J., Bastarrika G.**

Comparison of cardiac imaging planes for quantification of T1 maps and myocardial extra-cellular volume (ECV) (SS 1903), B-1306

**Caballeros M., Madrid J., Garcia Barquin P., Bartolome P., Pueyo J., Bastarrika G.**

Quantification of myocardial extra-cellular volume (ECV) in adenosine stress/rest perfusion CMR examinations: effect of contrast dose (SS 1903), B-1313

**Cáceres J.**

Useful signs in chest radiology: B. Mediastinum and chest wall (E<sup>3</sup> 25A), A-060

**Calandri M., Gazzera C., Yevich S., Veltri A., Fonio P., Gandini G.**

Post-surgical recurrence of HCC along the resection margin treated by percutaneous US-guided ablation (SS 1009), B-0858

**Camera L., Cavedon C., Baglio I., Meliador G., Barbazeni G., Montemezzi S.**

Correlation between 3T multiparametric MRI and prognostic indicators in breast cancer (SS 1902a), B-1253

**Campbell R.**

Inflammatory arthritis: beyond the radiograph: B. The axial skeleton in spondyloarthritis: conventional radiograph to MRI (RC 510), A-155

**Campoy-Balbontin F.J., Jurado-Gómez M.C., Pérez-Tejada J.C., Almeida-Gonzalez C., Aznar-Méndez R.**

Relationship between elasticity imaging and ultrasonography in the assessment of the thyroid nodule (SS 1408), B-1020

**Camps Herrero J.**

Radio-pathological correlation: more important than you thought: B. Intra-operative specimen evaluation (RC 402), A-091

**Camps Herrero J.**

Integrating diagnostic tools in breast imaging: B. Multiparametric breast MRI (E<sup>3</sup> 521), A-129

**Cannavale A., Maher B., Bryant T., Hacking N.**

Prostatic artery embolisation for benign prostatic hyperplasia: anatomical factors affecting the procedure performance (SS 1909), B-1369

**Cannavale A., Miligkos D., Maher B., Karunyam B., Wilson I., Hacking N.**

Uterine artery embolisation for adenomyosis: portending factors affecting the clinical outcome (SS 1909), B-1370

**Cantwell C.**

Cholangiocarcinoma: an update: Classification of cholangiocellular carcinoma (CCC) (SF 13b), A-536

**Caobelli F.**

Imaging of heart failure: C. SPECT as an alternative imaging technique (RC 803), A-301

**Capitolo L., Cesarani F., Vaudagna C., Armando E.**

Head and neck CT-angiography (HNCTA): Low and patient tailored versus standard contrast medium protocol (SS 615), B-0482

**Caramella D.**

EuroSafe Imaging Alliance & Campaign - what is new?: The EuroSafe Imaging dose management project (EuroSafe 2), A-082

**Caramella D.**

Improving quality and safety in radiology: D. Dose monitoring and benchmarking: opportunities to improve radiation protection (MIR 2), A-419

**Caramella D.**

European variation in imaging: focus on technology: PACS and eHealth (PC 17), A-732

**Caramella D.**

Monitoring safety and quality: Dose monitoring systems in CT (PC 18), A-786

**Carbo G., Cuba V., Puig J., Blasco G., Dainis-i-Estadella J., Castellanos M., Van Eendenburg C., Aboud C., Pedraza S.**

Perfusion CT indexes and derived blood-brain barrier permeability predicts haemorrhagic transformation risk after intravenous thrombolysis in acute stroke (SS 611), B-0498

**Carbo G., Cuba V., Puig J., Blasco G., Dainis-i-Estadella J., Terceño M., Silva Y., Serena J., Pedraza S.**

Utility of diffusion and perfusion MRI for predicting perihemorrhagic edema growth after intracerebral haemorrhage (SS 611), B-0502

**Carbonetti F., Cremona A., Carusi V., Guidi M., Di Girolamo M., Iannicelli E., Francione G., David V.**

The role of contrast enhanced computed tomography in the diagnosis of necrotising fasciitis and comparison with the laboratory risk indicator for necrotising fasciitis (LRINEC) (SS 1410), B-0958

**Carbonetti F., Quarta Colosso G., Briani C., Laghi A., Rengo M., David V., Iannicelli E.**

Texture analysis with CT in GIST tumours: correlation with mitotic index and risk's assessment (SS 1805), B-1142

**Carlqvist J., Brandberg J., Hellström M.**

Contrast-induced nephropathy, does it occur in an unselected cohort with normal or moderately reduced renal function? A prospective study (SS 607b), B-0578

**Carlsen J.F., Ewertsen C., Lauritzen C., Nielsen M.B.**

Early shear-wave elastography measurements in liver metastasis after neoadjuvant chemotherapy: preliminary results (SS 1916), B-1321

**Carrafiello G.**

Cholangiocarcinoma: an update: Therapeutic role of interventional radiology in unresectable patients (SF 13b), A-540



# Authors' Index

**Carriço A., Palumbo F., Cristina R., Paulo G., Santos J.**

Analysis of CT exposure parameters, dose values and image noise in order to promote the harmonisation of CT examinations (SS 314), B-0348

**Carrié D.**

Patient-centred care in clinical radiology: do we really put our patients first?: Satisfaction assessment of patient users of an imaging department: an example from the south of France (ESR-PAG 1), A-534

**Caruso D., Wichmann J.L., De Cecco C.N., Mangold S., Tesche C., Canstein C., Varga-Szemes A., Laghi A., Schoepf U.J.**

An optimised correction factor for calcium scoring using advanced modeled iterative reconstruction in 3rd generation dual-source CT: in vitro and in vivo analysis (SS 1003), B-0783

**Carver E.M.**

Social media and simulation: using a simulation suite and digital media to develop analytical and reflective skills in the undergraduate radiographer (SS 214), B-0144

**Caseiro-Alves F.**

The many faces of benign liver lesions: A. Vascular (RC 501), A-131

**Caseiro-Alves F.**

Cholangiocarcinoma: an update: Imaging in mass-forming intrahepatic (IH) type (SF 13b), A-537

**Caspers J., Hoffstaedter F., Mathys C., Südmeyer M., Cieslik E.C., Rubbert C., Turowski B., Schnitzler A., Eickhoff S.B.**

Differential functional connectivity changes of right DLPFC subdivisions in Parkinson's disease (SS 1911), B-1342

**Cassar-Pullicino V.N.**

Bone trauma in the axial skeleton: patterns of injury and how I describe them: A. Thoracic and lumbar spine (RC 410), A-075

**Castañer E.**

Pneumonia: B. Tuberculosis (RC 104), A-029

**Castillo J., Caruana C.J., Morgan P.S., Westbrook C., Mizzi A.**

Validation of a competence profile for MR radiographers using a formal research process (SS 214), B-0149

**Catalano C.**

A multidisciplinary approach to prostate cancer: can we make a difference?: C. The interventional radiologist (RC 516), A-164

**Catalano O.A., Gee M., Sahani D., Mahmood U., Rosen B., Gervais D.**

Evaluation of quantitative PET/MR-E biomarkers for discriminating inflammatory from fibrotic strictures in Crohn's disease (SS 601b), B-0450

**Catalano O., Caracò C., Nunziata A., Sandomenico F., Petrillo A.**

Sentinel lymph node (SLN) melanoma micrometastasis managed conservatively: sonography (US) patterns of recurrence (SS 316), B-0293

**Catania D.**

Safety issues in medical imaging: B. Safety aspects in an interventional radiology setting? (RC 1614), A-709

**Cava M., Esposito A., Benedetti G., Vignale D., Palmisano A., Del Maschio A., De Cobelli F.**

Cardiac magnetic resonance (CMR) findings in patients with new onset of ventricular arrhythmias (SS 303a), B-0256

**Cavanagh P.**

Improving quality and safety in radiology: A. How to run a safe department? (MIR 2), A-416

**Cavanagh P.**

Patient-centred care in clinical radiology: do we really put our patients first?: Chairmen's introduction (part 2) (ESR-PAG 1), A-530

**Cavanagh P.**

Patient-centred care in clinical radiology: do we really put our patients first?: Implementing the 'driver diagram' on patient-centred care (ESR-PAG 1), A-531

**Cavanagh P.**

You too can definitely do audits: How to make audit easy: the ESR Audit Tool (EuroSafe 4), A-688

**Cavedon C., Camera L., Baglio I., Meliàdò G., Caumo F., Montemezzi S.**

3T MR spectroscopy in the multi-parametric MRI evaluation of breast lesions: a pattern recognition approach (SS 1902a), B-1254

**Cazeau A.L., Ferron S., Pulido M., Bellera C., Mathoulin Pelissier S., Palussiere J., Dutertre A., Godbert Y., Descat E.**

Contrast-enhanced PET/CT for oncologic indications: reproducibility and comparison to the two-step procedure, including PET/CT and contrast-enhanced CT from radiology (COMBITEP study) (SS 316), B-0298

**Cazzato R., Garnon J., Tsoumakidou G., Koch G., Caudrelier J., Buy X., Rao P., Thenint M., Gangi A.**

Retrospective analysis in 20 consecutive patients undergoing percutaneous MR-guided cryoablation of Morton's neuroma: clinical results and insight on a new emerging treatment (SS 309), B-0323

**Celeng C., Kolossváry M., Kovács A., Molnár A., Jermendy Á., Tárnoki D., Voros S., Merkely B., Maurovich-Horvat P.**

Heritability estimates of aortic root geometry based on computed tomography and echocardiography (SS 1015), B-0766

**Cellina M., Sciveres G., Mariani D., Orsi M., Tagliaferri B., Oliva G.**

Radiation exposure (RE) and image quality of low-dose computed tomography (CT) of the paranasal sinuses (PS) using iterative reconstructions (IR) (SS 1008), B-0881

**Cervelli R., Mazzeo S., Pontillo Contillo B., De Napoli L., Miccoli P., Caramella D.**

Radiofrequency ablation as an alternative local treatment for hyperfunctional solid thyroid nodules: a single centre experience (SS 209), B-0121

**Cervelli R., Cappelli C., Barbarello L., Boggi U., Bartolozzi C.**

Nutritional status as a negative prognostic factor for postoperative complications after pancreaticoduodenectomy (SS 1901b), B-1303

**Chai Y., Gao J., Lv P.**

Body mass index based GSI assist in abdominal CT: investigation of radiation dose and image noise (SS 213), B-0101

**Chalabi N.A.M.**

Classification of mammographic densities and breast cancer risk: results from the Egyptian national breast screening study (SS 1502), B-1124

**Chaturvedi A.K.**

Intraparenchymal hydrodissection in liver to minimise flow mediated cooling from vessels during radiofrequency ablation of hepatocellular carcinoma (SS 1009), B-0859

**Chen J., Gao R., Song B.**

Liver fibrosis staging with diffusion-weighted imaging: a systematic review and meta-analysis (SS 1501), B-1090

**Chen M., Jia W., Tang L., Chai W., Wang D., Fei X., He J., Wang W.**

Three-dimensional contrast enhanced ultrasound in treatment prediction for breast cancer: comparison with dynamic contrast-enhanced magnetic resonance imaging and pathology (SS 1416), B-1031

**Chen Y., Lv P.J., Gao J.B.**

Virtual nonenhanced images generated from spectral CT: determinants of detection of urinary calculi in the renal collecting system (SS 607b), B-0572

**Cheng J., Wu J., Ye Y., Zhang C., Zhang Y., Wang Y.**

The prognostic significance of extramural venous invasion detected by multiple-row detector computed tomography in stage III gastric cancer (SS 701b), B-0628

**Cheung H.M., Kim J., Hudson J.M., Milot L.**

Hyperintensity on delayed-phase, gadobutrol-enhanced MRI is a significant predictor of survival in a nonsurgical population with colorectal liver metastases (SS 216b), B-0187

**Chi Y., Chen Y., Li X., Sun Y.**

Prognosis of pN0 esophageal cancer: determined by characteristic of lymph nodes on pre- and post neoadjuvant chemotherapy multi-detector row CT (SS 1916), B-1317

**Cho Y., Park C., Park S., Goo J.**

Quantitative radiomics features as prognostic indicator of esophageal cancer undergoing chemoradiotherapy (SS 701b), B-0623

**Choi H., Choi Y., Cheon J., Kim W., Kim I., Jang S.**

Ultrasonographic differentiation between thyroglossal duct cyst and dermoid cyst in children (SS 212), B-0172

**Choi J., Jung S., Choi M.**

Should MRI after prostate biopsy be delayed? (SS 307), B-0339

**Choi J., Jung S., Choi M.**

Why have we adopted 120 kVp in abdominal CT for decades? 100 kVp is enough (SS 701c), B-0738

**Choi S., Kim S., Jang K., Kang T., Song K., Moon J.**

The value of Gadoteric acid-enhanced and diffusion-weighted MR imaging for distinguishing benign and malignant splenic masses (SS 701a), B-0597

**Choi Y., Park C., Han G., Kim S., Lee N.**

Solid pseudopapillary tumour of the pancreas: gadoteric acid-enhanced MRI and DWI with emphasis on differentiation from neuroendocrine neoplasm (SS 1901a), B-1272

**Chong V.**

Pathways for tumour spread: B. Pathways for nasopharyngeal tumour spread including perineural spread (RC 508), A-142

**Christou A., Ghiatas A., Priovolos D., Veliou K., Bougias H.**

Accuracy of diffusion kurtosis imaging in characterisation of breast lesions (SS 1902a), B-1261

**Chu J., Wang Y., Zhao J., Yan X., Li X.**

Quantitatively evaluate the efficacy of diffusion kurtosis imaging in grading gliomas: a preliminary study (SS 311a), B-0289

**Chu J., Li X., Zhao J., Yan X., Wang Y.**

A preliminary study for differential diagnosis of brain mass: quantitative evaluation from asymmetric magnetization transfer ratio (MTRAsym) by amide proton transfer imaging (SS 1411b), B-1052

# Authors' Index

**Chu J., Wang Y., Zhao J., Yan X., Li X.**

A pilot study of differentiating different intraaxial brain tumours: quantitative evaluation of multiparameters from diffusion kurtosis imaging in tumour parenchyma (SS 1411b), B-1056

**Clarizia A., Raimondi E., Di Cecco G., Groppo E., Bernardoni A., Saletti A., Giganti M., Fainardi E.**

CT perfusion CBV and blood-brain barrier permeability measured in infarct core and ischaemic penumbra of acute ischemic stroke patients with haemorrhagic transformation (SS 1411a), B-0964

**Claudon M.**

Kidney: A. Differential diagnoses of cystic renal masses (E<sup>3</sup> 622), A-209

**Claudon M.**

Minimising the risk of transmitting infections through ultrasound: is current practice sufficient?: Current accepted practice of ultrasound probe decontamination in endocavitary and interventional radiology (part 2) (Res.WG), A-250

**Clauser P., Bazzocchi M., Marcon M., Marino M.A., Zuiani C., Dietzel M., Baltzer P.A.T.**

Beyond choline: in vivo proton MR-spectroscopy fingerprinting of breast lesions (SS 302), B-0220

**Clauser P., Marcon M., Mahajan M., Marino M.A., Kapetas P., Woitek R., Baltzer P.A.T.**

Intraductal breast disease in magnetic resonance imaging: a systematic diagnostic approach (SS 602a), B-0423

**Clauser P., Dietzel M., Kaiser C.G., Marino M.A., Kapetas P., Woitek R., Baltzer P.A.T.**

Motion artefacts in breast MRI: impact on diagnostic performance (SS 1002), B-0757

**Clément O.**

Imaging beyond morphology: Chairman's introduction (NH 5), A-149

**Clément O.**

Brain hypersignals after repeated gadolinium administrations: Recent FDA and EMA undertakings in the matter (SF 9c), A-338

**Clément O.**

Medical hybrid imaging: Functional hybrid imaging: 1+1 = 3? (ESR/ESHI), A-729

**Clevert D.**

The role of a new tissue strain analytics technology VTIQ together with contrast enhanced ultrasound in testicular lesions (SY 14)

**Coche E.E.J.G.**

Mediastinal disease revisited: A. The crucial role of chest x-ray: mediastinal lines and stripes (RC 1504), A-643

**Cockmartin L., Marshall N.W., Martens E., Yegin G., Bosmans H.**

Comparison of phantom target detectability for synthetic and conventional digital mammograms (SS 1913), B-1356

**Cohen J.G., Reymond E., Medici M., Lederlin M., Laurent F., Toffart A., Jankowski A., Lantuejoul S., Ferretti G.R.**

CT-texture analysis of pulmonary ground glass nodules: tumour heterogeneity correlates with in-situ/minimally and invasive adenocarcinoma pathology (SS 1904), B-1358

**Cohen J.G., Yoo R., Park C., Lee C.,**

**Chung D., Kim Y., Ferretti G., Van Ginneken B., Goo J.**

Performance of semi-automated software in segmenting ground-glass and solid components and comparison of software and pathology measurements in resected pulmonary adenocarcinomas (SS 1904), B-1363

**Colley S.**

Head and neck imaging: don't sell your ultrasound yet!: A. Salivary gland imaging with ultrasound (RC 408), A-072

**Colley S.**

Head and neck radiology: from symptoms to diagnosis: Stuffy and runny nose (SF 15), A-610

**Condamine E., Heck O., Boudiaf N., Perret T., Pietras J., Remy C., Krainik A.**

Amigo: a new tool to report functional MRI of cerebrovascular reserve (SS 1411a), B-0971

**Constantarogianni E.**

The magic of excellent images: C. X-ray radiography: tips and tricks for high quality imaging on the frontline (RC 1714), A-767

**Cook G.**

Advanced hybrid imaging in oncology: Keynote speaker (SS 1006), K-22

**Cook G.**

MR/PET: role in oncology: Chairman's introduction (SF 13a), A-514

**Cooper C.L.**

Improving radiology departments: A. Health and wellbeing in the workplace (MIR 3), A-473

**Copley S.J.**

Occupational lung diseases: the known and the less known: B. Asbestos-related disease (RC 1204), A-471

**Corazza A., Sartoris R., Caruso P.,**

**Turtulici G., Arcidiacono A.,**

**Perugin Bernardi S., Orlandi D., Silvestri E.**

MR - US fusion imaging to guide lumbar facet joint injections (SS 310), B-0271

**Cornford E.J.**

Common mistakes in breast imaging: Common mistakes in mammography (SF 8a), A-244

**Cornud F.**

MR-targeted focal therapies for prostate cancer: Chairman's introduction: the rationale for focal therapy (E<sup>3</sup> 426b), A-101

**Correas J.-M., Delavaud C., Hélénon O.**

Lessons I learned from mistakes in kidney and adrenal imaging: C. Common mistakes in tumour percutaneous radiofrequency ablation (RC 1307), A-528

**Correas J.-M., Renard Pena R., Hélénon O.**

Urogenital: B. Imaging of the ureter and bladder (E<sup>3</sup> 1923), A-805

**Cosson P.**

Innovative education in medical imaging: B. Using simulators as an innovative teaching tool in medical imaging (RC 1514), A-649

**Costa M., Ermacora D., Pesente S.,**

**Nicolucci A., Kus S., Longo R.**

Automated nipple detection in 3D breast ultrasound scans (SS 1805), B-1140

**Costachescu D.**

Enchondroma vs low-grade chondrosarcoma: the role of dynamic contrast MRI (SS 1010a), B-0811

**Cova M.A.**

Upper and lower urinary tract: B. Imaging of kidney and ureter (E<sup>3</sup> 822), A-310

**Cowan N.C.**

Upper and lower urinary tract: A. CTU and MRU of the upper urinary tract (E<sup>3</sup> 822), A-309

**Coward J., Lawson R., Kane T., Elias M.,**

**Howes A., Birchall J., Hogg P.**

Multi-center analysis of incidental findings on low resolution CT attenuation correction (CTAC) images: an extended study (SS 314), B-0353

**Cowling J.J., Gibson G., Loxley N., Scott P., White P., Robson K.J., Lopez B.**

Novel x-ray detector technology for quantitative material information in digital radiography (SS 713), B-0672

**Crawford R., Franckenberg S., Kälin P., Fischer M.A., Nanz D., Ulbrich E.J.**

Do iliopsoas and gluteus maximus change with aging? A MRI investigation in healthy adult volunteers. (SS 710), B-0640

**Crawford Jefferson M., Donnelly P., Ball P.**

Reduction in risk of contrast-induced nephropathy (CIN) in Pre-TAVI CT coronary angiography using a novel low-volume, low-viscosity contrast protocol (SS 1503), B-1080

**Cristel G., Damascelli A., Losio C., Schiani E.,**

**Panzeri M., Rodighiero M., Panizza P.,**

**De Cobelli F., Del Maschio A.**

Predicting tumour proliferation and aggressiveness with breast MRI: role of quantitative diffusion-weighted imaging (DWI) (SS 702), B-0608

**Crivelli P., Carboni M., Profili S., Conti M., Meloni G.**

Colonic stenting: is still useful in the treatment of malignant obstruction? (SS 609), B-0538

**Crocetti L.**

Current trends in transarterial chemoembolisation (TACE) and radioembolisation for HCC: A. Imaging in therapy planning and follow-up (RC 809), A-303

**Crocetti L.**

Interventional radiology: tumour ablation: Liver (Basic 3), A-478

**Croisille P.**

Myocardial characterisation: established modalities vs new ones: B. T1 and T2-mapping: new items in the radiology toolbox (E<sup>3</sup> 1520), A-621

**Crowley C., Cahill A., Buckley J., O' Brien F., O' Regan K.**

Sepsis and other complications related to TRUS-guided prostate biopsy: 3-year experience at a regional cancer centre (SS 307), B-0338

**Cuba V., Gimeno A., Blasco G., Puig J.,**

**Pedraza S., Fernández-Real J.**

Magnetic resonance pancreatic fat-fraction and volume: association with obesity (SS 1901a), B-1271

**Cuba Camasca V.L., Carbo G., Puig J.,**

**Blasco G., Pedraza S.**

Combining motor function and diffusion tensor imaging in the hyperacute intracerebral haemorrhage accurately predict functional motor outcome (SS 611), B-0503

**Cuccioli F., Karila Cohen P., Laissy J.,**

**Marmuse J., Arapis K.**

Contribution of CT in management of acute abdominal pain after gastric bypass: correlation between radiological and surgical findings (SS 701b), B-0633

**Cuénod C.A.**

Molecular imaging: what can we quantify?: A. Advanced MRI techniques (RC 106), A-042

**Cuminal L., Beuf O., Leporq B., Dumortier J.,**

**Gaillard S., Hervieu V., Guillaud O., Muller A., Valette P.**

Quantitative 3T MR imaging techniques for staging liver fat steatosis and fibrosis in chronic liver diseases: the HEPATOMAP protocol (SS 1501), B-1088

# Authors' Index

## **Cunha T.M., Horta M.**

Pitfalls in gynaecologic oncologic imaging: how to avoid them and minimise risks: B. Mistakes in assessment of endometrial cancer (RC 107), A-037

## **Curta A., Fichtner S., Wakili R., Estner H., Kramer H.**

Evaluation of left atrial function with MRI in patients with atrial fibrillation before and after pulmonary vein isolation and linear catheter ablation of the left atrial anterior line (SS 1903), B-1315

## **Cyran C.C.**

Perfusion imaging: A. Perfusion imaging: how I do it - by CT and/or by MRI? (E<sup>3</sup> 526), A-182

## **Czerny C.**

Head and neck: B. Nose, paranasal sinuses and nasopharynx (E<sup>3</sup> 1423), A-591

## **D**

## **Dacher J.**

Cardiac CT and new interventions: A. CT before and after transcatheter aortic valve interventions (TAVI) (E<sup>3</sup> 126), A-053

## **Daghistani R., Delannoy V., Faivre J., Giordano J., Rémy J., Remy-Jardin M.**

Single energy scanning of large adult patients: can we improve image quality with spectral shaping? (SS 604), B-0581

## **Daghistani R., Khung S., Faivre J., Duhamel A., Rémy J., Remy-Jardin M.**

Effect of tin filtration on image quality and radiation dose: preliminary experience with a third-generation dual-source CT system in 133 adult patients (SS 1404), B-0987

## **Dahlqvist Leinhard O.**

Imaging in obesity: Fat quantification and advanced body composition assessment using MRI (SF 8c), A-280

## **Dal Corso M., Gavazzi E., Farina D., Maroldi R.**

Role of T1 mapping in cardiac amyloidosis (SS 303a), B-0249

## **Dalm S., Nonnekens J., Doeswijk G., de Blois E., van Gent D., Konijnenberg M., de Jong M.**

Radiolabeled somatostatin receptor agonist versus antagonist for molecular imaging and therapy (SS 1406), B-0936

## **Damascelli A., Cristel G., Pecorelli N., Carrara G., Braga M., Del Maschio A., De Cobelli F.**

Impact of preoperative sarcopenia and visceral obesity, assessed through CT-scan imaging, on postoperative outcome in pancreatic cancer patients undergoing pancreaticoduodenectomy (SS 216b), B-0184

## **Damilakis J.**

Single-dual-multi-energy CT: Chairman's introduction (RC 113), A-031

## **Damilakis J.**

EuroSafe Imaging Alliance & Campaign - what is new?: Establishing European Diagnostic Reference Levels for paediatric imaging: an update on the EC tender project PiDRL (EuroSafe 2), A-080

## **Damilakis J.**

Breast imaging modalities and radiation dose: Chairman's introduction (EF 1), A-355

## **Damilakis J.**

Pregnancy and lactation: Dose management of pregnant patients in x-ray imaging (EF 2), A-392

## **Damilakis J.**

Joint Session of the ESR and HERCA: the new EU-BSS Directive - a step forward to patient safety: Tools to support implementation of the BSS Directive: medical physicists' perspective (EuroSafe 3), A-488

## **Damilakis J.**

Emergency imaging of the pregnant patient: Ionising radiation: when should we be concerned? (SA 17), A-747

## **Dams F.E.M., Westenend P.J., Roodenburg-Kooij H.S., Rozendaal M.C., Kock M.C.J.M.**

True false negative rate of benign histology after stereotactic vacuum-assisted biopsy for BI-RADS IV calcifications in the breast (SS 202), B-0012

## **Dangouloff-Ros V., Deroulers C., Shotar E., Grévent D., Calmon R., Puget S., Brunelle F., Varlet P., Boddaert N.**

Arterial spin labeling predicts cerebellar tumour grading in children: correlations between histopathological vascular density and perfusion MRI (SS 212), B-0163

## **Danielsson M.**

Single-dual-multi-energy CT: B. Photon counting detector technology for diagnostic CT (RC 113), A-033

## **Dankbaar J.W., Kerckhoffs K., Horsch A.D., van der Schaaf I.C., Kappelle L.J., Velthuis B.K.**

Internal carotid artery stenosis and collateral recruitment in stroke patients (SS 611), B-0496

## **Dankbaar J.W., Oosterbroek J., Jager E.A., de Jong H.W., Pameijer F.A., Raaijmakers C.P., Willems S.M., Terhaard C.H., Philippens M.E.**

Detection of cartilage invasion in laryngeal carcinoma with dynamic-contrast enhanced CT (SS 608), B-0568

## **Danza F.M.**

Retroperitoneum and adrenals: A. Anatomy and imaging techniques of the retroperitoneum (E<sup>3</sup> 522), A-197

## **Dappa E., Filli L., Nanz D., Fischer M.A., Ulbrich E.J.**

Correlation of age- and gender-dependent bone marrow fat of the lumbar spine with body fat measures: an MRI study using water-fat separation MRI in a healthy population with normal BMI (SS 1811), B-1190

## **Das R.**

Uterine myomas: radiological diagnosis and treatment: Imaging of fibroids (MS 16a), A-682

## **De Angelis C., Monaco C.G., Pescatori L.C., Sardanelli F., Sconfienza L.M., Mauri G.**

Ultrasound-guided radiofrequency ablation (RFA) to treat benign thyroid nodules: effectiveness after one and six months (SS 209), B-0120

## **de Baère T.**

Basic principles of percutaneous tumour ablation: Chairman's introduction (RC 409), A-116

## **De Boer E., Warringa N., Meijering L., Wiersma J., Walen S., van den Berg J.W.K., Boomsma M.F.**

Computed tomography quantification of emphysema with COPD module in IntelliSpace Portal7 (SS 604), B-0589

## **de Boer L.L., Loo C.E., Winter-Warnars G.A., Splietthoff J.W., Bydion T.M., Hendriks B.H., Fioole-Bruining A., van Loveren M., Ruers T.J.**

Diffuse reflectance spectroscopy measured during biopsy procedures for tissue characterisation of breast tissue (SS 302), B-0225

## **De Bondt T., Zanca F., De Roeck J., Brouhon L., Geldof M., Deferme F., Parizel P.M.**

Quality control in a radiology department by protocol standardisation and high dose justification (SS 1905), B-1287

## **De Cecco C.N.**

CT of the coronary arteries: Keynote speaker (SS 1003), K-21

## **De Cecco C.N.**

Acute pain: your friend and enemy in emergency radiology: B. Chest (RC 917), A-377

## **De Dea M., Allen G.M., Watson M., Wilson D.J.**

The importance of the talonavicular ligament in ankle sprain (SS 1810), B-1185

## **De Foer B.**

Paediatric: how we do head and neck imaging in children: A. Temporal bone (RC 808), A-252

## **de Graaf R.**

Interventional radiology for deep venous thrombosis (DVT): ready for prime time?: B. Dec clotting in the emergency room: why not? (E<sup>3</sup> 1226a), A-491

## **de Jong M.**

Imaging beyond morphology: Receptor-targeted multimodal imaging (NH 5), A-151

## **De Jonge M.C.**

The elbow: a comprehensive approach: B. Ligament injury and instability: what to look for and what to say (RC 110), A-022

## **de las Heras H., Mair K., Blanck O., AlZoubi Q., Renger B., Klausz R., Popova Y., Coll-Segarra D., Schöfer F.**

Beam width and beam edge measurements in CT, mammography and radiotherapy with a sustainable electronic ruler (SS 1913), B-1354

## **De Maeseneer M.O.**

MR imaging in sports medicine I: B. Knee trauma (E<sup>3</sup> 1321), A-506

## **De Marco P., Guernieri M., Origgi D.**

Iterative reconstruction comparison in CT: model base (MBIR-VEO), adaptive statistical (ASIR) and new adaptive statistical iterative (ASIR-V) (SS 213), B-0103

## **de Roos A.**

Novel ways to assess myocardial tissue: C. Clinical use of T1 and T2 mapping (RC 503), A-188

## **de Roos A.**

Assessing myocardium at-risk with MRI: Prognostic value of area-at-risk assessment by T2 and late enhancement imaging (SF 8b), A-277

## **de Roos A.**

Comprehensive cardiothoracic radiology: the way to go?: Challenges and opportunities (PC 12a), A-466

## **De Rubéis G., Dewey M., on behalf of the DISCHARGE Consortium (www.discharge-trial.eu)**

The multicentre DISCHARGE trial pilot study: Image quality and protocol adherence results (CTIR 2)

# Authors' Index

**De Visschere P.J.L., Pattyn E., Ost P., Claeys T., Villeirs G.**

Comparison of the prostate imaging reporting and data system version 1 and 2 in a cohort of 245 patients with histopathological and long term follow up (SS 1407), B-0942

**De Wever W.F.M.**

Less common infiltrative lung diseases: B. Alveolar proteinosis (E<sup>3</sup> 1626), A-706

**Decristoforo C.**

MITIGATE: What does it take to perform clinical trials in interventional radiology?: Design of a clinical trial in oligometastatic GIST: results from the MITIGATE consortium (EIBIR 2), A-415

**Deganello A.**

Contrast enhanced ultrasound (CEUS) in paediatrics: CEUS in blunt abdominal trauma in children (ESR/EFSUMB/ESPR), A-675

**Degirmenci B., Kara M., Demirtas H., Umul A., Yilmaz O., Senol A., Kayan M.**

Use of grape molasses "Pekmez" as a negative oral contrast agent for magnetic resonance cholangiopancreatography (SS 201a), B-0002

**Dehem J.V.**

Imaging in the presence of orthopaedic hardware: What problems do metalwork cause for MRI and how can we solve them? (SF 9b), A-373

**Dejobert M., Cazals X., Annan M., Debais S., Cottier J.**

Susceptibility-diffusion mismatch in hyperacute stroke: correlation with perfusion-diffusion mismatch and clinical outcome (SS 1011b), B-0815

**Demany N., Tissot V., Ognard J., Valeri A., Ben Salem D.**

Accuracy of multiparametric MRI in detection and extension of high-grade prostate cancer using PIRADS version 2 criteria (SS 1407), B-0949

**den Harder A.M., Willeminck M.J.,**

**van Hamersvelt R.W., Vonken E.P.,**

**Schilham A.M., Lammers J.J., Budde R.P.,**

**Leiner T., de Jong P.A.**

Influence of computed tomography dose reduction and iterative reconstruction on pulmonary nodule volumetry (SS 1904), B-1365

**Denecke T.**

Non-alcoholic fatty liver disease (NAFLD): Early detection of HCC (SF 13c), A-544

**Denys A.**

Current trends in transarterial chemoembolisation (TACE) and radioembolisation for HCC: Chairman's introduction (RC 809), A-302

**Derchi L.E.**

Minimising the risk of transmitting infections through ultrasound: is current practice sufficient?: Chairman's introduction (Res.WG), A-247

**Derchi L.E.**

Urogenital: A. Renal and adrenal imaging (E<sup>3</sup> 1923), A-804

**Dervishi N., Fornari A., Petracchini M.,**

**Manfredi M., Tribunella A., Gned D.,**

**De Pascale A., Veltri A., Cirillo S.**

Detection of prostate cancer lesions with multiparametric MRI (mp-MRI): what is the difference between pelvic phased-array of 32 channels and endorectal-pelvic phased-array coils (SS 1016), B-0829

**Desai S.R.**

Reporting chest radiology made easy: A. Interstitial lung disease: 5 golden rules (E<sup>3</sup> 25C), A-403

**deSouza N.M.**

MRI for gynaecologic imaging: how I do it: A. Basics of patient preparation and T2W-imaging (RC 1207), A-451

**Deuschl C., Nensa F., Grueneisen J.,**

**Heusch P., Poeppel T., Forsting M.,**

**Umutlu L., Schlamann M.**

Place of value of integrated [18F] FDG-PET/MRI in cerebral staging of NSCLC patients (SS 1411b), B-1058

**Devaraj A.**

Less common infiltrative lung diseases: A. Pleuroparenchymal fibro elastosis (E<sup>3</sup> 1626), A-705

**Deveer M., Deveer R., Cullu N., Yeniceri O.,**

**Sivrioglu A.**

The added value of diffusion-weighted MRI in diagnosis of polycystic ovary syndrome: a preliminary study (SS 1907), B-1326

**Devu S., Matapathi U., Pantrangam P.,**

**Marathu K., Sunnadkal R.**

Complex morbidity - perianal fistulae and involvement of external genitalia: MR imaging findings and significance of fistulogram (SS 201b), B-0043

**Dewey M.**

Big data: why should radiologists care?: Chairman's introduction (NH 4), A-065

**Dewey M.**

Gateway to European funding for research projects: An evaluator's perspective (EIBIR 3), A-456

**Di Carlo M., Gaudio C., Busato F.,**

**Poerio A., Pucci S., Golfieri R.**

Evaluation of enhancement degree in small renal masses using multiphasic CT scan: can we discriminate between renal cell tumours and oncocytomas? (SS 1807), B-1233

**Di Chiara A., Venturini M., Maffi P.,**

**Piemonti L., Fiorina P., Secchi A.,**

**De Cobelli F., Del Maschio A.**

Ocular color doppler ultrasound (OCDUS) assessment of blood flow velocities changes in central retinal artery (CRA) and vein (CRV) after islet transplantation in type 1 diabetic patients (SS 208), B-0160

**Di Chiara A., Palmisano A., Esposito A.,**

**Passoni P., Slim N., Fiorino C., Di Muzio N.,**

**Del Maschio A., De Cobelli F.**

T2 weighted-MRI volumetry at different time points for prediction of pathological response to neoadjuvant chemoradiation therapy (CRT) in locally advanced rectal cancer (SS 1001a), B-0779

**Di Leo G., Doniselli F., Ali M., Sardanelli F.**

Changes in brain signal intensity (SI) after repeated injections of gadolinium-based contrast agent (GBCA): a systematic review (SS 211b), B-0199

**Diaz O., Agarwal R., Gubern-Merida A.,**

**van Zelst J., Diez Y., Martí R.**

Automated volumetric lesion quantification in automated 3D breast ultrasound: comparison of 5 breast lesion segmentation algorithms (SS 1805), B-1137

**Diaz-Zamudio M., Dosal Bañuelos J.,**

**Escalona-Huerta C., Hernandez-Martinez A.,**

**Hofmann Gonzalez F.**

Hepatocellular carcinoma in non-cirrhotic liver. Multimodality imaging findings (SS 601a), B-0413

**Dick E.**

Severe trauma patients: myths, realities and future: Geriatric trauma: what is different? (SF 13d), A-556

**Dietrich C.F.**

The fortuitously discovered focal liver lesion (SY 14)

**Dietrich C.F.**

Contrast enhanced ultrasound (CEUS) in paediatrics: CEUS in non-liver indications in paediatric patients (ESR/EFSUMB/ESPR), A-677

**Dietzel F., Schimmöller L., Quentin M.,**

**Blondin D., Arsov C., Rabenalt R., Antoch G.,**

**Gabbert H.E., Albers P.**

Prospective randomised evaluation of MR-guided in-bore versus MRI/ultrasound fusion plus TRUS-guided prostate biopsy in patients with prior negative biopsies (SS 307), B-0334

**Dijkstra H., Dorrius M.D., Wielema M.,**

**Jaspers K., Pijnappel R.M., Oudkerk M.,**

**Sijens P.E.**

Inter-observer agreement of semi-automated quantitative lesion analysis in breast diffusion-weighted imaging (SS 702), B-0609

**Dinapoli N.**

MR and MR/PET in radiation treatment planning - challenges and opportunities: The challenge of in room MRI for treatment delivery (ESR/ESTRO), A-670

**Ding C., Lu X., Wang Q.**

Reduction of cochlear implant metal artifact in 1024 high-resolution CT: value of orthopedic metal artifact reduction (O-MAR) algorithm (SS 708), B-0723

**Dinkel J.**

Low dose and no-dose chest imaging: opportunities and limitations: B. MRI (RC 904), A-348

**Discalzi A., Calandri M., Soncin E.,**

**Fronza M., Doriguzzi Breatta A., Gazzera C.,**

**Righi D., Fonio P., Gandini G.**

Hepatic encephalopathy after TIPS: time to improve the classification? (SS 609), B-0542

**Djurdjevic T., Glodny B., Knoflach M.,**

**Matosevic B., Kiechl S., Gizewski E.R.,**

**Grams A.E.**

Blood brain barrier disruption after endovascular stroke therapy: prediction of infarct development with dual-energy computed tomography (SS 611), B-0499

**Do T.D., Schlett C., Melzig C., Gockner T.,**

**Flechsig P., Peireira P.L., Kauczor H.-U.,**

**Stiller W., Sommer C.M.**

Iterative metal artefact reduction for CT-guided microwave antenna positioning: impact on image quality for different exposure settings (SS 1009), B-0865

**Dodd J.D.**

Emergency radiology I: B. Chest trauma (E<sup>3</sup> 1021), A-383

**Doellinger F., Poellinger A., Huebner R.,**

**Kuhnigk J., Herzog D., Thomsen C.,**

**Schreiter V., Theilig D.**

Endobronchial valve treatment in pulmonary emphysema: is objective evaluation of the best target lobe with quantitative CT beneficial for outcome? (SS 1804), B-1212

**Donatelli G., Costagli M., Biagi L., Frosini D.,**

**Siciliano G., Tosetti M., Cosottini M.**

Quantitative susceptibility mapping at 7T to evaluate the primary motor cortex of ALS patients (SS 1911), B-1345

**Dong Y., Wang W., Mao F., Ji Z.**

Value of contrast-enhanced ultrasound in guidance of percutaneous biopsy of anterior mediastinal lesions (SS 1809), B-1228

# Authors' Index

**Dong Y., Wang W., Jiang Y., Cao J.**

Contrast-enhanced ultrasound with quantitative perfusion analysis for early pancreatic ductal adenocarcinoma in C57BL/6 mouse model: comparison with PET-CT (SS 1901a), B-1269

**Donoghue V.**

Paediatric: Chairman's introduction (E<sup>3</sup> 1823), A-789

**Donoso L.**

Advancing clinical practice: role of education: Introduction (ESOR), A-218

**Donoso L.**

Advancing clinical practice: role of education: Role of referral guidelines and clinical decision support systems (ESOR), A-221

**Donoso L.**

Clinical decision support (CDS): Chairman's introduction (PC 8a), A-255

**Donoso L.**

Medical hybrid imaging: Introduction (ESR/ESHI), A-725

**Dörfler A.**

Cerebrovascular disease: A. Vascular distribution territories: arterial and venous (RC 1211), A-480

**Dorrius M.D., Dijkstra H., Wielema M., Jaspers K., Pijnappel R.M., Oudkerk M., Sijens P.E.**

The additional value of ADC and IVIM in dynamic contrast-enhanced MRI of the breast (SS 702), B-0610

**Doss A.X.**

Efficacy of an outpatient musculoskeletal interventional radiology practice model in the treatment of knee osteoarthritis using autologous blood derived growth factors (SS 610b), B-0553

**Dougados M., Demattei C., van den Berg R., Thevenin F., Reijnierse M., Loeuille D., Feydy A., Claudepierre P., van der Heijde D.**

Sacroiliac radiographic progression after a 2 years follow-up period in recent onset spondyloarthritis: data from the DESIR cohort (SS 210), B-0071

**Downey K.**

Pitfalls in gynaecologic oncologic imaging: how to avoid them and minimise risks: A. Mistakes in assessment of cervical cancer (RC 107), A-036

**Drago S.G., Ippolito D., Talei Franzesi C., Casiraghi A., Sironi S.**

Diagnostic value of 4th generation iterative reconstruction algorithm with low dose CT-protocol in assessment of mesorectal fascia in rectal cancer: comparison with magnetic resonance (SS 1001a), B-0775

**Drago S.G., Ippolito D., Talei Franzesi C., Fior D., Sironi S.**

Diagnostic accuracy of MDCT imaging in assessment of mesorectal fascia invasion in rectal cancer: comparison study with standard magnetic resonance imaging (SS 1001a), B-0774

**Dresen R., Han S., Michielsen K., De Keyzer F., Amant F., Vandecaveye V.**

Whole-body diffusion-weighted magnetic resonance imaging for staging of women with cancer during pregnancy: a pilot study (SS 1416), B-1038

**Drobni Z.D., Kolossvary M., Horcsik D., Karady J., Jermendy A., Tarnoki A.D., Jermendy G., Merkely B., Maurovich-Horvat P.**

The impact of different fat compartments on the presence of coronary artery disease (SS 203b), B-0179

**Ducou le Pointe H.**

Low-dose research in medical radiation protection: Paediatric imaging: are risks of ionising radiation exposure established? (EuroSafe 1), A-019

**Dudea S.**

Lessons I learned from mistakes in kidney and adrenal imaging: Chairman's introduction (RC 1307), A-525

**Due-Tonnessen P.**

Cerebral tumours (1): Keynote speaker (SS 311a), K-07

**Duffy S.W.**

Tailoring breast cancer screening to risk level: A. Calculating, using and improving individual risk estimates (RC 1302), A-549

**Duman F., Cicekcibasi A.E., Atci N., Damlar I., Dogru E., Öztürk F., Duman T.**

Morphometric analysis of joint elements and masticatory muscles in temporomandibular joint dysfunction (SS 1008), B-0885

**Duran C.**

Contrast enhanced ultrasound (CEUS) in paediatrics: CEUS in vesical reflux in children (ESR/EFSUMB/ESPR), A-676

**Durhan G., Ünverdi H., Deveci C., Büyüksireci M., Değirmenci T., Bayrak A., Koşar P., Hücümenoğlu S., Ergün Y.**

Placental elasticity and histopathological findings in normal and intrauterine growth restriction pregnancies assessed with strain elastography in ex vivo placenta (SS 1907), B-1328

**Dutova I.N., Karpenko A.**

The role of MRI in the diagnosis of early forms of osteoarthritis at visualisation of articular cartilage lesions of knee and ankle joints in young athletes (SS 610b), B-0552

## E

**Ebdon-Jackson S.**

Joint Session of the ESR and HERCA: the new EU-BSS Directive - a step forward to patient safety: Chairmen's introduction (part 2) (EuroSafe 3), A-484

**Ebdon-Jackson S.**

Joint Session of the ESR and HERCA: the new EU-BSS Directive - a step forward to patient safety: Regulators' expectations (EuroSafe 3), A-486

**Ebeling Barbier C., Garske-Roman U., Sandström M., Nyman R., Granberg D.**

Selective internal radiation therapy in patients with progressing neuroendocrine liver metastases (SS 1409), B-0996

**Eberhardt K.**

Functional imaging of the spine: C. Functional and quantitative MRI of symptomatic stenoses of the lumbar spine (E<sup>3</sup> 919), A-362

**Eckerbom P., Cox E., Subasic I., Weis J., Palm F., Hansell P., Francis S., Liss P.**

Non-invasive measurements of renal haemodynamics over 24 hours in healthy volunteers using ASL, BOLD and phase contrast (SS 607b), B-0575

**Edlund R., Skorpil M., Lapidus G., Backlund J.**

Cone-beam CT in diagnosis of scaphoid fractures (SS 1810), B-1181

**Eiber M., Weirich G., Holzapfel K., Souvatzoglou M., Rauscher I., Haller B., Schwaiger M., Maurer T.**

Localisation of primary prostate cancer by simultaneous 68gallium-HBED-CC-PSMA PET/MRI (SS 307), B-0341

**Eikendal A.L.M., den Ruijter H.M., Haaring C., Westenberg J.J.M., van der Geest R.J., Bots M.L., Hoefer I.E., Leiner T.**

The relation between cardiovascular risk factors and aortic wall characteristics in healthy, young adults using 3D black-blood VISTA magnetic resonance vessel wall imaging (SS 215), B-0060

**Eikendal A.L.M., Blomberg B.A., Haaring C., Saam T., van der Geest R.J., Bots M.L., den Ruijter H.M., Hoefer I.E., Leiner T.**

3D black-blood VISTA magnetic resonance vessel wall imaging of the thoracic aorta in healthy, young adults: reproducibility and indications for sample sizes in therapeutic trials (SS 1015), B-0768

**El Kassas H.H.N., Helal M., Abu Rabia A., Abd El Razik N., Gareer S., Farahat A., Zedan M.H.**

Role of MRI diffusion as an adjunct to contrast enhanced MRI of the breast for the evaluation of breast cancer patients receiving neoadjuvant chemotherapy (SS 702), B-0612

**El-Diasty M.T., Gaballa G., Abou-Elghar M.E., El-Diasty T.A.**

Measurement of CT perfusion parameters in kidneys with single renal artery vs double renal arteries: is it different? (SS 607b), B-0579

**El-Morsy A.E.E., El-Serougy L.G.,**

**Razek A.A.k.A., Mousa A.E., Eldawoody H.F.** Differentiation between high-grade gliomas and metastatic brain tumours using diffusion tensor imaging metrics (SS 1411b), B-1050

**Elias S.N., Petros F.G., Jia G., Nguyen H., Shah Z., Zynger D., Abaza R., Knopp M.V.**

The feasibility of k-means clustering of dynamic contrast-enhanced MRI pharmacokinetic parameters in predicting prostate cancer risk stratification (SS 1016), B-0825

**Elibol O., Guclu B., Tiryaki M., Safak K.Y., Demirci A.Y., Kömür B., Gur E., Gulabi D., Baysal T.**

Magnetic resonance image findings of adjacent segment degeneration in isthmic and degenerative spondylolisthesis (SS 1811), B-1199

**Elkhamary S.M.**

Post-orbital exenteration: CT findings (SS 208), B-0158

**Elmokadem A.H., Sherazi F., Carroll T.J., Honarmand A., Shaibania A., Hurley M.C., Ansari S.A.**

Intracranial atherosclerotic plaque enhancement: is it a predictive marker of ischaemic stroke? (SS 711), B-0647

**Elmokadem A.H., Carroll T.J., Hurley M.C., Shaibani A., Ansari S.A.**

Diagnostic accuracy of 3D black blood MR imaging with high resolution T1 SPACE in the evaluation of intracranial arterial thrombosis (SS 711), B-0652

**ElRefaei M.A., Refaat M., ElTohamy M.**

Feasibility of different b values of MRI diffusion in quantitative assessment of liver fibrosis (SS 1501), B-1089

**Emrich T., Abegunewardene N., Theruvath A., Oberholzer K., Muenzel T., Dueber C., Kreitner K.-F.**

Dependency of prevalence and extent of infarct size (IS) and microvascular obstruction (MO) on the timing of imaging and contrast injection after infarction (SS 603), B-0455

**Engelborghs S.**

Imaging in dementia: A. The neurochemistry of the Alzheimer's continuum (E<sup>3</sup> 1726d), A-771

## England A.

Monitoring safety and quality: Dose monitoring systems in interventional radiology (PC 18), A-788

## Eraslan C., Calli M., Oral A., Kitis O., Yilmaz S.

Comparison of the diagnostic success of MR imaging, FDG- PET imaging and FDG-PET/MR fusion images in the imaging of pharmacoresistant epilepsy (SS 211a), B-0085

## Erb-Eigner K., Asbach P., Taupitz M., Lawaczek R.

Residence times of non-specific gadolinium-based contrast media in orbital mass lesions: results of pharmacokinetic contrast-enhanced MRI studies (SS 208), B-0159

## Ertl L.M., Brückmann H., Kunz M., Crispin A., Fesl G.

Endovascular therapy of low and intermediate grade lateral intracranial dural arteriovenous fistulas: results and complications of different technical approaches (SS 1011a), B-0794

## Ertl-Wagner B.

Functional imaging of the spine: A. Measuring CSF flow: technique and clinical usefulness (E<sup>3</sup> 919), A-360

## Ertl-Wagner B.

How to become the undergraduate teacher you always wanted to be: The undergraduate curriculum: how to get the balance right (PC 12b), A-501

## Ertl-Wagner B.

Neuro imaging in paediatrics: Imaging of metabolic disorders in children (SF 17a), A-749

## Eschbach R.S., Clevert D.A.,

Hirner-Eppeneder H., Kazmierczak P.M., Moser M., Schneider M., Tadros D., Reiser M.F., Cyran C.C.

Multiparametric contrast-enhanced ultrasound with VEGFR-2-targeted microbubbles and DCE-MRI for monitoring the effects of regorafenib on colon carcinoma xenografts in rats (SS 1406), B-0934

## Escher A., Schindera S., Streuber A.

Identifying structural quality deficits by systematic reporting of erroneous action (SS 305), B-0230

## Escher A., Truong J., Streuber A.

Is explorative data analysis one milestone on the way to value based radiology? (SS 305), B-0235

## Espinoza-Boireau S.

Characterisation of salivary gland masses: C. MRI diffusion and perfusion (E<sup>3</sup> 1726a), A-738

## Esposito R., Maccaroni M., Salice S., Caracciolo G., Delli Pizzi S., Valentino L., Chiacchiaretta P., Ferretti A., Tartaro A.

The role of quantitative MR R2\* brain iron deposition in patients with Alzheimer disease and its correlation with cerebral perfusion (SS 311b), B-0389

## Essig M.

Advances in contrast-enhanced MRI and CT of the brain and spine including advanced imaging techniques (SY 22)

## Etievant J., Vinurel N., Dupuis-Girod S., Decullier E., Gamondes D., Khouatra C., Cottin V., Revel D.

Pulmonary arteriovenous malformations in hereditary haemorrhagic telangiectasia: correlations between computed tomography findings and cerebral complications (SS 204), B-0117

## Euler A., Parakh A., Schindera S.

The transatlantic race of CT radiation dose: Europe vs United States (SS 313), B-0302

## Euler A., Parakh A., Schindera S.

Are the existing national diagnostic reference levels for CT outdated? (SS 313), B-0304

## Evans A.

Update on BI-RADS: B. Ultrasound (RC 1502), A-641

## Ezhova R., Ananyeva N., Galsman I.,

Davletkhanova M., Rostovtseva T. Special aspects of hippocampal morphology in patients with depressive disorders compared to healthy volunteers: neurocognitive and MRI comparison (SS 1911), B-1347

## F

## Facchetti L., Nardo L., Loo K., Algazi A., Tsai K., Daud A., Pampaloni M.H.

18F-FDG PET/CT prognostic value in the treatment of metastatic melanoma with anti-PD1 monoclonal antibodies (SS 1916), B-1319

## Faletti C.

Sports injuries: diagnosis and management: What does the radiologist offer? (MS 16b), A-690

## Falkowski A.L., Huegli R.W., Jacobson J.A., Hirschmann M.T., Magerkurth O.

Visualisation of the popliteomeniscal fascicles in the posterolateral corner of the knee with 3D-MRI: a feasibility study (SS 210), B-0076

## Fallenberg E.M.

Tomosynthesis: the new mammography: C. The future of mammography: my predictions (RC 1602), A-704

## Fanelli F.

Endovascular therapies: what's new?: Keynote speaker (SS 715), K-18

## Farchione A., Larici A., Dinapoli N., Gatta R., Masciocchi C., Damiani A., Franchi P., Valentini V., Bonomo L.

Lung cancer textural analysis: to contrast or not to contrast (SS 1904), B-1361

## Farina D.

Pitfalls in interpretation of head and neck disease: B. Anatomical variants posing surgical risks (RC 1308), A-523

## Farina D.

Skull base lesions: A. Imaging of the cavernous sinus and the anterior skull base (E<sup>3</sup> 1421), A-568

## Farina D.

Head and neck radiology: from symptoms to diagnosis: Sore throat (SF 15), A-611

## Fasciano M., Durando M., Mariscotti G., Esposito F., Casella C., Campanino P., Fonio P., Gandini G.

Synthetic mammography (SM) reconstructed from digital breast tomosynthesis (DBT): has anything changed in the BI-RADS category assignment? (SS 1802), B-1130

## Fassa-Ashrafpoor G.

Measurements in chest radiology: A. Heart and great vessels: how, why, when? (E<sup>3</sup> 25D), A-598

## Feger S., Rief M., Martus P., Laule M., Dewey M., Schönenberger E.

Acceptance of combined coronary CT angiography and myocardial CT perfusion versus conventional coronary angiography in patients with coronary stents (SS 303b), B-0383

## Feger S., Rief M., Zimmermann E., Richter F., Röhle R., Dewey M., Schönenberger E.

Patient satisfaction with coronary CT angiography, myocardial CT perfusion, myocardial perfusion MRI, SPECT myocardial perfusion imaging and conventional coronary angiography (SS 603), B-0460

## Fenelon C., Sheehy N.

Local nodal metastasis in rectal cancer in patients with and without neoadjuvant therapy: correlation of MRI findings with histopathological results in an Irish tertiary referral centre (SS 1001a), B-0782

## Ferda J.

Emergency radiology II: B. Peripheral vascular injury (E<sup>3</sup> 1621), A-659

## Fernandez-Bayó J.

Taking imaging to the cloud: How does it work? (SF 5), A-135

## Fernandez-Bayó J.

Will the good old PACS disappear?: B. Enterprise-based vendor-neutral archiving: is this the future of PACS? (RC 1405), A-581

## Ferraioli G., Maiocchi L., Lissandrin R., Tinelli C., Filice C.

Accuracy of the QElaXto® shear wave technique for staging liver fibrosis (SS 1501), B-1085

## Ferrero G., Fabbro E., Fiz F., Dettore D., Serafini G.

MR T2 mapping to evaluate the effect of ultrasound (US)-guided intra-articular injection of hyaluronic acid (HA) on articular cartilage (SS 310), B-0272

## Ferretti G.R.

Useful signs in chest radiology: A. Lung parenchyma (E<sup>3</sup> 25A), A-059

## Feuchtnr G.

Imaging of cardiac valves: new trends: C. Does CT have a role in diagnosing valvular disease? (RC 403), A-115

## Feuchtnr G., Kerber J., Burghard P., Klauser A., Mayr A., Plank F.

The most powerful high-risk coronary plaque criteria by coronary CTA for prediction of major cardiac events (MACE): a long term follow-up study (SS 703), B-0740

## Feuchtnr G.

Cardiac CT: from stenosis assessment to risk stratification: B. Cardiac CT in the emergency room (E<sup>3</sup> 621), A-201

## Fieselmann A., Steinbrener J., Jerebko A.K., Mertelmeier T.

Multi-purpose robotic x-ray system enabling 2D/3D imaging of standing patients: assessment of 3D imaging performance (SS 713), B-0670

## Fijalkowska J., Galaska D., Pienkowska J., Regent B., Dziadziuszko K., Galaska R., Szurowska E., Fijalkowski M.

Differences in aortic valve area estimation due to left ventricular outflow tract area discrepancy measured by transthoracic echocardiography and CT planimetry (SS 203b), B-0183

## Filippiadis D., Grigoriadis S., Mazioti A., Spiliopoulos S., Brountzos E., Kelekis N., Kelekis A.

Percutaneous intra-articular neurolysis with pulsed radiofrequency in knee osteoarthritis (SS 309), B-0330

## Finer N.

Imaging in obesity: Epidemiology and current trends in obesity (SF 8c), A-279

# Authors' Index

**Finkenstaedt T., Del Grande F., Bolog N., Ulrich N., Tok S., Kolokythas O., Steurer J., Andreisek G., Winklhofer S.**  
Value of fat-suppressed fluid-sensitive MRI sequences for the detection and characterisation of Modic I end-plate changes of the lumbar spine (SS 610b), B-0554

**Firetto M.C., Lemos A.A., Perucchini E., Canini T., Biondetti P.R.**

Value of multi-detector CT in identifying diagnostic findings in blunt bowel and/or mesenteric trauma: our experience (SS 617), B-0525

**Fischer T.**

Prostate: A. Ultrasound of the prostate (E<sup>3</sup> 1022), A-394

**Flohr T.G.**

Latest news on dual source CT - imaging without compromises (SY 17)

**Fokin V.**

Non-oncologic neuroimaging: standards, protocols and recommendations (SY 22)

**Foldyna B., Müller M., Luecke C., Haensig M., Nitzsche S., Klemm T., Mohr F., Gutberlet M., Lehmkuhl L.**

Computed tomography-based differentiation of acute mediastinitis from postoperative residuals after thoracic surgery with sternotomy (SS 1004), B-0853

**Foley S.J.**

CT radiation dose optimisation: are we doing enough?: Challenges and opportunities in CT dose optimisation: what can we do in the future? (SF 8d), A-287

**Fonteyne V.**

MR-targeted focal therapies for prostate cancer: D. MR-targeted intensity-modulated radiotherapy with focal boost (E<sup>3</sup> 426b), A-105

**Forrai G.**

Common mistakes in breast imaging: Chairman's introduction (SF 8a), A-243

**Forrai G.**

Ductal carcinoma in situ (DCIS): small tumour but big problem (E<sup>3</sup> 24D), A-597

**Forslin Y., Hashim F., Shams S., Bergendal G., Martola J., Kristoffersen-Wiberg M., Fredrikson S., Aspellin P., Granberg T.**

Accumulation of gadolinium-based contrast media in the dentate nucleus and globus pallidus: a 18-year longitudinal study of a multiple sclerosis cohort (SS 211b), B-0196

**Forsting M.**

Concept and goals for the 1<sup>st</sup> patient-dose-register in Germany (SY 12)

**Forstner R.**

Gynaecology: B. Staging of cervical cancer (E<sup>3</sup> 922), A-380

**Fournier L.S.**

Imaging beyond morphology: Radiomics (NH 5), A-152

**Fournier L.S.**

Assessment and prediction of treatment response: Keynote speaker (SS 1916), K-37

**Fraga P., Benito C., Fraile E., Azpeitia J., Albillos J.**

Preliminary assessment of a radiological safety management platform shared in six hospitals (SS 1905), B-1292

**Fraile Moreno E., Benito C., Azpeitia J., Albillos J., Dominguez E., Fraga P., Galobardes J., Villarejo T.**

Conventional x-ray dose analysis in emergency rooms in different hospitals using a centralised electronic platform (SS 313), B-0311

**Franchi P., Larici A.R., del Cielo A., Farchione A., Cicchetti G., Occhipinti M., Bonomo L.**

Role of delayed enhanced phase in the intra-thoracic staging of lung cancer: what does it add? (SS 704), B-0677

**Franchi-Abella S.**

Hepatobiliary imaging in children: C. Intervention in the hepatobiliary system (RC 912), A-320

**Franck C., Bacher K.**

Scan direction and scout acquisition influences the dose reducing effect of automatic tube current modulation in CT (SS 1813), B-1202

**Francone M.**

Imaging of cardiac valves: new trends: B. MRI is the best comprehensive approach (RC 403), A-114

**Frangi A.**

The VPH-DARE@IT Project: delivering a clinical decision support platform for earlier dementia diagnosis: VPH-DARE@IT: towards early, differential diagnosis of dementia (EIBIR 4), A-600

**Frauenfelder G., Ginocchio M.I., Morlando M., Mainenti P.P., Martinelli P., Maurea S.**

MRI to evaluate myometrium invasion in patients with placenta previa: correlation with histological findings (SS 607a), B-0465

**Frauenfelder G., Giurazza F., Schena E., Saccomandi P., Massaroni C., Beomonte Zobel B.**

CT thermometry for temperature monitoring in tumour hyperthermal treatments: influence of ROI size and scan setting (SS 713), B-0674

**Frauenfelder T.**

HRCT - patterns in chest radiology: back to basics and beyond: A. Secondary pulmonary lobule anatomy: essential to tackle with the nodular pattern (RC 504), A-166

**Freling N.J.M.**

Characterisation of salivary gland masses: B. CT, MRI and PET/CT (E<sup>3</sup> 1726a), A-737

**Fridell K.**

The professional role of Swedish radiographers in medical imaging: Implementation of a research process and quality improvement within the Swedish radiography programme (EM 4), A-409

**Fries P., Müller A., Stroeder J., Hohl M., Linz D., Böhm M., Mahfoud F., Schneider G., Buecker A.**

Influence of renal denervation on aortic distensibility in ApoE-deficient rats: assessment by ultrahigh field MRI (SS 715), B-0619

**Frija G.**

Low-dose research in medical radiation protection: Do iodinated contrast media enhance DNA damage after exposure to ionising radiation? (EuroSafe 1), A-017

**Frija G.**

EuroSafe Imaging Alliance & Campaign - what is new?: An overview of the EuroSafe Imaging achievements over the past year (EuroSafe 2), A-078

**Frija G.**

Joint Session of the ESR and HERCA: the new EU-BSS Directive - a step forward to patient safety: Chairmen's introduction (part 1) (EuroSafe 3), A-483

**Frija G.**

Joint Session of the ESR and HERCA: the new EU-BSS Directive - a step forward to patient safety: Tools to support implementation of the BSS Directive: ESR perspective (EuroSafe 3), A-487

**Frija G.**

European variation in imaging: focus on technology: Chairman's introduction (PC 17), A-731

**Frija G.**

Monitoring safety and quality: Chairmen's introduction (part 1) (PC 18), A-783

**Fronza M., Di Guardia G., Silvestri S., Discalzi A., Doriguzzi Breatta A., Righi D., Fonio P., Gandini G.**

Does preoperative percutaneous transhepatic biliary drainage (PTBD) plays a role in reducing complications after pancreaticoduodenectomy for pancreatic head carcinoma? (SS 609), B-0541

**Frush D.P.**

EuroSafe Imaging Alliance & Campaign - what is new?: Image Wisely and Image Gently: an overview (EuroSafe 2), A-084

**Fu L.**

Apparent diffusion coefficient is significantly decreased in monochorionic diamniotic twin pregnancies with selective intrauterine growth restriction (SS 1907), B-1329

**Fuchsjäger M.H.**

Update on BI-RADS: C. MRI (RC 1502), A-642

**Fuentealba A., Ramirez D., Durán J., Rossel N., Aris R., Aguirre S., Pizarro A., Castro M.**

Chest x-ray in acute nontraumatic disease, is it a reliable diagnostic tool? (SS 1004), B-0851

**Fujikawa T., Ishida K., Nobusawa H., Yamamoto S., Sasaguri S.**

Intermittent contrast injection method for triple rule out computed tomography (SS 1415), B-1039

**Fujinaga Y., Kurozumi M., Fujita A., Yamada A., Ueda K., Uehara T., Kadoya M.**

Hypointensity rim of hepatocellular carcinoma on arterial phase of dynamic contrast-enhanced MRI can predict low recurrence rate after hepatectomy (SS 1001b), B-0841

**Fuller S.R., Caruso D., Hinen S., Wichmann J.L., De Cecco C.N., Mangold S., Tesche C., Varga-Szemes A., Schoepf U.J.**

C.S.I., coronary scene investigation: plaque composition analysis in a STEMI population (SS 203b), B-0174

**Fuller S.R., Caruso D., Rames J., Wichmann J.L., De Cecco C.N., Mangold S., Tesche C., Varga-Szemes A., Schoepf U.J.**  
Cardiac CT and coronary angiography evaluation in an NSTEMI population (SS 1003), B-0785

**Fuller S.R., Caruso D., Stroebe M., Burghard P., De Cecco C.N., Mangold S., Tesche C., Varga-Szemes A., Schoepf U.J.**  
Preoperative CT evaluation of minimally invasive Leipzig loop repair of the mitral valve apparatus: direct comparison with intra-surgical measurements (SS 1503), B-1072

**Funk E.M., Anderzen-Carlsson A., Thunberg P.**

Patient participation in MRI: patient experiences and image quality addressing breath-hold acquisitions (SS 1414), B-1013

**Fusaro M., Balestrieri G., La torre L., Bortolanza C., Morana G.**

Prognostic value of CT coronary angiography in asymptomatic patients with suspected coronary artery disease: meta-analysis of observational studies (SS 703), B-0745

**Fütterer J.J.**

MR-targeted focal therapies for prostate cancer: C. MR-guided cryoablation and focal laser therapy (E<sup>3</sup> 426b), A-104

# Authors' Index

**Fütterer J.J.**

Prostate imaging: how I do it: B. Image-guided biopsy and staging (RC 1707), A-741

## G

**Gabr A.M., Dawoud M.A., Mohamed R.E., El Waraki M.S.**

Single-session combined radiofrequency ablation and transarterial chemoembolisation in the treatment of hepatocellular carcinoma (SS 1409), B-1001

**Gac P., Jazwicz P., Poreba M., Mazur G., Poreba R.**

Morphology of atherosclerotic plaques in carotid arteries determined by computed tomography and 10-year cardio-vascular risk assessment (risk SCORE) in patients with hypertension (SS 215), B-0062

**Gac P., Poreba M., Mazur G., Poreba R.**

The aortic mechanical properties in patients with the essential hypertension environmentally exposed to cigarette smoke (SS 1015), B-0771

**Gaini N., Yilmaz E., Çağlı B., Tuncel S.A., Bulakci M., Genchellac H., Ünlü M.E.**

The contribution of diffusion tensor imaging in chronic kidney disease (SS 207), B-0140

**Galea N., Ciolina F., Pofi R., Feola T., Catalano C., Francone M., Carbone I.**

Relationship between myocardial fibrosis and left ventricular functional impairment in diabetes mellitus type-II: preliminary results (SS 603), B-0454

**Galea N., Francone M., Fiorelli A., De Luca L., Agati L., Catalano C., Carbone I.**

Is it possible to distinguish infarcted area and area-at-risk using native T1 map in patients with acute ST-elevation myocardial infarction? (SS 1903), B-1314

**Gálvez García S., Prieto Fernández A., Muñoz Ruiz A., Nava Tomás E., Chung H., Sanz Díaz J., Sánchez García S., Morán Hevia M., Vicente Quílez M.**

CT-guided core needle biopsy of pulmonary nodules smaller than 2 cm: analysis of 469 procedures (SS 704), B-0683

**Gangemi E., Charidimou A., Werring D., Jäger R.**

Acute/subacute small ischaemic lesions on DWI in patients with cerebral amyloid angiopathy and cortical superficial siderosis (SS 1011b), B-0823

**Gangi A.**

MITIGATE: What does it take to perform clinical trials in interventional radiology?: Overview on clinical trials in interventional radiology in Europe (EIBIR 2), A-413

**Gangi A.**

Interventional radiology: tumour ablation: Bones (Basic 3), A-479

**Gangi A.**

Fire and ice outside the liver: C. Bone and soft tissues ablation: update and level of evidence (E<sup>3</sup> 1526), A-619

**Gangi A.**

MSK and intervention: Chairman's introduction (E<sup>3</sup> 1826), A-774

**Gao Y., Lu X., Wang P.**

Comparison of iterative model reconstruction (IMR) and hybrid iterative reconstruction (iDose<sup>4</sup>) in lymph nodes evaluation and diagnostic confidence with 40% radiation dose reduction (SS 701c), B-0736

**García de Pereda De Blas V.,**

**Tavera Bahillo I., Camuera González E., Correa Zapata J., Arrieta Artieda I., Carreras Aja M.**

Assessment of the adequacy of the coronary CT scan requests at the Emergency Department (SS 617), B-0520

**García Oliver E., Camps Herrero J., Forment Navarro M., Ricart Selma V., Furman-Haran E., Nissan N., Degani H.**

Diffusion tensor imaging (DTI) is an accurate and solid imaging biomarker for early response evaluation to neoadjuvant chemotherapy (SS 702), B-0602

**García-Peña M.P.**

Chest imaging in paediatrics: C. Imaging interstitial lung disease in children: update 2016 (RC 412), A-071

**Gardarsdottir M.**

Assessing myocardium at-risk with MRI: Chairman's introduction (SF 8b), A-274

**Gareer S.W.Y., El Kassas H.H.N., Helal M., Abu Rabia A., Abd El Razik N., Zedan M.H., Farahat A.**

Can MRI diffusion accurately detect complete pathological response in breast cancer patients receiving neoadjuvant chemotherapy? (SS 1902b), B-1279

**Garg A., Bhullar K., Gaikwad S., Tripathi M., Tripathi M., Shukla G., Singh M.B., Chandra S., Bal C.S.**

Combining interictal arterial spin-labelling (ASL) MRI perfusion and FDG PET in assessment of focal cortical dysplasia (FCD) causing intractable epilepsy (SS 211a), B-0084

**Gargalas S., Jones J.**

Cost-effectiveness of mechanical thrombectomy in acute ischaemic stroke: an independent study of a UK centre (SS 1011a), B-0796

**Garibotto V.**

Hybrid imaging: radiology and nuclear medicine: Dementia: the role of nuclear medicine (ESR/EANM), A-428

**Garðarsdóttir M.**

Mammography in Nordic countries: screening and new developments: Performing MRI preoperatively in all breast cancer patients in Iceland: is it worthwhile? (EM 1), A-386

**Gaunt T.C., Carey F., Toms A.**

Body mass is associated with chronic adventitial shearing injuries in subcutaneous fat (SS 610a), B-0487

**Gawlitza J.F.M.**

Utilising a server based simulation to compare effective organ dose of 70kV dynamic CT examinations to diagnostic standard triphasic abdominal CT (SS 313), B-0309

**Geiger J., Romberg J., Hirtler D., Gottfried K., Stiller B.**

Serial analysis of aortic haemodynamics in patients with repaired aortic coarctation by 4D flow MRI (SS 312), B-0368

**Geijer M., Malmquist T., Götestrand S., Gunnlaugsson E., Löve A., Geijer H.**

Image quality of iterative reconstructions compared with filtered back projection in cervical spine CT (SS 1410), B-0957

**Geneidi E.A.S., Habib L.A., Chalabi N.A.**

Potential role of quantitative MRI assessment in differentiating high from low-grade gliomas (SS 1411b), B-1054

**Gennaro G.**

Breast imaging modalities and radiation dose: Digital breast tomosynthesis: physical principles and radiation dose levels (EF 1), A-358

**Gersing A., Schwaiger B.J., Heilmeyer U.,**

**Facchetti L., Lane N., Nevitt M.C., McCulloch C.E., Steinbach L.S., Link T.M.** Chondrocalcinosis associated with accelerated degeneration of the knee joint: data from the Osteoarthritis Initiative (SS 610b), B-0551

**Gersing A., Kretzschmar M., Claudi C., Schwaiger B.J., Joseph G.B., Dunlop D., Nevitt M.C., McCulloch C.E., Link T.**

Association of physical activity measured by accelerometer with longitudinal changes of knee joint abnormalities and cartilage T2: data from the Osteoarthritis Initiative (SS 710), B-0643

**Gersing A.S., Schwaiger B.J., Zarnowski J., Feuerriegel G., Guimaraes J., Facchetti L., Chancheek N., Nevitt M.C., Link T.M.**

Weight loss is associated with slower cartilage degeneration over 96 months in obese and overweight subjects: data from the Osteoarthritis Initiative (SS 610b), B-0549

**Ghaye B.**

Pulmonary embolism - persistent controversies: C. Can we predict outcome from imaging? (RC 404), A-096

**Ghaye B.**

Imaging and endovascular treatment of pulmonary embolism: A. Imaging algorithm for pulmonary embolism (RC 509), A-190

**Ghekiere O., Nchimi A., Djekic J.,**

**El Hachemi M., Isabelle M., Hansen D., Vanhoenacker P., De Roos A., Dendale P.**

Coronary CT angiography: patient-related factors determining image quality using a volumetric CT scanner (SS 203b), B-0181

**Giannotti N., McNulty J., Foley S., Kelly P.**

Carotid plaque PET/CT standardised uptake values measurements as a biomarker for stroke: software reproducibility challenges (SS 314), B-0352

**Gibaud B.**

Biobanks meet imaging: What are ontologies? (PC 9a), A-329

**Giesel F.L.**

Mediastinal disease revisited: C. A new look at the mediastinum: role of MRI and PET/CT (RC 1504), A-645

**Giganti F., Ambrosi A., Chiari D., Esposito A., Staudacher C., Del Maschio A., De Cobelli F.**

Added value of apparent diffusion coefficient in the preoperative MRI staging of gastric cancer: comparison with postoperative histology (SS 206), B-0031

**Giganti F., Arcidiacono P.G., Nicoletti R.,**

**Ambrosi A., Orsenigo E., Mazza E., Del Maschio A., De Cobelli F.**

The application of DW-MRI in the staging of oesophageal cancer: prospective comparison with EUS and MDCT (SS 316), B-0291

**Giganti F., Coppola A., Ambrosi A., Ravelli S., Esposito A., Briganti A., Montorsi F., Del Maschio A., De Cobelli F.**

ADC in the evaluation of side-specific extracapsular extension of prostate cancer: development and internal validation of a nomogram of clinical utility (SS 307), B-0343

**Giganti F., Antunes S., Salerno A.,**

**Ambrosi A., Marra P., Orsenigo E., Esposito A., Del Maschio A., De Cobelli F.**

Gastric cancer: texture analysis from multidetector computed tomography as a potential prognostic biomarker (SS 701b), B-0629



# Authors' Index

- Giganti F., Petrides N., Moore C., Emberton M., Allen C., Kirkham A.**  
The variability of prostate cancer volume by multiparametric MRI (mpMRI): results from an active surveillance cohort (SS 1407), B-0948
- Giggins R., Partington K.**  
Whole-body MRI: can it be used as a screening tool in multiple hereditary exostoses (MHE) and Ollier disease? (SS 1410), B-0961
- Gilbert F.J.**  
Radio-pathological correlation: more important than you thought: Chairman's introduction (RC 402), A-089
- Gilbert F.J.**  
Personalised radiology: myth or reality?: Personalised imaging in practice: a myth? (PC 5), A-145
- Gilbert F.J.**  
Breast density: how not to be confused?: The mammographic dense breast (SF 9a), A-344
- Gilligan P.**  
How to assess and communicate examination risks to patients and referring physicians?: B. Radiation risks for patients and staff (RC 513), A-171
- Girard F.**  
Innovative education in medical imaging: A. Is there a role for smartphones and tablets in medical imaging education? (RC 1514), A-648
- Girardi V.**  
Breast ultrasound 2016: A. Evidence for screening in dense breasts (RC 102), A-024
- Giraud C., Weber M., Puchner A., Grisar J., Kainberger F., Schueller-Weidekamm C.**  
Does a multiplanar precontrast approach improve our diagnostic confidence for bone marrow edema detection and localisation in the sacroiliac joint of patients with spondyloarthritis? (SS 210), B-0070
- Giraud C., Senn D., Karanikas G., Weber M., Raderer M., Mayerhoefer M.**  
[18F]-FDG-PET/MR for staging and restaging of lymphoma patients: is the use of DWI justified? (SS 316), B-0300
- Giraud C., Weber M., Raderer M., Senn D., Karanikas G., Mayerhoefer M.**  
Pre- and post-treatment relationship of glycolytic activity on [18F]-FDG-PET and cell density on diffusion-weighted MRI: preliminary results of an [18F]-FDG-PET/MR study (SS 716), B-0660
- Giurazza F., Pimentel Silva R., Tecame M., Guarnieri G., Muto M.**  
2-years experience in endovascular treatment of ruptured cerebral aneurysms: comparison between simple coiling and stent-assisted-coiling (SS 715), B-0620
- Gleeson F.**  
Low dose and no-dose chest imaging: opportunities and limitations: C. US (RC 904), A-349
- Glenn S.I.**  
Complementary alternative medicine (CAM) to reduce MRI anxiety (SS 1414), B-1011
- Glöckler M., Ehret N., Rempel O., Dittrich S.**  
3D-guidance for catheter-based interventions with tessellated heart models for cardiovascular interventions in congenital heart disease (CHD) (SS 715), B-0614
- Goebel J., Tezgah E., Nensa F., Schemuth H.P., Maderwald S., Gratz M., Quick H.H., Schlosser T., Nassenstein K.**  
Real-time SPARSE-SENSE cine imaging in atrial fibrillation: a feasibility study (SS 1803), B-1150
- Goebel J., Nensa F., Schemuth H.P., Maderwald S., Gratz M., Quick H.H., Schlosser T., Nassenstein K.**  
SPARSE-SENSE cine imaging with high spatial and high temporal resolution for left ventricular functional assessment (SS 1803), B-1152
- Goebel J., Seifert I., Nensa F., Schemuth H.P., Maderwald S., Schlosser T., Jensen C., Nassenstein K.**  
Native slice-averaged T1 mapping as screening tool for diffuse cardiac pathologies (SS 1803), B-1153
- Goebel J., Hoischen J., Schemuth H.P., Kinner S., Nensa F., Nassenstein K.**  
Tumour response evaluation in daily practice: comparison between free-text evaluation and RECIST 1.1 criteria (SS 1916), B-1316
- Goei D., Visser P., Koster I., van der Valk P., Kock M.**  
Chest x-ray and detecting acute heart failure: what is the clinical value? (SS 1004), B-0852
- Goh V.J.**  
Perfusion imaging: B. Liver perfusion (E<sup>3</sup> 526), A-183
- Goh V.J.**  
MR/PET: role in oncology: MR/PET: imaging of GI cancer (SF 13a), A-518
- Goh V.J.**  
Personalised medicine in oncology: what can imaging offer?: B. Radiogenomics: can this assist personalised medicine? (E<sup>3</sup> 1726b), A-753
- Golatta M.**  
Ultrasound perspective (SY 1d)
- Golatta M.**  
Evaluation of virtual touch tissue imaging quantification (VTIQ - 2D-SWE) in the assessment of BI-RADS® 3 and 4 lesions: can patient selection for biopsy be improved? (SY 1b)
- Golay X.**  
Cerebral blood flow quantification: B. Cerebral blood flow measurements with arterial spin-labelling (E<sup>3</sup> 819), A-293
- Golding S.J.**  
How to become the undergraduate teacher you always wanted to be: Chairmen's introduction (part 1) (PC 12b), A-499
- Golja A., Androjna S., Štrekelj U., Koceva I., Izlakar J., Mekiš N., Žibert J.**  
A system for automatic mammography images quality control - images acquisition and examination (SS 1914), B-1380
- Goorts B., Smidt M.L., Vöö S., Mottaghy F.M., Wildberger J.E., Lobbes M.B.I.**  
Hybrid PET-MR for predicting pathologic complete response to neoadjuvant chemotherapy in breast cancer - preliminary experiences (SS 302), B-0224
- Goorts B., Smidt M.L., Vöö S., van Nijnatten T.J.A., Mottaghy F.M., Wildberger J.E., Lobbes M.B.I.**  
Hybrid PET-MR imaging for accurate nodal staging prior to neoadjuvant chemotherapy in breast cancer patients - preliminary results (SS 1902b), B-1276
- Gordon A., Morden J., Lim A., Cleator S.**  
Tumour volume analysis TVA vs RECIST (SS 1902b), B-1275
- Gottschalk A., Kress B.**  
NSaFe study: observational study on the incidence of nephrogenic systemic fibrosis in renal impaired patients following gadoteric acid administration (CTIR 1)
- Gourtsoyianni S.**  
The spleen: the forgotten organ: C. Malignant lesions (RC 1601), A-663
- Gourtsoyiannis N.**  
Advancing clinical practice: role of education: ESOR in action 2016 (ESOR), A-219
- Grainger A.J.**  
Shoulder MRI: mastering technique and making my report relevant: C. Patterns of instability: what does the MRI show? (RC 1510), A-630
- Gramer B.M., Baur I., Rasper M., Rasper M., Leber A.**  
Comparison between CT perfusion imaging of the myocardium and intracoronary transluminal attenuation gradient in coronary CT angiography for the assessment of coronary artery stenosis (SS 303b), B-0378
- Graser A.**  
Use of staging and classification systems: A. RECIST 1.1 training (E<sup>3</sup> 1221), A-423
- Grassi Zamora C., de Albert M., Solana Tubau G., Martinez Torrens F., Carreño G E., Farras Roca L., Nova Vaca D.**  
CT-guided radiopharmaceutical marking of lung nodules: technical and results (SS 1809), B-1225
- Gray E.**  
Joint VPH-PRISM/ASSURE Session - from screening to therapy: innovative breast care concepts: Breast cancer risk and masking risk-based stratification protocols: key drivers of cost-effectiveness (EIBIR 1), A-227
- Grehn J.M., Butler M.-L., Rainford L.A.**  
Continuing professional development (CPD) considerations in a newly state registered profession (SS 214), B-0142
- Grenacher L.**  
Pancreatic cancer: radiological diagnosis and treatment: Chairman's introduction (MS 8), A-264
- Grenacher L.**  
Pancreatic cancer: radiological diagnosis and treatment: Radiology oncological management (MS 8), A-267
- Grenier N.**  
Kidney: C. Acute and chronic renal infection (E<sup>3</sup> 622), A-211
- Grenier N.**  
Minimising the risk of transmitting infections through ultrasound: is current practice sufficient?: Current accepted practice of ultrasound probe decontamination in endocavitary and interventional radiology (part 1) (Res.WG), A-249
- Grenier N.**  
Genitourinary and gastrointestinal radiology: B. New aspects of renal tumours (E<sup>3</sup> 1521), A-607
- Grenier P.A.**  
COPD and infiltrative lung diseases: Keynote speaker (SS 1804), K-28
- Grenier P.**  
Imaging of airways: what the respirologist needs to know: How to image and report airway disease? (ESR/ERS), A-624
- Griebel J.**  
Joint Session of the ESR and HERCA: the new EU-BSS Directive - a step forward to patient safety: Overview of EU radiation protection legislation (EuroSafe 3), A-485
- Grigoriadis S., Filippiadis D., Zechlinski J., Mazioti A., Kelekis A., Tutton S., Kelekis N.**  
Comparison of cryoablation and microwave ablation for percutaneous renal ablation: focus upon safety and efficacy (SS 209), B-0127

# Authors' Index

**Gristina L., Valdora F., Cevasco L., Bignotti B., Tosto S., Monetti F., Rossi F., Tagliafico A., Calabrese M.**  
Effects on short-term quality of life of vacuum assisted breast biopsy: comparison between digital breast tomosynthesis and digital mammography (SS 202), B-0016

**Grover S.B., Jain P., Jain S.K., Mandal A.**  
MR spectroscopy evaluation of breast cancer using Signal-to-Noise Ratio (SNR) as a prognostic indicator (SS 1002), B-0761

**Grueneisen J., Sawicki L., Schaarschmidt B., Suntharalingam S., Quick H., Forsting M., Umutlu L.**  
Comparison of whole-body PET/MRI and whole-body DWI/MRI for the evaluation of patients with lymphoma (SS 1006), B-0903

**Grueneisen J., Sawicki L., Schaarschmidt B., Suntharalingam S., Quick H., Forsting M., Umutlu L.**  
Evaluation of a FAST-protocol for simultaneous PET/MRI used for staging patients with lymphoma (SS 1006), B-0905

**Grunwald I., Kühn A., Fassbender K.**  
Patient selection using the e-ASPECTS software for automated detection of acute ischaemic stroke on a mobile stroke unit (SS 1411a), B-0972

**Gschwendtner M.**  
Endovascular abdominal aneurysm repair (EVAR): where do we stand now?: Imaging and treatment of endoleaks (SA 15), A-635

**Guaricci A., Brunetti N., De Rosa F., Guglielmo M., Mushtaq S., Mascarini L., Andreini D., Pepi M., Pontone G.**  
Coronary atherosclerosis features for the prediction of ischaemic events (CAFÉ-PIE study): a CT scan integrated score from a bi-center registry (SS 703), B-0742

**Guberina N., Körber A., Forsting M., Bockisch A., Sabet A., Pöppel T.**  
Evaluation of inflammatory activity in psoriatic arthritis of the hand with integrated 18F-PET/MRI (SS 210), B-0068

**Guberina N., Schlosser T., Nensa F., Forsting M., Naßenstein K.**  
Diagnostic image contribution of gadolinium-enhanced VIBE sequences in cardiac MRI (SS 1903), B-1307

**Guermazi A., Hayashi D., Roemer F.W., Niu J., Quinn E.K., Crema M.D., Nevitt M.C., Felson D.T.**  
Focal cartilage defects are associated with cartilage damage progression in the same subregion and new cartilage damage development in the same tibiofemoral compartment: the MOST Study (SS 610b), B-0548

**Guerrini S., Mazzei M.A., Mazzei F.G., Cioffi Squitieri N., de Donato G., Galzerano G., Setacci F., Setacci C., Volterrani L.**  
Preliminary validation of a new protocol in EVAR follow-up: digital tomosynthesis and CEUS vs computed tomography angiography (SS 1815), B-1172

**Guglielmi G.**  
Systemic disease: what to look for in the musculoskeletal system: C. MSK manifestations of renal disease (RC 1210), A-460

**Günbey H., Ceyhan Bilgici M., Aslan K., Has A., Ogur M., Alhan A., Incesu L.**  
Structural brain alterations of Down syndrome in early childhood evaluation by DTI and volumetric analyses (SS 211a), B-0082

**Gungor G., Yurttutan N., Bilal N., Menzilcioglu M.S., Duymus M., Avcu S., Citil S.**  
Evaluation of parotid glands with real-time ultrasound elastography in children (SS 212), B-0171

**Guo C., Wang Z., Zhang H., Qian T., Yutaka N.**  
Evaluation of slice encoding for metal artefact correction (SEMAC) sequences in patients with intrauterine contraceptive device: removing metal artifacts in MR scans of female pelvic regions (SS 207), B-0134

**Gutberlet M.**  
Assessing myocardium at-risk with MRI: T2 imaging (SF 8b), A-275

**Gutberlet M.**  
Essentials of modern imaging in cardiac diseases: B. Backbone of cardiac imaging: CT and MRI (E<sup>3</sup> 1220), A-448

**Gutberlet M.**  
Cardiac and vascular: A. Cardiovascular imaging: the basics (E<sup>3</sup> 1323), A-546

**Gutzeit A.**  
Suction/inspiration against resistance: a new breathing technique to improve contrast density within the pulmonary artery (SS 1415), B-1041

**Gutzeit A., Fröhlich J., Matoori S.**  
Reduction in respiratory motion artefacts on gadoxetate-enhanced (Primovist) MRI after training technicians (SS 1914), B-1388

**Gyebnar G., Klimaj Z., Rudas G., Barsi P., Kozak L.R.**  
Data-driven identification of white matter (WM) changes can help finding hard-to-identify malformations of cortical development (MCDs) (SS 211a), B-0080

## H

**Haage P.**  
Interventional radiology for deep venous thrombosis (DVT): ready for prime time?: A. Imaging of DVT (E<sup>3</sup> 1226a), A-490

**Haas M., Cash H., Hamm B., Asbach P.**  
Correlation of prostate volume and cancer detection as assessed by MRI volumetry (SS 707), B-0697

**Habib Geryes B., Bak A., Naggara O., Brunelle F., Saliou G.**  
Dose reference levels in paediatric interventional radiology (SS 1809), B-1227

**Hackenbroch M., Chang D., Maintz D.**  
Safety of gadoteric acid in over 1,600 children included in a prospective observational study (SS 212), B-0167

**Hadaschik B.A.**  
A multidisciplinary approach to prostate cancer: can we make a difference?: A. The urologist: evidence-based clinical decision making (RC 516), A-162

**Hadley L.C., O'Leary D., Watson T.**  
The radiographers' role in information giving prior to consent for computed tomography scans: a cross-sectional survey (SS 1414), B-1012

**Hagelstein C., Weis M., Henzler T., Lechel U., Neff K., Brix G., Schönberg S.O., Schegerer A.**  
Comparison of organ doses between 70 kVp chest CT and 100 kVp chest CT with a dedicated tin filter for spectral shaping using thermoluminescent dosimeter measurements in a paediatric phantom (SS 312), B-0373

**Hahn H.K.**  
Joint VPH-PRISM/ASSURE Session - from screening to therapy: innovative breast care concepts: Introduction: challenges and innovative approaches in image-based breast care (EIBIR 1), A-224

**Hakkert M., Hakkert M.**  
Computed ultra high b value diffusion-weighted MR imaging of the prostate: what is the clinical added value of extrapolated b3000 images for prostate cancer detection? (SS 1914), B-1383

**Hakumäki J.**  
Mammography in Nordic countries: screening and new developments: New developments in MRI and MR image analysis of breast cancer (EM 1), A-389

**Hales P.**  
Advanced imaging techniques in brain tumours: C. Assessment of brain tumour perfusion and abnormal vascular structure using arterial spin-labelling (E<sup>3</sup> 519), A-180

**Haliloglu M.**  
Chest imaging in paediatrics: A. Congenital anomalies of the chest (RC 412), A-069

**Haller S.**  
Hybrid imaging: radiology and nuclear medicine: Dementia: the role of radiology (ESR/EANM), A-427

**Hambardzumyan A., Dallakyan N.H.**  
Intraoperative navigated neuroultrasound in elective and urgent infant and paediatric neurosurgery (SS 212), B-0170

**Hamm B.**  
Prostate MRI: increasing need?: MRI before the first prostate biopsy: has the time come? (SF 16), A-695

**Hamm B.**  
A multidisciplinary approach to prostate cancer: can we make a difference?: Chairman's introduction (RC 516), A-161

**Han G., Kim S., Lee N.**  
Prediction of late postoperative hemorrhage after the Whipple procedure by CT performed at early postoperative periods (SS 1901b), B-1295

**Han J., Seo H., Lee H., Lee Y.**  
Diffusion tensor imaging of extraocular muscle in thyroid associated orbitopathy (SS 208), B-0156

**Han N., Jang J., Byun H., Lee K., Koo J., Choi H., Jung S., Ahn K., Kim B.**  
Added value of morphologic characteristics of intracranial arteries to future stroke risk (SS 711), B-0645

**Han Na L., Kim M.**  
Chemotherapy induced interstitial pneumonitis: thin-section CT characteristics and longitudinal CT follow-up (SS 1804), B-1215

**Hanafy M.M.H.H., Fouad R.M.K., Azzam H.A.M.A., Youssef A.A.Y.**  
Comparative study between tomosynthesis, contrast enhanced spectral mammography and breast ultrasound as complementary techniques in mammography of dense breasts (SS 1402b), B-1066

**Hansen J., Sommer C.M., Würstlin S., Pahn G., Skornitzke S., Kauczor H.-U., Richter G.M., Stiller W.**  
Evaluation of optimal dual-energy (DE) blending ratios for linearly generated DE-blended images in dependency of radiation exposure level and acquisition mode (SS 1913), B-1348

**Harkness E.F., Astley S., Tucker L., Duffy S., Gilbert F.J.**  
Does previous reader performance in a test set of DBT images predict performance in a retrospective reading trial using DBT in addition to mammography? (SS 1802), B-1136

# Authors' Index

## Harris R.

Precinical imaging as a driver for translational research: how I do it: D. View of the radiographer (RC 906), A-367

## Harsaker V., Raszkowski A., Cin C., Bamboi S., Granhus T.

Optimisation of image quality and dose in direct digital chest radiography for a neonatal chest phantom, using Cu filtration (SS 1914), B-1382

## Hartmann I.

Pneumonia: A. Community-acquired pneumonia (RC 104), A-028

## Hartvig Sode A.

CT parameters: juggling or struggling?: Keynote speaker (SS 314), K-11

## Hasegawa D., Ichikawa Y., Nakayama R., Kurobe Y., Chino S., Ishida M., Kitagawa K., Murashima S., Sakuma H.

Usefulness of computer-aided detection (CADE) using temporal subtraction and 3D non-rigid registration for detecting bone metastasis on whole body thin-slice CT (SS 1010a), B-0807

## Haubenreisser H., Tecl A., Meyer M., Schönberg S.O., Henzler T.

Transforming thoracic oncologic CT examinations into a CT pulmonary angiography for the detection of pulmonary embolism using ultra low keV monoenergetic reconstructions (SS 604), B-0580

## He Y., Riffel P., Hausmann D., Schönberg S.O., Attenberger U.

Zoomed EPI-DWI of the kidney using two-dimensional spatially-selective radiofrequency excitation pulses (SS 207), B-0141

## He Y., Ding N., Xue H.

Cyclic changes of the junction zone on 3T MR images in young and middle-aged females during the menstrual cycle: anatomical and functional values (SS 1907), B-1327

## Heerink W.J., Vliegenthart R., Oudkerk M., de Jong K.P.

Applied energy and ablation volume after CT-guided radiofrequency- and microwave ablation of colorectal liver metastases (SS 1009), B-0863

## Heilmaier C., Mayor A., Zuber N., Fodor P., Weishaupt D.

Improving radiation awareness and feeling of personal security of non-radiological medical staff in computed tomography scanning room by implementing a traffic light system (SS 313), B-0306

## Heilmaier C., Zuber N., Weishaupt D.

Introducing a dose monitoring software in conventional x-ray imaging: initial experiences (SS 313), B-0310

## Heilmaier C., Zuber N., Weishaupt D.

Does radiation awareness of CT technologists change, when a dose monitoring software is used for real-time monitoring of patient dose? (SS 1814), B-1250

## Heinz-Peer G.

Retroperitoneum and adrenals: C. Differential diagnoses of adrenal lesions (E<sup>3</sup> 522), A-199

## Helbich T.H.

Digital breast tomosynthesis: an update: Keynote speaker (SS 1802), K-27

## Helbich T.H.

Expert 2 (SY 19)

## Heilbach K., Yaroshenko A., Willer K., Auweter S., Reiser M.F., Hilgendorff A., Eickelberg O., Pfeiffer F., Meinel F.G.

Facilitated diagnosis of pneumothoraces in mice using x-ray dark-field radiography (SS 713), B-0671

## Hellström M.

CT colonography today: Chairman's introduction (RC 801), A-239

## Hellström M.

Colon: Keynote speaker (SS 301b), K-06

## Helmberger T.K.

Interventional: A. Basic principles of angiography and image-guided interventions (E<sup>3</sup> 1623), A-699

## Hempel J., Kloeckner R., Krick S.,

Schadmand-Fischer S., Schreckenberger M., Miederer M.

Impact of combined FDG-PET/CT and MRI on detection of local recurrence and nodal metastases of thyroid cancer (SS 1006), B-0907

## Hendriks B.M.F., Muhl C., Kok M., Altintas S.,

Kietselaer B.L.J.H., Wildberger J.E., Das M.

Effects on intra-coronary attenuation using different iodine concentrations (240, 300 and 370 mg/ml) whilst maintaining identical IDR (EICAR-trial) (SS 615), B-0473

## Hendriks B.M.F., Kok M., Muhl C.,

Wildberger J.E., Das M.

Individually tailored contrast enhancement in CT pulmonary angiography (SS 1415), B-1040

## Henner A., Paalimäki-Paakki K.

Patient doses in lumbar spine (SS 1014), B-0866

## Hensen B.J.U., Thorenz A., Chen R., Meier M., Klos A., Wacker F., Hartung D., Güler F., Hüper K.

The complement system and its influence on the development of acute renal failure: non-invasive renal perfusion measurement by MRI (SS 1406), B-0939

## Herholz K.

Imaging in dementia: C. PET imaging in dementia (E<sup>3</sup> 1726d), A-773

## Hermans J.J., Riviere D., van Geenen E., van Zanten M., Radema S., van Laarhoven K.

Contrast-enhanced diffusion-weighted MRI vs contrast-enhanced CT for detecting liver metastases for potentially resectable pancreatic ductal adenocarcinoma (SS 216b), B-0188

## Hernández-Argüello M.D., Solorzano J.,

Pascual I., Benito A., Collantes M., Padula C.,

Caballeros M., Pardo J., Richter J.A.

Index lesion characterised by 11C-choline PET/CT and 3-Tesla MRI spectroscopy in primary prostate carcinoma: clinical implications in the era of image-guided therapy (SS 307), B-0344

## Hernández-Argüello M.D., Solorzano J.,

Benito A., Collantes M., Rodríguez-Fraile M.,

Pascual I., Madrid J., Pardo J., Richter J.

Index lesion detection with diffusion-weighted imaging at 3 Tesla MRI and its correlation with choline kinase- $\alpha$  overexpression in primary prostate carcinoma (SS 707), B-0702

## Herold C.J.

Personalised radiology: myth or reality?: Chairman's introduction (PC 5), A-144

## Herold C.J.

Lung cancer: Keynote speaker (SS 704), K-16

## Hesse N., Heinemann V., Holch J.,

Hofmann F., Baumann A., D'Anastasi M.,

Sommer W.

Estimated relative hepatic tumour burden at baseline CT in a colorectal cancer cohort treated first-line with targeted therapy: predictive relevance with respect to overall survival (SS 1916), B-1322

## Heussel C.P.

Evaluation of patients with lung emphysema: A. Pretherapeutic evaluation of lung emphysema (E<sup>3</sup> 821), A-237

## Heußner T., Rank C.M., Freitag M.T.,

Dimitrakopoulou-Strauss A., Schlemmer H.-P., Beyer T., Kachelrieß M.

Application of MR-based joint estimation of attenuation and activity distributions to clinical non-TOF PET/MR (SS 713), B-0668

## Heywang-Köbrunner S.H.

Breast screening controversies: viewpoint of the IARC (SY 1b)

## Heywang-Köbrunner S.H.

Tailoring breast cancer screening to risk level: B. Intermediate risk: the grey zone (RC 1302), A-550

## Hibat-Allah S., Tran Dong K., Ducreux D.

Evaluation of olfactory functional MRI in major depressive patients before and after treatment (SS 208), B-0162

## Hidaka K., Tajikawa T., Osuga K.

In vitro quantitative analysis of blood flow blockage effect of Amplatzer vascular plugs (AVP): comparison of AVP-I and AVP-II (SS 1909), B-1377

## Higashigaito K., Plass A., Husarik D.,

Maisano F., Alkadhi H.

Contrast media reduction in CT-angiography of coronary artery bypass grafts (SS 203b), B-0176

## Higashigaito K., Angst F., Runge V.M.,

Alkadhi H., Donati O.

Metal artifact reduction of hip prostheses: comparison of an iterative algorithm with virtual monoenergetic extrapolations from dual-energy CT (SS 1905), B-1289

## Hillergård K.

The professional role of Swedish radiographers in medical imaging: Introduction (part 2) (EM 4), A-406

## Hillman B.J.

Big data: why should radiologists care?: Big data: big business (NH 4), A-067

## Hinrichs J., Werncke T., Wacker F., Meyer B., von Falck C.

Pelvic artery imaging: comparison of carbon dioxide enhanced digital subtraction angiography (CO<sub>2</sub>-DSA) and C-Arm computed tomography (CO<sub>2</sub>-CACT) (SS 1515), B-1094

## Hinrichs J.B., Renne J., Hoepfer M.M.,

Olsson K., Wacker F., Meyer B.C.,

von Falck C.

Chronic thromboembolic pulmonary hypertension: cone beam computed tomography vs. 64-row multi-detector computed tomography (SS 1415), B-1044

## Hocquelet A., Trillaud H., Balageas P.,

Frulio N., Salut C., Denis de Senneville B.

A novel approach to predict local tumour progression for hepatocellular carcinoma after radiofrequency ablation: 3D measurement of tumour area exposed to post-ablation margins (SS 1809), B-1223

## Hodler J.

Precinical imaging as a driver for translational research: how I do it: Chairman's introduction (RC 906), A-363

## Hoff S.R.

Mammography in Nordic countries: screening and new developments: Interval cancers in population-based screening programmes (EM 1), A-388

## Hoffmann R., Rempp H., Kessler D., Weiss J., Nikolaou K., Clasen S.

MR-guided microwave ablation in hepatic tumours: initial results in clinical routine (SS 1009), B-0861

# Authors' Index

- Hofmann F.O., Heinemann V., Holch J., Baumann A., Hesse N., D'Anastasi M., Sommer W.H.**  
Change of liver metastases under therapy: do target lesions represent the changes in the hepatic tumour burden? (SS 216b), B-0189
- Hofmann M., Salamon J., Jung C., Kaul M.G., vom Scheidt A., Adam G., Ittrich H., Knopp T.**  
Multi-spectral MPI for real time 3D tracking of endovascular devices (SS 615), B-0478
- Hofmann P.C., Sedlmair M., Krauss B., Schmidt B., Wichmann J.L., Bauer R.W., Flohr T.G., Mahnken A.H.**  
Dual Energy CT (DE-CT) bone densitometry: assessing a potential alternative to DXA and quantitative CT (qCT) in imaging-based bone mineral density analysis (SS 1913), B-1349
- Hogan P., Lowe J.**  
An investigation of radiography staff uniforms as vectors for infection: comparing home-laundering processes with hospital-laundering (SS 1414), B-1007
- Holm T.**  
Colorectal cancer: synchronous and metachronous metastases: A. Clinical management: what needs to be improved? (E<sup>3</sup> 1518), A-613
- Holmin S.**  
Sven-Ivar Seldinger Honorary Lecture: Imaging and micronavigation: time to redraw the map? (HL 3), A-596
- Honda H.**  
State-of-the-art radiology: Introduction: Radiology today in Japan (EM 2), A-570
- Hong Y., Nair T., Lee J.**  
Surface fitting based automatic segmentation and quantification of pulmonary fissures and lobes (SS 605), B-0440
- Hoppe H.**  
Basic principles of varicose vein diagnosis and endovascular treatment: A. Diagnostic cross-sectional imaging (RC 415), A-110
- Horehledova B., Kok M., Eijssvoegel N.G., Hendriks B.M.F., Kietse-laer B.L.J.H., Wildberger J.E., Das M.**  
Aortic valve stenosis evaluation: differences in estimated aortic valve area and aortic stenosis severity comparing echocardiography and CTA results (SS 1003), B-0791
- Horváth A., Várallyay C., Schwartz D., Ambady P., Bogner P., Neuwelt E.**  
Comparison of ferumoxytol and gadolinium enhancement changes in response to Avastin in high grade glioma patients (SS 311a), B-0285
- Hou P.**  
The effect of KV Assist on radiation dose reduction and image quality for abdominal CT in different BMI groups (SS 213), B-0102
- Hou P.**  
Ultra-low dose and volume contrast medium (CM) for aorta CTA: using IMR for substantial dose and volume CM reduction in a prospective clinical study (SS 615), B-0477
- Howard M.L., Brown C., Morse J.**  
Inter-professional simulation-based education in trauma: human factors (SS 214), B-0145
- Hricak H.**  
Advancing clinical practice: role of education: Role of research and innovation: essential ingredients for our professional advancement (ESOR), A-223
- Hricak H.**  
Improving radiology departments: D. Clinically relevant reporting in the era of precision medicine (MIR 3), A-476
- Hu A., Jiang Y., Zhu B.**  
Low-dose full-spine CT with iterative model reconstruction (IMR) algorithm in children with scoliosis (SS 1410), B-0962
- Huber A., Rudolph J., Rasper M., Sträter A., Settles M., Reeps C., Eckstein H., Rummeny E.J.**  
Patients without aortic disease and with aortic dissection using velocity encoding 4D MRI: assessment of wall shear stress and peak velocity (SS 1803), B-1158
- Hughes N.M., Murphy P., Mou T., Wolsztynski E., Huang J., O'Sullivan F., O'Regan K.N.**  
Tumour heterogeneity measurement using [18F] FDG PET/CT in patients with lung cancer (SS 206), B-0024
- Hughes N.M., Barry J., Feeley L., Sheahan P.**  
Ultrasound features of conventional papillary thyroid carcinoma and follicular variant papillary thyroid carcinoma (SS 1408), B-1021
- Huisman T.A.G.M.**  
Neuro imaging in paediatrics: Imaging in paediatric epilepsy (SF 17a), A-750
- Hummelink S., Schultze Kool L.J., Ulrich D.J.O.**  
Displaying inguinal lymph nodes prior to transplantation in a deep inferior epigastric perforator flap breast reconstruction using an innovative projection method (SS 1805), B-1139
- Humphreys H.**  
Minimising the risk of transmitting infections through ultrasound: is current practice sufficient?: Why current practice may not be safe: main risks of infection transmission and published evidence (Res.WG), A-251
- Humphries P.D.**  
Expanding horizons in paediatric imaging: B. Diffusion-weighted imaging: toy or solution? (E<sup>3</sup> 1226b), A-494
- Hunink M.G.M.**  
Big data: why should radiologists care?: Big data: what's in it for the patient? (NH 4), A-068
- Hunink M.G.M.**  
Clinical decision support (CDS): Imaging referral guidelines in Europe (PC 8a), A-257
- Hunold P.**  
Cardiac imaging: A. Patterns of delayed enhancement (E<sup>3</sup> 721), A-216
- Hüttl A., Hüttl A., Végh E.M., Sarkadi H., Nemes B., Hüttl K., Dósa E.**  
Subclavian artery stent fractures: prevalence and predisposing factors (SS 315), B-0261
- Hwang S., Sung D., You S., Han N., Park B., Kim M., Cho S.**  
Prediction of surgically induced chronic kidney disease after total nephrectomy: body surface area adjusted virtually calculated renal cortical volume on CT (SS 607b), B-0573
- Iacconi C., Marini C., Angelini G., Della Latta D., Giannelli M., Moretti M., Mazzotta D.**  
Breast structure and risk of breast cancers: the MR risk factors (SS 602a), B-0425
- Ichikawa S., Motosugi U., Omori M., Sano K., Hirata S., Onishi H.**  
Magnetic resonance elastography as a predictor of response to treatment of magnetic resonance-guided focused ultrasound surgery for uterine fibroids: a preliminary study (SS 607a), B-0466
- Iezzi R.**  
Carotid artery disease: so what's new?: A. The diagnostic assessment of carotid arteries (RC 815), A-295
- Ikramov A., Djuraeva N., Pirnazarov M., Amirkhamzaev A., Chekeridi A., Zulina T.**  
Evaluation of miocardial viability in patients with coronary heart disease: MR-diagnostics (SS 1903), B-1305
- Illomei G., Coghe G., Frau J., Spinicci G., Marrosu M.**  
Real-time elastography for the assessment of spasticity: our experience in multiple sclerosis patients (SS 1511), B-1108
- Imam H.M.K., Seif H.M.A.H., Seifeldein G.S., Abbas W.M.**  
The role of diffusion weighted MR imaging in follow-up of response of loco regional interventional therapy of hepatocellular carcinoma (SS 216a), B-0091
- Imam H.M.K., Hameed D.A., Seifeldein G.S., Moussa E.M., Al Johi R.S.**  
Urinary bladder mass: histopathological and cell type prediction by apparent diffusion coefficient (SS 1416), B-1034
- Indestege I., Laenen A., Verslype C., Prenen H., Vergote I., Maleux G.**  
Tunnelled peritoneal catheter placement in the palliative treatment of malignant ascites: technical results and overall clinical outcome (SS 609), B-0543
- Inecikli M., Nas Ö., Hakyemez B.**  
Effectiveness of percutaneous vertebroplasty in cases of multiple myeloma with vertebral pain (SS 309), B-0327
- Ingrisch M., Sourbron S., Schneider M., Herberich S., Kämpfel T., Hohlfeld R., Reiser M.F., Ertl-Wagner B.**  
Normal-appearing white matter hypoperfusion in multiple sclerosis: assessment with DCE MRI (SS 1511), B-1110
- Inoue M., Yamada Y., Tamura M., Nakatsuka S., Oguro S., Jinzaki M.**  
Does dynamic volumetric CT angiography of endoleak after endovascular aortic aneurysm repair using 320-detector row CT add additional information with dynamic CT angiography? (SS 1815), B-1171
- Ioan I., Pisani Mainini A., De Angelis C., Riva I., Di Leo G., Sardaneli F.**  
Is mammographic breast density related to breast cancer risk based on personal/family history? (SS 1502), B-1123
- Iotti V., Ravaioli S., Sghedoni R., Coriani C., Vaccondio R., Caffarri S., Nitrosi A., Tondelli G., Pattacini P.**  
Monitoring neo-adjuvant chemotherapy: comparison of contrast-enhanced spectral mammography (CESM) and MRI versus breast cancer characteristics (SS 1402b), B-1062
- Ippolito D., Querques G., Talei Franzesi C., Bonaffini P.A., Lombardi S., Sironi S.**  
Diagnostic value of quantitative perfusion maps with CT-perfusion technique in assessment of tumour response to Sorafenib treatment in patients with advanced HCC lesions (SS 216a), B-0096
- Ippolito D., Querques G., Talei Franzesi C., Bonaffini P.A., Fior D., Sironi S.**  
Dynamic contrast enhanced perfusion CT imaging as an early predictor for tumour response to Sorafenib treatment in patients with advanced HCC lesions: preliminary results (SS 1001b), B-0835

**Isfort P., Rauen P., Na H., Ito N., Wilkmann C., Kuhl C., Bruners P.**

Does DEB-TACE enhance the local effect of IRE? Imaging and histopathological evaluation in a porcine model (SS 1009), B-0864

**Iskra A., Bensa G., Šomen J., Lokar K., Podvratnik M., Zdešar U., Mekiš N., Žibert J.**  
A system for automatic mammography images quality control: a development of a system for automatic image artifacts detection (SS 1914), B-1381

**Islam S., Yinn R., Riddell A., Tam H., Koh D.-M.**

Interval increase in lesion enhancement on hepatocellular phase gadoxetic acid enhanced MRI is associated with complete response to chemotherapy in colorectal liver metastases (SS 216b), B-0185

**Ismail A., Abdulkadir Tabari M.**

Dynamic and morphologic evaluation of erectile dysfunction on penile Doppler sonography and contrast cavernosography (SS 1515), B-1095

**Isoda H., Yoneyama Y., Fukuyama A., Terada M., Kamiya M., Otsubo K., Kosugi T., Komori Y., Naganawa S.**

Investigation into MR angiography as a possible replacement for rotational angiography or CT angiography for cerebrovascular computational fluid dynamics (SS 615), B-0479

**Ivanac G., Dzoic Dominkovic M., Ivanac K., Brkljacic B.**

Measurement of blood velocities in renal, intrarenal and carotid arteries: comparison of Ultrafast Doppler and conventional color duplex Doppler (SS 615), B-0474

**Izhaky D., Shalmon A., Rundstein A., Servadio Y., Gottlieb M., Mor E., Sklair-Levy M.**

A prospective evaluation of a 3D functional infrared imaging for risk assessment in women at high risk for breast cancer (SS 302), B-0226

## J

**Jackson A., N.N.**

Cerebral blood flow quantification: Chairman's introduction (E<sup>3</sup> 819), A-291

**Jackson D.M., Lau K.K., Borsaru A.**

Image quality - cutting through noise (SS 701c), B-0729

**Jackson S.A.**

IgG4-related disease: what is it and what do I need to know?: Chairman's introduction (RC 1301), A-507

**Jacob J., Bartholmai B., Karwoski R., Nair A., Raghunath S., Rajagopalan S., Walsh S.L.F., Wells A., Hansell D.**

Pulmonary vessel volume (PVV) change vs change in forced vital capacity (FVC) as a predictor of mortality in IPF (SS 204), B-0112

**Jacob J., Bartholmai B., Brun A., Egashira R., Nair A., Rajagopalan S., Walsh S.L.F., Wells A., Hansell D.**

Mortality prediction in pulmonary fibrosis: comparison of computer and visual CT analysis and pulmonary function tests (PFT) with the gender, age, physiology (GAP) staging system (SS 604), B-0586

**Jacob J., Bartholmai B., Karwoski R., Nair A., Raghunath S., Rajagopalan S., Walsh S., Wells A., Hansell D.**

Prognostication using longitudinal change in idiopathic pulmonary fibrosis (IPF): analysis of change in computer and visual CT variables and forced vital capacity (FVC) (SS 604), B-0587

**Jacob J., Bartholmai B., Brun A., Egashira R., Karwoski R., Kokosi M., Raghunath S., Wells A., Hansell D.**

Baseline prognostication in diffuse fibrosing lung diseases (FLD): evaluation of computer-based quantitative CT analysis against visual CT analysis and pulmonary function tests (PFT) (SS 1904), B-1368

**Jacquier A.**

Cardiac imaging: B. Cardiomyopathies: from diagnosis to prognosis (E<sup>3</sup> 721), A-217

**Jäger D.**

Pancreatic cancer: radiological diagnosis and treatment: Medical oncological management (MS 8), A-266

**Jager G.J., Rutten M.J.C.M.**

Complaints against radiologist submitted to disciplinary tribunals (DT) in the Netherlands (2007-2014) (SS 1402a), B-0929

**Jäger H.R.**

Cerebrovascular disease: B. Detecting microhaemorrhages: why are they important? What are they? Should we use GRE T2\* or SWI or both? (RC 1211), A-481

**Jäger H.R.**

Perfusion imaging: D. Cerebral perfusion (E<sup>3</sup> 526), A-185

**Jakab A., Kasprian G., Gruber G.M., Prayer D., Langs G.**

Connectivity-based parcellation of the developing foetal thalamus: topological changes during gestation (SS 211a), B-0077

**Jakobs T.F.**

Image fusion for image-guided interventions: A. Cone-beam CT in vascular and non-vascular interventional procedures (RC 109), A-046

**James K., Nicholson P., Murphy J., Wyse G., Fanning N.**

Experience and outcomes in the use of a pipeline embolisation device (PED) for the treatment of intracranial aneurysms: a single-centre study (SS 1011a), B-0795

**Jang J., Koo H., Sung Y., Xu H., Choi C., Lee J., Kim M.**

CT texture analysis for independent prediction of tumour recurrence in patients with surgically resected adenocarcinoma of the lung (SS 1904), B-1360

**Jang S., Lee J., Lee D., Joo I., Yoon J., Chang W., Han J.**

MR elastography for the preoperative estimation of liver regeneration capacity in patients with hepatocellular carcinoma after major hepatectomy (SS 1901b), B-1297

**Jankauskas A.**

Cardiac CT and new interventions: Chairman's introduction (E<sup>3</sup> 126), A-052

**Jankharia B.**

TwinBeam dual energy - clinical relevance in daily routine (SY 17)

**Jaschke W.R.**

MITIGATE: What does it take to perform clinical trials in interventional radiology?: Introduction (part 2) (EIBIR 2), A-412

**Jazwiec P., Gac P.,**

**Chaszczewska-Markowska M.,**

**Bogunia-Kubik K., Mazur G., Poreba R.**

Genetic variability in the renin-angiotensin-aldosterone system and volume of carotid bodies evaluated by carotid artery computed tomography angiography in hypertensive patients (SS 215), B-0064

**Jeevanandham B.**

Injection free Imaging: evaluation of diffusion weighted MRI over contrast enhanced MRI in testicular torsion (SS 1907), B-1333

**Jensen F.**

First experience with the Multitom Rax (SY 6)

**Jeon S., Lee J., Joo I., Lee E., Park H., Han J., Park J.**

Nonhypervascular pancreatic neuroendocrine tumour: differential diagnosis from pancreatic ductal adenocarcinoma on MR imaging (SS 1901a), B-1263

**Ji Q., Chu Z.**

Biexponential model of intravoxel incoherent motion MRI in evaluation of the hepatic warm ischemia reperfusion injury: A preliminary experimental study in a rabbit model (SS 701a), B-0595

**Jia W., Shi J., Fei X., Shen K., Chen M.**

HER2 positive breast cancer: correlation with quantitative contrast-enhanced ultrasound parameters (SS 602b), B-0529

**Jia W., Shi J., Fei X., Shen K., Chen M.**

Can contrast-enhanced ultrasound features of metastatic axillary lymph nodes reflect biological performances of primary breast cancer? (SS 1416), B-1033

**Jiang X., Li X., Zhang Z., Huang S., Lin J., Huang L., Sun C., Li Z.**

Comparison of magnetisation transfer and diffusion-weighted MRI for detection of bowel fibrosis in Crohn's disease: initial experience (SS 601b), B-0449

**Jiang Z., Ju X., Peng W., Yu B.**

Role of MR imaging in selection of patients with cervical cancer for abdominal radical trachelectomy (SS 1416), B-1029

**Jimenez-Juan L., Mehrez H., Dey C., Homampour S., Salazar-ferrer P., Paul N.**

Whole lung dynamic perfusion CT for risk stratification of arterial occlusions (SS 204), B-0109

**Jin Y.**

Monoexponential, Biexponential and Stretched-exponential diffusion-weighted MR imaging in the differentiation of benign and malignant breast lesions (SS 1002), B-0752

**Jing X., Ding J., Wang Y., Wang F., Wang Y.**

Thermal ablation for hepatocellular carcinoma: a large-scale analysis of long-term outcome and prognostic factors (SS 1009), B-0857

**Jobst B., Trauth M., Weinheimer O., Becker N., Delorme S., Kauczor H.-U., Wielpütz M.**

Long-term effect of smoking cessation on emphysema progression in smokers-at-risk in a lung cancer screening population (SS 1804), B-1211

**Jochelson M.S., Dershaw D.D., Sung J.S., Hughes M.C., Goldman D.A., Moskowitz C.S., Mangino D.A., Robson M.E., Morris E.A.**

Comparison of breast cancer screening with contrast-enhanced mammography vs MRI (SS 1402b), B-1063

**Jonas E.**

A tour around cholangiopathies: C. Treatment: which and when (E<sup>3</sup> 426a), A-064

**Joo I., Lee J., Lee S., Lee J., Park J., Han J.**

Intrahepatic mass-forming cholangiocarcinoma in high-risk patients for hepatocellular carcinoma: how does LI-RADS v2014 work on gadoxetic acid-enhanced MRI? (SS 601a), B-0415

**Juggal T.S., Garg A., Kumar J., Sethi G.R.**

Multi-detector computed tomography of paediatric large airway diseases: comparison between virtual bronchoscopy and fiberoptic bronchoscopy (SS 312), B-0372

# Authors' Index

**Jungmann P.M., Birnbacher L., Viermetz M., Föhr P., Karampinos D.C., Lohöfer F., Wildgruber M., Rummeny E.J., Herzen J.**  
Grating-based x-ray phase-contrast imaging: a new high-resolution non-contrast enhanced quantitative cartilage imaging technique? An experimental feasibility study (SS 610b), B-0547

**Jungmann P.M., Bauer J.S., Baum T., Braun S., Holwein C., Rummeny E.J., Imhoff A.B., Wörtler K.**  
Diagnostic value of CT arthrography at the ankle (SS 1810), B-1184

## K

**Kaasalainen T., Peltonen J., Soikkeli M., Heikkinen S., Timonen M., Sipilä O.**  
Magnetic resonance evaluation of myocardial and liver iron deposition using T1 and T2\* mapping methods: a phantom study (SS 1803), B-1155

**Kachelrieß M.**  
Artefacts and pitfalls in tomography: A. CT (RC 413), A-098

**Kadoya N., Ota H., Umezawa R., Nakajima Y., Saito M., Takase K., Jingu K.**  
Radiation-induced myocardial injury after mediastinal radiotherapy for esophageal cancer (SS 203a), B-0055

**Kahn C.E.**  
Estimating prevalence of rare diseases using a large radiology report database (SS 305), B-0236

**Kahraman A., Kahraman B., Ozdemir Z., Gormeli C., Sahin N., Yilmaz S.**  
Diffusion-weighted imaging (DWI) of the liver in assessing chronic liver disease: effects of the fat and iron deposition on apparent diffusion coefficient (ADC) values (SS 701a), B-0591

**Kainberger F.**  
Imaging in the presence of orthopaedic hardware: Imaging prosthetic joint infection: traditionally problematic, but do we have the answers now? (SF 9b), A-374

**Kalia V., Fuld M.K., Raman S.R., Fishman E.K., Fritz J.**  
Intra-subject comparison of 3 metal artifact reduction techniques for MDCT of arthroplasty implants (SS 1410), B-0956

**Kalia V., Thawait G.K., Johnson R., Gilson W.D., Raithel E., Fritz J.**  
CAIPIRINHA acceleration for rapid high-spatial-resolution isotropic 3D MRI of the ankle (SS 1810), B-1188

**Kalina I., Tóth A., Valcseva É., Kaposi P., Ács N., Várbíró S., Bérczi V.**  
Evaluation of pre-embolisation MRI-parameters of uterine fibroids for predicting volume reduction and quality-of-life score after uterine artery embolisation (UAE) (SS 607a), B-0471

**Kamal R.M., Faker E., Farouk R., El Messeidy D., Hatw A.**  
The impact of incorporating Dynamic Contrast-Enhanced MRI in the diagnostic workup of inflammatory breast disorders (SS 1902a), B-1257

**Kanana N., Amitai M., Raskin S., Yassin M., Sklair M., Konen E., Klang E.**  
Gynecomastia seen on CT examinations in the general male population (SS 704), B-0680

**Kantarci M., Sade R., Ogui H., Sevimli S., Tanboga I., Colak A., Karaca L.**  
Left atrial appendage thrombus as a preventable cause of stroke: complex imaging modalities versus prone position MDCT (SS 1503), B-1081

**Kapustin V., Gromov A., Shirokorad V., Koshurnikov D.**  
TRUS-MRI image navigation for prostate cancer recurrence targeted biopsy: initial experience (SS 1016), B-0826

**Karabulut N.**  
Occupational lung diseases: the known and the less known: Chairman's introduction (RC 1204), A-469

**Karalok I., Ulusoy L.**  
Magnetic resonance imaging findings in early stage diabetic foot and correlation with etiologies vasculopathy and neuropathy (SS 1810), B-1187

**Karaman C.**  
Characterisation of salivary gland masses: A. Ultrasound (E<sup>3</sup> 1726a), A-736

**Karantanas A.H.**  
Systemic disease: what to look for in the musculoskeletal system: B. MSK manifestations of non-malignant haematological disease (RC 1210), A-459

**Karcaaltincaba M.**  
The many faces of benign liver lesions: Chairman's introduction (RC 501), A-130

**Karimi M.A., Kahkouee S., Mami F.**  
Comparison of HRCT features of pneumocystis Jiroveci pneumonia in patients with and without HIV (SS 1004), B-0856

**Karssemeijer N.**  
Joint VPH-PRISM/ASSURE Session - from screening to therapy: innovative breast care concepts: Novel ultrasound and MRI technologies for breast cancer screening (EIBIR 1), A-226

**Kassarjian A.**  
Bone trauma in the axial skeleton: patterns of injury and how I describe them: C. Acetabulum (RC 410), A-077

**Katsanos K., Adam A.**  
Interventional radiology: tumour ablation: Kidney (Basic 3), A-477

**Katulska K.**  
'Special patients' in the emergency room: when and how to image them?: C. Elderly patients (RC 417), A-123

**Kauczor H.-U.**  
Mind the gap - data-sharing for better patient outcomes - the key issues for patients and the radiology community: Big data in radiology: how will it enhance personalised medicine? (ESR-PAG 2), A-588

**Kauczor H.-U.**  
Imaging of airways: what the respirologist needs to know: Imaging of mucus, inflammation and remodeling in COPD and CF (ESR/ERS), A-626

**Kavcic P., Koren A., Koritnik B., Dolenc Groselj L.**  
Sleep MRI with EEG: assessment of mechanism and obstruction level in patients with obstructive sleep apnea syndrome (SS 1008), B-0886

**Kawooya M.G.**  
EuroSafe Imaging Alliance & Campaign - what is new?: AFROSAFE Imaging Alliance and Campaign (EuroSafe 2), A-083

**Kazmierczak P., Rominger A., Wenter V., Spitzweg C., Auernhammer C., Angele M., Rist C., Reiser M.F., Cyran C.C.**  
Primary tumour detection in CUP of neuroendocrine origin: additional value of <sup>68</sup>Ga-DOTA-TATE-PET/CT compared to contrast-enhanced CT (SS 316), B-0296

**Kazmierczak P., Todica A., Hirner-Eppeneder H., Rominger A., Reiser M.F., Cyran C.C.**  
<sup>68</sup>Ga-TRAP-(RGD)<sub>3</sub>-PET/CT for the in vivo assessment of  $\alpha_v\beta_3$ -integrin expression as biomarker of early anti-angiogenic therapy effects in experimental breast cancer (SS 1406), B-0933

**Kazmierczak P.M., Schneider M., Habereder T., Hirner-Eppeneder H., Eschbach R., Moser M., Reiser M.F., Cyran C.C.**  
 $\alpha_v\beta_3$ -integrin-targeted MRI for the assessment of early anti-angiogenic therapy effects in experimental breast cancer (SS 1406), B-0931

**Keller J., Jech R., Stetkarova I.**  
Changes of mental imaginary motor task fMRI activation in chronic spinal cord injury treated by intrathecal baclofen (SS 1811), B-1198

**Keller S., Golsari A., Gelderblom M., Kooijman-Kurfuerst H., Wang J., Adam G., Yamamura J.**  
Diffusion tensor imaging-based tractography of the myopathic and dystrophic skeletal muscle (SS 710), B-0634

**Kelly B.**  
Quality control and safety issues in radiology: Keynote speaker (SS 1905), K-35

**Kelly B.S.**  
Malignancy risk stratification of multinodular Goitre: a retrospective review of ultrasound features and their impact on histopathology and cancer risk (SS 1408), B-1019

**Khaled W., Corno L., Chuong A., Benadjaoud M., Boulay-Coletta I., Zins M.**  
CT characteristics and clinical relevance of the small-bowel faeces sign in patients with small-bowel obstruction: are there different faeces signs? (SS 201b), B-0037

**Khalid M., Jain A., Qureshi M.M., Buch K., Hirsch A., Grinstaff M.W., Kaplan J.A., Bloch B.N.**  
A comprehensive analysis of factors contributing to marker migration during stereotactic core needle breast biopsies (SS 202), B-0013

**Kharat A., Shah A.**  
Knowledge of radiology informatics among radiologists and residents in training in a developing country (SS 1905), B-1293

**Khomenko J., Gromova E., Kataeva G., Karpenko M., Milukhina I., Bogdan A.**  
Magnetic resonance spectroscopy of supraventricular areas and immunological markers in Parkinson disease (SS 1911), B-1340

**Kiessling F.M.A.**  
Preclinical imaging as a driver for translational research: how I do it: B. What about nano-technology? (RC 906), A-365

**Kilburn-Toppin F.**  
Breast ultrasound 2016: C. Nodal staging of breast cancer: still needed? (RC 102), A-026

**Kilsdonk I.D., Jonkman L.E., Klaver R., Van Veluw S.J., Pouwels P.J.W., Wattjes M.P., Luijten P.R., Barkhof F., Geurts J.J.G.**

Increased cortical grey matter lesion detection in multiple sclerosis with 7T MRI: a postmortem verification study (SS 1511), B-1105

**Kim B., Kwon H., Lee J., Cho J., Oh J., Lee S.**  
The adaptive statistical iterative reconstruction V technique for radiation dose reduction in abdominal CT (SS 1905), B-1284

# Authors' Index

**Kim B., Choi E., Choi S., Jin G.**

The predictive factors associated with the early and late recurrence in breast cancer: predictive factors on radiography and clinical-pathology (SS 302), B-0221

**Kim B., Lee J., Kim J.**

Comparison of diagnostic performance of gadoxetic acid-enhanced liver MR imaging with multidetector CT in detection of Dysplastic nodules and early hepatocellular carcinoma (SS 601a), B-0409

**Kim B., Kim S.**

Preoperative prediction using clinical and CT parameters for optimal resection in advanced ovarian cancer (SS 607a), B-0463

**Kim D., Oh S., Je B., Lee S., Hong D.**

Comparison of CT findings between bacteremic and non-bacteremic acute pyelonephritis due to *Escherichia coli* (SS 607b), B-0576

**Kim H., Choe Y., Kim S., Kim M., Kim Y., Park S.**

Aortic valve planimetry by high-resolution 3-dimensional MR image acquisition with a breath-hold (SS 1503), B-1073

**Kim H., Kim J., Jeong S.**

Bisphosphonate-induced osteonecrosis of the jaws: CT image spectrums and their correlation with disease prognosis (SS 1008), B-0884

**Kim H., Kim Y., Seo J., Lee J., Han H., Kim K., Park S.**

The role of core needle biopsy as first-line in diagnosis for initially detected thyroid nodules: core needle biopsy could achieve highly diagnostic yield (SS 1408), B-1025

**Kim H., Kim S., Jang M., Yun B., Chang J., Cho N.**

The added value of breast ultrasound elastography for differentiating between benign and malignant lesions (SS 602b), B-0530

**Kim J., Choi J.**

Comparison of imaging features of intrahepatic mass-forming cholangiocarcinoma on gadoxetic acid-enhanced MR imaging with and without chronic liver disease (SS 601a), B-0414

**Kim J., Lee C., Park Y., Lee J., Choi J., Kim K., Park C., Lee H.**

Unexpected increase of apparent diffusion coefficient (ADC) value in conversion from regenerative nodule/degenerative nodule (RN/DN) to hepatocellular carcinoma (HCC) (SS 701a), B-0601

**Kim J., Lee C., Park Y., Lee J., Choi J., Kim K., Park C., Lee H.**

Predictive value of paradoxical uptake on hepatobiliary phase of Gd-EOB-DTPA-enhanced MRI for response to transcatheter arterial chemoembolisation in hepatocellular carcinoma (SS 1001b), B-0837

**Kim J.E., Choi D.S., Bae K., Jeong C.Y., Kim H.O.**

Added value of point shear-wave elastography in the diagnosis of acute cholecystitis (SS 201a), B-0010

**Kim J., Lee J., Lee D., Chang W., Han J.**

Prognostic significance of liver stiffness measurements on MR elastography in patients with hepatocellular carcinoma treated with radiofrequency ablation (SS 1001b), B-0838

**Kim J., Kang H.**

Apparent diffusion coefficient values of breast cancer and normal breast tissue in diffusion-weighted imaging: effects of the menstrual cycle and menopausal status (SS 702), B-0604

**Kim J., Kim S., Kim M., Shin M., Shin W., Kim G., Park S., Won J., Lee D.**

The effect of Dexamethasone on inflammatory response after uterine artery embolisation (SS 1515), B-1102

**Kim K., Kim Y., Seo J., Hwang C., Han H., Kuzmiak C.M.**

Diagnostic performance of diffusion-weighted imaging in breast lesions: comparison among diffusion-weighted imaging, dynamic contrast enhanced MRI and combined MRI (SS 1002), B-0755

**Kim R., Choi S.**

Prognosis prediction of non-enhancing T2 high signal intensity lesion after standard treatment in glioblastoma: application of dynamic contrast-enhanced MR imaging (SS 311a), B-0287

**Kim S., Kim K., Hwang S., Park S., Kim H.**

Efficiency of non-contrast-enhanced liver imaging sequences added to initial rectal MRI in rectal cancer patients (SS 301a), B-0207

**Kim S., Jung S.**

Diffusion-weighted imaging using readout-segmented EPI sequence (RESOLVE) in the head and neck cancer (SS 608), B-0558

**Kim S., Gil B.-M., Kang B.**

Single screening breast MR imaging for early surveillance after breast conservation therapy: pilot study (SS 1002), B-0756

**Kim T., Kim S., Lee K., Han J.**

CT differentiation of gallbladder neuroendocrine tumours from adenocarcinomas (SS 201a), B-0011

**Kim T., Kim S., Moon K., Woo S., Cho J., Kim S.**

Clear cell adenocarcinoma of the urethra: MR image findings for differentiation from non-adenocarcinomas (SS 1807), B-1234

**Kim Y., Kim M., Kim H., Choe Y., Cho S., Kim S., Lee S.**

Myocardial T1 mapping in asymptomatic subjects: variations according to left ventricular segments and correlation with cardiovascular risk factors (SS 1803), B-1154

**Kim Y., Kwak H., Chung G., Hwang S.**

Manual aspiration thrombectomy using penumbra catheter in patients with acute M1 occlusion: a single center study (SS 1011a), B-0798

**Kim Y., Choi Y., Cheon J., Choi H., Kim T., Cho H., Park J., Kim W., Kim I.**

Application of 3D cranial ultrasonography for follow-up of neonates: can it replace follow-up 2D cranial ultrasonography? (SS 212), B-0169

**Kinkel K.**

Integrating diagnostic tools in breast imaging: A. Multimodality breast imaging (E<sup>3</sup> 521), A-128

**Kinkel K.**

Breast cancer staging: why and how (E<sup>3</sup> 24C), A-402

**Kinner S., Schubert T.B., Rebsamen S., Bruce R., Reeder S., Rowley H.**

Paediatric CNS T1 shortening after gadolinium: influence of radiation and chemotherapy (SS 212), B-0165

**Kinner S., Lauenstein T.C., Best J., Bertram S., Reinboldt M., Goebel J.**

Evaluation of combined read-out of Gd-EOB-DTPA and gadobutrol magnetic resonance imaging for the prediction of hepatocellular carcinoma grading (SS 601a), B-0411

**Kinner S., Hunold P., Dechene A., Lauenstein T., Laader A.**

Biliary cast syndrome: which T1 weighted sequence is able to show it best in patients after liver transplantation? (SS 1901b), B-1301

**Kiss M.**

The magic of excellent images: A. Image quality optimisation in MRI: a radiographer's perspective (RC 1714), A-765

**Kitrou P.M., Spiliopoulos S., Papadimitos P., Theodosiadou V., Lepida A., Christeas N., Karnabatidis D.**

Paclitaxel-coated balloon vs plain balloon angioplasty for the treatment of symptomatic central venous stenosis in dialysis access (SS 715), B-0618

**Kjaer A.**

MR/PET: role in oncology: Principles and possibilities of MR/PET (SF 13a), A-515

**Kjaer A.**

Personalised medicine in oncology: what can imaging offer?: C. Hybrid PET/MRI: the next step in personalised cancer care? (E<sup>3</sup> 1726b), A-754

**Klauser A.**

Inflammatory arthritis: beyond the radiograph: C. Ultrasound in inflammatory arthritis: what does it show and what does it mean? (RC 510), A-156

**Klengel A., Klengel S., Boettger I., Roenisch N., Kahn T., Stumpp P.**

Comparison of ssEPI-DWI derived ADC maps with standard FS PD-TSE sequences for detection of traumatic bone marrow lesions (BML) after knee trauma (SS 210), B-0074

**Klinder T.**

Single-dual-multi-energy CT: A. Basics of diagnostic dual energy CT (RC 113), A-032

**Kljucevsek D.**

Expanding horizons in paediatric imaging: C. Contrast-enhanced ultrasound in children (E<sup>3</sup> 1226b), A-495

**Kloekner R.**

Cholangiocarcinoma: an update: Diagnostic assessment of periductal/infiltrating and intraductal-growing types: the view of the diagnostic radiologist (SF 13b), A-538

**Kloekner R., Pinto dos Santos D., Kreitner K.-F., Leicher-Düber A., Weinmann A., Mittler J., Düber C.**

Quantitative assessment of washout in hepatocellular carcinoma using MRI (SS 601a), B-0412

**Kloth C., Othman A., Bier G., Syha R., Eigentler T., Garbe C., Nikolaou K., Klumpp B.**

Patterns of metastatic spread and its implications on follow up strategies in uveal melanoma (SS 316), B-0297

**Klug D., Hofmann W.J., Becherer A., Cejna M.**

CT vs. PET-CT: correlations and differences in the diagnosis of aorto-iliac prosthetic vascular graft infections (SS 1815), B-1175

**Kluijfhout W.P., Hope T.A., Vriens M.R., Gosnell J.E., Shen W.T., Duh Q., Glastonbury C.M., Suh I., Pampaloni M.H.**

Preliminary results of 18F-Fluorocholine PET/MRI show excellent accuracy in patients with primary hyperparathyroidism and inconclusive conventional imaging (SS 308), B-0364

**Knauth M.**

Toxic brain disorders: A. Alcohol-related changes in the brain (RC 111), A-039

**Knebel F.**

Imaging of cardiac valves: new trends: A. Echocardiography remains the reference technique (RC 403), A-113

**Knuuti J.**

New frontiers in imaging of vascular wall and plaque: New insights using nuclear and hybrid imaging (NH 1), A-009

# Authors' Index

## **Knuuti J.**

Essentials of modern imaging in cardiac diseases: C. Hybrid systems for cardiac applications: essentials (E<sup>3</sup> 1220), A-449

## **Kobashi Y., Baba A., Nozawa Y., Yamazoe S., Mogami T.**

MR finding of peroneal tendon subluxation: a key structure of fibrous ridge (SS 1810), B-1189

## **Kochhar R., Renehan A.G., Mullan D., Chakrabarty B., Carrington B.M.**

Anal cancer: local response assessment using MRI at 3 and 6 month post chemoradiotherapy (SS 1816), B-1167

## **Kockelkoren R., Vos A., van Hecke W.,**

## **Vink A., Mali W.P.T.M., Hendrikse J.,**

## **Koek D.H., de Jong P.A., de Vis J.**

Distinction of atherosclerotic intimal and non-intimal calcification in the intracranial carotid artery on CT: a histopathological comparison (SS 711), B-0650

## **Koh D.-M.**

Evaluating lymph node involvement: an impossible task?: Chairman's introduction (RC 416), A-085

## **Koh D.-M.**

Diffusion-weighted imaging (DWI) in oncology: how I do it: Chairman's introduction (RC 916), A-339

## **Koh M., Lee I.**

Chest CT findings of toxocarasis: correlation with laboratory results (SS 1004), B-0854

## **Kohler R.**

Pathways for tumour spread: C. Pathway for laryngeal and hypopharyngeal tumour spread (RC 508), A-143

## **Koizumi J., Hara T., Sekiguchi T., Itou C.,**

## **Ichikawa T., d'Othee B.J.**

Balloon-assisted n-butyl cyanoacrylate glue embolisation mixed with Lipiodol and ethanol to reduce catheter adhesion (SS 715), B-0615

## **Kokovic T., Till V., Petres A., Ilic D.,**

## **Stojanovic S.**

Carotid stents: seven-year experience (SS 1909), B-1378

## **Kong E., Cho I.**

The characteristics for metabolism and diffusion in various hepatic masses: a preliminary study (SS 701a), B-0596

## **Konietzke P., Weinheimer O., Wielpütz M.O.,**

## **Heußel C.P., Kauczor H.-U., Galban C.J.,**

## **Robinson T.E.**

Comparison of manual vs. fully automated lobe-based quantification of pulmonary air-trapping on paired inspiratory-expiratory MDCT in school age children with CF (SS 605), B-0433

## **Koo H., Jin W., Park S., Kim J., Park J.,**

## **Ryu K.**

Medial collateral ligament avulsion fracture of the knee: classification and imaging features (SS 210), B-0073

## **Kool D.R.**

Whole body CT in trauma patients: A. Improving the triage: which patients should undergo whole-body CT (WBCT)? (E<sup>3</sup> 1226c), A-496

## **Korhonen M., Parkkonen J., Hedman M.,**

## **Muuronen A.T., Onatsu J., Mustonen P.,**

## **Vanninen R., Taina M.**

Morphological features of left atrial appendage in 748 consecutive coronary computed tomography angiography patients without atrial fibrillation (SS 1003), B-0786

## **Kotter E.**

Daily use of mobile devices in radiology: A. What did mobile devices change in radiology education? (RC 105), A-013

## **Koumarianos D.**

Innovative education in medical imaging: C. Beyond eye candy: developing effective interactive animations to enhance MRI learning (RC 1514), A-650

## **Kovac J.D., Lilic G., Djuric-Stefanovic A.,**

## **Lazic L., Vasin D., Nikolic T., Mitrovic M.,**

## **Masulovic D., Saranovic D.**

The value of diffusion-weighted MRI for the differentiation of intrahepatic cholangiocellular carcinoma and solitary hypovascular liver metastases (SS 301a), B-0214

## **Kozák L.R., Gyebnár G., Klimaj Z., Rudas G.,**

## **Barsi P.**

Graph theory analysis of single-subject grey matter structure may be beneficial in the diagnostic work-up of malformations of cortical development (SS 211a), B-0079

## **Kozerke S.**

Assessing myocardium at-risk with MRI: Late gadolinium enhancement (SF 8b), A-276

## **Kozerke S.**

Cardiac MRI: Overview of cardiac MR methods (ESR/ESMRMB), A-420

## **Kracke T., Hensen B., Alten T.A., Solyanik O.,**

## **Werncke T., Prasse A., Großhennig A.,**

## **Wacker F., Shin H.**

Longitudinal analysis in idiopathic pulmonary fibrosis: changes in lung mass as a new biomarker for quantitative computed tomography (SS 1904), B-1367

## **Krainik A.**

Cerebral blood flow quantification: A. Functional imaging of cerebral perfusion (E<sup>3</sup> 819), A-292

## **Krainik A., Heck O., Boudiaf N., Favre I.,**

## **Condamine E., Pietras J., Boubagra K.,**

## **Tahon F., Detante O.**

Cerebrovascular reserve mapping in severe intracranial arterial stenosis (SS 611), B-0500

## **Kramer J.**

Systemic disease: what to look for in the musculoskeletal system: A. Imaging the diabetic foot (RC 1210), A-458

## **Kramer J.**

Musculoskeletal: trauma: Ankle (Basic 4), A-564

## **Kravchick S., Cherniavsky E., Topolsky R.,**

## **Linov L.**

Multidetector computed tomographic urography (MDCTU): its practical role in the diagnosis of upper tract urothelial cancer in high-risk patients (SS 1016), B-0827

## **Krdzalic J., Maas M., Engelen S.,**

## **van Griethuysen J., Lambregts D.M.,**

## **Beets G., Beets-Tan R.G.H.**

Prediction of sphincter preserving by MRI: accuracy and reproducibility between a radiologist and a surgeon (SS 1001a), B-0776

## **Kreitner K.-F.**

Shoulder MRI: mastering technique and making my report relevant: B. Rotator cuff tears: what are they and what do they look like? (RC 1510), A-629

## **Krestan C.R.**

New insights in bone tumour imaging: A. New insights in treatment-associated changes in patients with bone tumours (RC 1216), A-462

## **Krestin G.P.**

Personalised radiology: myth or reality?: From personalised to precision imaging: impact on clinical practise (PC 5), A-148

## **Krestin G.P.**

Gateway to European funding for research projects: Introduction (EIBIR 3), A-454

## **Krocze E., Wieners G., Steffen I., Lindner T., Streitparth F., Hamm B., Maurer M.H.**

Nontraumatic incidental findings in patients undergoing whole-body computed tomography at initial emergency admission (SS 717), B-0690

## **Kromrey M., Kühn J., Bülow R., Hübner J.,**

## **Hosten N.**

Pancreatic cysts as incidental finding in population-based imaging: clinical relevance (SS 201a), B-0006

## **Kroon W., Braber A., Gratama J.C.,**

## **van Raamt F., Spronk P.E.,**

## **van der Zaag-Loonen H.J.**

The relation between severity of contrast reflux into the inferior caval vein on CTA and mortality in patients with acute pulmonary embolism (SS 204), B-0114

## **Kröpil P., Wessalowski R., Thomas C.,**

## **Antoch G., Lanzman R.**

CT-guided placement of hyperthermia catheters in oncologic patients to support regional deep hyperthermia treatment (SS 609), B-0545

## **Krotchenkova I., Bryukhov V., Zakharova M.,**

## **Krotchenkova M., Morozova S., Askarova L.**

Atrophy and other MRI-parameters as predictors of neurological deficit in relapsing remitting multiple sclerosis: a 3-year follow-up study (SS 1511), B-1111

## **Kubik-Huch R.A.**

Emergencies: B. Gynaecological emergencies (E<sup>3</sup> 722), A-235

## **Kubik-Huch R.A.**

MRI for gynaecologic imaging: how I do it: B. Contrast agents (RC 1207), A-452

## **Kubik-Huch R.A.**

Gynaecological and obstetrics: A. Imaging of the uterus (E<sup>3</sup> 1523), A-637

## **Kudryavtseva E., Güllmar D., Fiedler A.,**

## **John U., Renz D., Schlembach D.,**

## **Schleußner E., Schneider U., Mentzel H.-J.**

Comparison of amniotic fluid volumetry between fetal sonography (AFI) und MRI (AFVMRI) and its' correlation to diffusion parameters (ADC) of the foetal kidney (SS 1012), B-0895

## **Kuhl C.K.**

Abbreviated breast MRI: first post-contrast subtracted images and maximum-intensity projection - a novel approach to breast cancer screening with MRI (SY 1a)

## **Kuhl C.K.**

Radio-pathological correlation: more important than you thought: A. Pre-treatment planning (RC 402), A-090

## **Kuhl C.K.**

Gateway to European funding for research projects: Success story of a maximum score project in Horizon 2020 (EIBIR 3), A-457

## **Kuhn F.P., Hammoud S., Corcos G.,**

## **Charlon S., Regnard N., Lefèvre-Colau M.,**

## **Drapé J., Feydy A.**

Dynamic lumbar myelography using EOS imaging: validation against computed radiography (CR) (SS 1811), B-1191

## **Kuhn F.P., Feydy A., Launay N.,**

## **Lefèvre-Colau M., Poiradeau S., Laporte S.,**

## **Lindberg P.**

Dynamic DTI of the cervical spine shows diffusivity changes in healthy subjects (SS 1811), B-1195

## **Kühn J., Mahlke C., Mensel B., Kromrey M.,**

## **Hosten N.**

Quantification of liver proton-density fat fraction in ultra-high-field MR systems: magnitude and complex fitting approach (SS 1401), B-0981



# Authors' Index

**Kühn J., Kromrey M., Vogt L., Mahlke C., Mayerle J., Lerch M., Hosten N.**  
Monitoring of abdominal fat compartments by magnetic resonance imaging in obese subjects during a low-calorie weight-loss program (SS 1401), B-0984

**Kühn J., Roloff A., Kromrey M., Hosten N., Heiss P.**  
Accuracy of simple approaches to assessing liver volume in radiological imaging (SS 1901b), B-1299

**Kukkes T., Challen V., Läänelaid Z.**  
First year radiography students' perceptions of professionalism (SS 1414), B-1016

**Kuntner-Hannes C.**  
Preclinical imaging as a driver for translational research: how I do it: A. Preclinical MR/PET imaging of cancer (RC 906), A-364

**Kuntz J., Knaup M., Fleischmann C., Kachelrieß M.**  
Large volume data acquisition for intraoperative imaging with mobile C-Arm CT systems (SS 713), B-0673

**Kunz W.G., Sommer W.H., Ertl-Wagner B., Dietrich O., Havla L., Reiser M.F., Thierfelder K.M.**  
Predictive value of small vessel occlusions detected by CT perfusion-based wavelet-transformed angiography in patients with acute ischemic stroke (SS 1411a), B-0965

**Kupka M., Bannas P., Linsenhoff L., Adam G., Henes F.**  
Accuracy of magnetic resonance imaging for subglottic stenosis grading in patients with granulomatosis with polyangiitis (SS 308), B-0361

**Kuplevatsky V., Cherkashin M., Roschin D., Berezina N., Vorobyov N.**  
Diagnostic efficacy of MRI-guided in-bore prostate biopsy in patients with inconclusive results of transrectal ultrasound (TRUS) or TRUS-guided biopsy (SS 1016), B-0830

**Kurra V., Sullivan R.J., Gainor J.F., Hodi F.S., Gandhi L., Sadow C.A., Harris G.J., Flaherty K.T., Lee S.I.**  
Pseudoprogression in cancer immunotherapy: diagnostic imaging features (SS 616), B-0512

**Kurre W., Schwaiger B., Gersing A., Niederstadt T., Reith W., Felber S., Prothmann S.**  
Results of the acute recanalisation of thrombo-embolic ischaemic stroke with pREset (ARTESp) trial (SS 311c), B-0398

**Kurre W., Schwaiger B., Gersing A., Reith W., Niederstadt T., Felber S., Prothmann S.**  
Impact of patient transfer on clinical outcome after endovascular recanalisation - analysis from the acute recanalisation of thrombo-embolic ischaemic stroke with pREset (ARTESp) trial (SS 311c), B-0399

**Kushner D.C.**  
Delivering higher value care in radiology: how to make it work in clinical practice - perspectives from the American College of Radiology: Involving patients in their radiological care: radiologist visibility, personalised care and improving outcomes (ACR), A-290

**Kvyatkovskaya E., Kuplevatsky V., Cherkashin M., Berezina N., Roschin D.**  
Our experience with whole body MRI for metastatic prostate cancer detection (SS 1016), B-0831

**Kwon H., Kim B., Lee J., Cho J., Oh J., Lee J., Lee S.**

Comparison of the accuracy between liver and spleen elastography using acoustic radiation force impulse and other noninvasive tests in predicting the presence of esophageal varices (SS 601a), B-0416

**Kwon H., Kang B.**  
MRI to evaluate the response of the locally advanced cervical cancer to CCRT: MRS (magnetic resonance spectroscopy), DWI (diffusion weighted image) and T2WI (SS 207), B-0138

**Kwon S., Lee J., Han D.**  
Study of the effect of classification of patients on CT radiation dose (SS 1014), B-0876

## L

**Laghi A.**  
Assessing inflammation and fibrosis in Crohn's disease: Chairman's introduction (RC 101), A-003

**Laghi A.**  
Colon cancer: staging and restaging of local disease: C. Assessment of vasculature prior to laparoscopic resection (E<sup>3</sup> 1318), A-513

**Lahkim M., Durand A., Merzoug V., Linglart A., Adamsbaum C.**  
Radiological phenotype/ genotype correlations of constitutional bone diseases involving the parathyroid hormone (PTH) and its signaling pathways (SS 312), B-0367

**Lai A., Lee T., Lai B., Tang K., Leung W., Lo S., Khoo J.**  
The use of practice parameters for quality assurance of diagnostic craniocervical catheter angiographic procedures (SS 1011a), B-0799

**Lajarin Cano L., Tomás Cucarella J., Alberich-Bayarri A., Casanova B., Marti-Bonmati L.**  
Longitudinal analysis of imaging biomarkers from MR segmentation of white matter lesion in patients with multiple sclerosis (SS 1511), B-1112

**Lalji U., Gommers S., van Goethem M., Vanwetswinkel S., Pijnappel R., Nelemans P., Smidt M., Wildberger J.E., Lobbes M.**  
Contrast-enhanced spectral mammography in recalls from the breast cancer screening program: validation of results in a larger multireader, multicase study (SS 1402b), B-1064

**Laloo F., Herregods N., Varkas G., Jaremkov J., Baraliakos X., Elewaut D., Van den Bosch F., Verstraete K., Jans L.**  
Diagnostic value of MRI changes within the sacroiliac joint space in spondyloarthritis (SS 210), B-0069

**Lambert L., Ourednicek P., Giepmans W., Jahoda J., Hruska L., Lambertova A., Danes J.**  
Standard and ultra low-dose CT colonography: comparison of performance of filtered back projection, hybrid iterative reconstruction technique and iterative model reconstruction (SS 301b), B-0239

**Lambregts D.M.**  
Diffusion-weighted imaging (DWI) in oncology: how I do it: B. DWI in abdominal oncology: ready for clinical practice? (RC 916), A-341

**Lambregts D.M.**  
Rectal cancer: staging and restaging local disease: B. Emerging MR-techniques (E<sup>3</sup> 1618), A-665

**Lambregts D.M., Shakirin G., Maas M., Weibrecht M., Lahaye M.J., van Heeswijk M.M., Beets G.L., Perkuhn M., Beets-Tan R.G.H.**

Multiparametric functional imaging assessment of primary rectal cancer: correlation between diffusion, perfusion, magnetisation transfer and signal intensity measurements (SS 1816), B-1166

**Lamot U., Šurlan Popovič K., Avsenik J.**  
Presence of central veins and susceptibility weighted imaging for evaluating lesions in multiple sclerosis and leukoaraiosis (SS 1511), B-1106

**Lanca L., Andersen E.N., Carvalho G., van Gerwen M., Jorge J., Kleiker M., Markali B., Nightingale P., Hogg P.**  
Are physical measures good indicators of clinical image quality at low dose levels? A pilot study (SS 714), B-0716

**Lang K.**  
The challenge of reading breast tomosynthesis images (SY 1c)

**Langner S.**  
Unexpected findings on brain MRI: A. Large ventricles: normal or abnormal? (E<sup>3</sup> 221), A-056

**Laniado M.**  
The spleen: the forgotten organ: B. The incidental splenic lesion (RC 1601), A-662

**Lanza E., Cazzato R., Grasso R., Buy X., Palussiere J., Pedicini V., Balzarini L., Poretti D.**  
Percutaneous long bone cementoplasty for palliation of malignant lesions of the limbs in 196 patients (SS 309), B-0325

**Laqmani A., Butscheidt S., Kurfürst M., Schmidt-Holtz J., Behzadi C., Sehner S., Nagel H., Adam G., Regier M.**  
Image quality of CT pulmonary angiography at reduced radiation exposure and contrast material volume using iterative model image reconstruction and iDose4 technique in comparison to FBP (SS 1404), B-0993

**Largo Flores P., Vivancos Costaleite K., Cuesta Pérez J., Friera Reyes A.**  
Prostatic artery embolization (PAE) for patients with high surgical risk, prostatic hyperplasia and users of permanent urinary catheter (SS 1515), B-1096

**Larici A.R.**  
How to avoid misdiagnosis on the chest x-ray: B. Non neoplastic lesions (E<sup>3</sup> 25B), A-215

**Larici A.R.**  
Actionable pulmonary nodules: should we rely on size only?: Limitations of nodule measurements (SF 17b), A-759

**Larkman N., Sharma N., Haigh I.**  
Contrast enhanced ultrasound in axillary sentinel node assessment: does risk stratification improve yield (SS 1902b), B-1278

**Larsson E.-M.B.**  
MR and MR/PET in radiation treatment planning - challenges and opportunities: The challenge of using MR/PET in radiation oncology (ESR/ESTRO), A-672

**Lau K.K., Wong O., Evans R., Kuganesan A., Buchan K.**  
Efficacy of water-equivalent diameter for radiation dose optimisation (SS 701c), B-0737

**Laurent L.**  
A successful dose management quality improvement project (QIP): data-driven multidisciplinary approach to managing patient radiation in computed tomography (CT) (SS 313), B-0308

# Authors' Index

- Lazik A., Kraff O., Körsmeier K., Landgraeber S., Theysohn J.M.**  
Indirect arthrography with 3D PD SPACE and 3D T1 VIBE at 3 T MRI for the detection of acetabular labral tears (SS 1010b), B-0909
- Leale G., Fossaceca R., Guzzardi G., Cerini P., Divenuto I., Parziale G., Carriero A.**  
Isolated iliac artery aneurysms: a single centre experience (SS 1815), B-1176
- Lecler A., Lafitte F., Koskas P., Nau E., Jacomet P., Berges O.**  
Usefulness of colour Doppler flow imaging in the management of lacrimal gland lesions (SS 208), B-0153
- Lecler A., Bensoussan J., Deschamps R., Picart H., Galatoire O., Zmuda M., Sadik J.**  
Infra-orbital nerve involvement on MRI in IgG4-related ophthalmic disease (IgG4-ROD): a specific sign? (SS 208), B-0157
- Lecler A., Volle G., Obadia M., Roux P., Savatovsky J., Gout O., Sadik J.**  
Multi-modality imaging of patients with carotidynia and clinical correlation (SS 308), B-0363
- Lecler A., Dunant A., Dromain C., Delalogue S., Caron O., Balleyguier C.**  
Decrease of breast density in BRCA patients following oophorectomy, using Volpara software (SS 1502), B-1121
- Leconte I., Lacoste B., Fellah L., Berliere M., Galant C., Michoux N.**  
Evaluation of residual tumour after neoadjuvant chemotherapy (NAC) in patients with breast cancers: can we settle on DWI-MR sequence? (SS 1902b), B-1283
- Lee B., Chiu N.**  
Treatment of murine colon tumours using gold nanoparticles and localised hyperthermia (SS 1406), B-0940
- Lee C., Kim J., Yoo J., Park Y., Park C.**  
A short breath-hold high-resolution technique may be the first step to overcoming degraded hepatic arterial phase in liver MR imaging: a prospective randomised control study (SS 1401), B-0975
- Lee H., Koo H., Xu H., Choi C., Song J., Kim H., Lee J., Kim M.**  
Preoperative CT predicting recurrence of surgically resected adenocarcinoma of the lung (SS 704), B-0676
- Lee H., Lee C., Park Y., Lee J., Choi J., Kim K., Park C.**  
Can we predict the treatment response of colorectal liver metastasis using hepatobiliary phase (HBP) in Gd-EOB-DTPA-enhanced MR imaging? (SS 301a), B-0208
- Lee J.S.Z., Woo E.K.**  
What is the utility of three-dimensional surface rendering reconstruction of volumetric CT data in routine CT reporting? (SS 305), B-0227
- Lee J.M.**  
A tour around cholangiopathies: B. Which imaging modalities? (E<sup>3</sup> 426a), A-063
- Lee J.M.**  
Benign and malignant pancreatic diseases: Keynote speaker (SS 1901a), K-33
- Lee J., Ahn K., Kim B., Jung S., Choi H., Jang J., Lee S.**  
The importance of interface irregularity between the tumour and brain parenchyma in differentiating between typical and atypical meningiomas: correlation with pathology (SS 711), B-0651
- Lee J., Kim B., Kang M., Kim S., Choi S.**  
Safety and efficacy of intravenous tirofiban as antiplatelet premedication for stent-assisted coiling in acutely ruptured intracranial aneurysms (SS 311c), B-0406
- Lee J., Park C., Kim T.**  
Coronary computed tomographic angiography at 80 kVp and knowledge-based iterative model reconstruction is non-inferior to that at 100 kVp with iterative reconstruction (SS 203b), B-0180
- Lee J., Lee G., Yoon K., Lee Y., Ryu J., Jun H., Kim T.**  
Coefficient of variation as imaging biomarker of hepatic fibrosis in chronic hepatitis B patients on Gd-EOB MRI; feasibility for prediction of HCC and comparison to clinical biomarker (SS 1501), B-1092
- Lee M.J.**  
Interventional radiology for deep venous thrombosis (DVT): ready for prime time?: C. Filter indications 2016: new oral anticoagulants and other developments (E<sup>3</sup> 1226a), A-492
- Lee M., Cho S., Kim G., Kim H., Shin K., Lee S., Kim W., Park J., Choi G.**  
Added value of pre-treatment apparent diffusion coefficient in rectal cancer for predicting local recurrence (SS 1916), B-1324
- Lee M., Baek S., Kim H.**  
Enhancement on subtraction MRI can predict lesion progression of hepatic metastasis in malignant melanoma patients (SS 1916), B-1318
- Lee N., Jung S., Kim H., Choi C., Kim S., Lee D., Suh D.**  
High-resolution magnetic resonance (HR-MR) findings of intracranial artery dissection based on quantitative analysis (SS 711), B-0654
- Lee N., Jung S., Kim H., Choi C., Kim S., Lee D., Suh D.**  
Comparison of high-resolution magnetic resonance with digital subtraction angiography in intracranial artery disease (SS 1011b), B-0817
- Lee R., Lo Goh G., Ai H., Chan K., Yuen C., Chung W., Hung M.**  
3 Tesla MRI evaluation of pectus carinatum with breath-hold imaging (SS 304), B-0321
- Lee R., Choi S., Ahn J., Kang C., Shin D., Lee M., Lee K.**  
Diagnostic accuracy of conventional MRI in detecting long biceps muscle tendon abnormalities (SS 1010b), B-0918
- Lee S., Kang J., Koo H., Kim S., Seo D.**  
Coronary computed tomography angiography: evaluation of the effects of cradle sagging on stair-step artifacts (SS 314), B-0349
- Lee S., Chung D.**  
Usefulness of dynamic CT transmural sign to evaluate T staging of gastric cancer: histopathologic correlation (SS 701b), B-0627
- Lee S.**  
Imaging in obesity: Chairman's introduction (SF 8c), A-278
- Lee W., Kim J., Shin N., Kim Y., Lim S., Lee S.**  
Added value of 3D proton-density weighted images in diagnosis of intracranial arterial dissection (SS 711), B-0653
- Lee Y., Lee H., Cha Y., Wee S., Yoon K.**  
Comparison of contrast-enhanced ultrasound with CT in differential diagnosis of liver abscess from malignant hepatic tumours (SS 301a), B-0215
- Leemans A.**  
Functional MRI of the brain opens new horizons: A. No function without structure: challenges in diffusion MRI and fiber tractography for clinical research (E<sup>3</sup> 419), A-107
- Lefere P.**  
CT colonography today: A. How I perform it (RC 801), A-240
- Lei P., Jiao J., Chai X.**  
The diagnostic efficiency of CT value in the patients with osteoporosis compared with bone mineral density (BMD) based on quantitative computed tomography (QCT) (SS 610a), B-0484
- Lei P., Shen G., Jiao J., Wang X.**  
Radiation dose and image quality of 80 kVp renal artery CT angiography with SAFIRE: comparison with 120 kVp renal artery CT angiography with FBP (SS 607b), B-0577
- Lei P., Wang X., Wang X., Jiao J.**  
Qualitative assessment and quantitative assessment for evaluation of optimal linear blending image in dual-source dual-energy CT for detection of renal solid mass (SS 1807), B-1236
- Leidenberger T.A.U., Farag M., Weis C., Müller-Eschner M., Kallenbach K., Dillmann R., Kauczor H.-U., Beller C., Rengier F.**  
Noninvasive 4D pressure difference mapping derived from 4D flow MRI in patients with syndromic aortic root aneurysm (SS 1015), B-0764
- Leidner B.**  
Whole body CT in trauma patients: B. How can we improve our WBCT protocol? (E<sup>3</sup> 1226c), A-497
- Leiner T.**  
Imaging of heart failure: B. Differentiating the causes for heart failure: is MRI the indisputable gold standard? (RC 803), A-300
- Leiner T.**  
Cardiac MRI: Clinical use of MR in acquired cardiac disease (ESR/ESMRMB), A-422
- Leiner T.**  
Expert 3 (SY 19)
- Leitgeb N.**  
How to assess and communicate examination risks to patients and referring physicians?: D. Communicating risks to patients and the public (RC 513), A-173
- Lell M.**  
Head and neck cancer after treatment: what you need to know: A. Imaging after surgical treatment (E<sup>3</sup> 121), A-001
- Lell M.**  
Paediatric: how we do head and neck imaging in children: B. Oral, paranasal sinuses and orbit (RC 808), A-253
- Lemma M.**  
Head and neck radiology: from symptoms to diagnosis: Tinnitus (SF 15), A-609
- Leni D., Vacirca F., Fior D., Vimercati A., Ippolito D., Allegranza P., Corso R.**  
Anterior screw fixation of traumatic type 2 odontoid fractures with Xper-CT and fluoroscopic. Our preliminary experience in angiographical suite (SS 1811), B-1196
- Leone M.B., Giannotta M., Palazzini M., Cefarelli M., Martin Suárez S., Bacchi Reggiani M.L., Galiè N., Zompatori M.**  
A new CT-score predictor of haemodynamic changes in patients with chronic thromboembolic pulmonary hypertension (SS 204), B-0111
- Leporq B., Daire J., Pastor C., Sempoux C., Meuli R., Deltenre P., van Beers B., Schmidt S.**  
Gadoxetic acid-enhanced MR-imaging in chronic liver disease - correlation of perfusion parameters and hepatic uptake function with histology (SS 1401), B-0977

# Authors' Index

**Leutz P., Weinheimer O., Lederlin M., Kauczor H.-U., Heussel C.P., Wielpütz M.O.**  
Influence of exposure parameters and iterative reconstruction on automatic airway segmentation and analysis on MDCT: an ex-vivo phantom study (SS 1804), B-1216

**Lewington V.**  
Hybrid imaging: radiology and nuclear medicine: Introduction (part 2) (ESR/EANM), A-426

**Leyes M.**  
Sports injuries: diagnosis and management: The surgeon's perspective (MS 16b), A-693

**Li J., Szczepura K., Tootle A., England A.**  
Positioning for a conventional skyline patella projection: evaluation of torso position and its relationship with eye lens and thyroid dose (SS 1814), B-1243

**Li K.**  
RGD peptide-modified PEGylated dendrimer-entrapped gold nanoparticles for targeted CT imaging of breast carcinoma (SS 1406), B-0935

**Li L., Gao J., Liu J.**  
The feasibility of body-weight and BMI based individualised protocol in CT pulmonary angiography (SS 1415), B-1042

**Li N., Yu C.**  
The value of preoperative static and dynamic MRI for predicting occult stress urinary incontinence (SS 1907), B-1330

**Li T., Yonggao Z., Yan J., Jianbo G.**  
Chest CT for airway stent evaluation in patients with malignant tracheal stenosis with iterative reconstruction algorithms (SS 1404), B-0992

**Li X., Zhang K., Ye Z.**  
The correlation between the minimum and average ADC values of hepatocellular carcinoma and pathological grade (SS 216a), B-0089

**Li X., Li Y., Ye Z.**  
Iodine quantification to distinguish T stage in rectal cancer by computed tomographic gemstone spectral imaging: initial experience (SS 1001a), B-0773

**Li X., Jiang X., Zhang Z., Huang S., Lin J., Huang L., Sun C., Li Z.**  
Diffusion-weighted MRI for evaluating ileocolonic inflammation in Crohn's disease: how does it contribute to diagnose disease activity? (SS 601b), B-0445

**Li Y., Lin J., Li H., Bao Y.**  
Cerebral blood flow measured by 3D arterial spin labelling MRI in MELAS patients with m.3243A>G mutation: a preliminary study (SS 1411a), B-0966

**Lian Y., Cao W., Dong J., Wang H., Jiang Y., Gao J.**  
Initial study on radiation dose and image quality of ultra-low current and voltage CT colonography with iterative model reconstruction (SS 301b), B-0240

**Liasis N.**  
New frontiers in imaging of vascular wall and plaque: Ultrasound elastography: how useful can it be? (NH 1), A-010

**Liguori C., Frauenfelder G., Giurazza F., Saturnino P.P., Acampora C., Romano L.**  
Cardiovascular signs suggestive of thoracic compartment syndrome (TCS) in emergency setting (SS 617), B-0518

**Lim C., Park J., Lee J., Kang E.**  
A vulnerability marker for coronary artery plaque using ECG-gated CT histographic analysis: comparison with intravascular ultrasound (IVUS) (SS 203b), B-0182

**Lim S., Kim M.**  
Inflammatory myofibroblastic tumour of the lung in adults: CT and 18 FDG PET characteristics with pathologic correlations in a single tertiary referral center (SS 704), B-0678

**Linda A.**  
High-risk lesions: solving the dilemma (E<sup>3</sup> 24E), A-793

**Lindner T., Jansen O., Helle M.**  
Cycled superselective pseudo-continuous Arterial Spin Labeling without the need for acquiring a control image (SS 713), B-0666

**Linsenmaier U.**  
General principles: paediatric and ENT emergencies: A. Imaging of polytrauma patients (MC 828), A-306

**Lisý J., Chovanec M., Mikšík L., Betka J., Pipková R., Zvěřina E.**  
Follow-up MRI of vestibular schwannoma: is it worthy to measure volume? (SS 708), B-0728

**Litton J.**  
Biobanks meet imaging: How does Biobanking and BioMolecular resources Research Infrastructure - European Research Infrastructure Consortium (BBMRI-ERIC) work? (PC 9a), A-324

**Liu J., Gao J.**  
The feasibility of ultra-low dose 80 kVp and 20 ml contrast medium pulmonary CT angiography with iterative reconstruction (SS 1905), B-1285

**Liu J., Wang Z.**  
Perfusion and diffusion characteristics of endometrial malignancy based on intravoxel incoherent motion MR imaging at 3.0 T: differentiation from uterine non-malignant tissues (SS 207), B-0135

**Liu L.**  
Application of texture analysis based on ADC maps in discriminating different stages of rectal cancer (SS 1816), B-1162

**Liu T., Maurovich-Horvat P., Mayrhofer T., Puchner S., Lu M., Ghemigian K., Kitslaar P., Hoffmann U., Ferencik M.**  
Quantitative coronary plaque analysis predicts high-risk plaque morphology on coronary computed tomography: the results from the ROMICAT II trial (SS 703), B-0744

**Liu X., Chen L., Qi W., Jiang Y., Liu Y., Zhang M., Hong N.**  
Iterative model reconstruction in brain CT in patients with stroke (SS 611), B-0504

**Liu Y.**  
An introduction to European Imaging Biomarker Alliance (EIBALL): The potential role of EIBALL for EORTC multicentre trials (PC 8b), A-271

**Liu Y., Yuan H., Zeng X., Wang Z.**  
Analysis of hippocampal subfield in patients with mild Alzheimer's disease (SS 311b), B-0391

**Ljuhar R., Canhã H., Branco J., Rodrigues A., Gouveia N., Hladuvka J., Haftner T., Ljuhar D., Norman B., Nehrer S., Fahrleitner-Pammer A., Dimai H.**  
A novel method for the assessment of joint space width and subchondral bone micro architecture (SS 1805), B-1146

**Llopis E.**  
Shoulder MRI: mastering technique and making my report relevant: A. The normal MRI: techniques and anatomy (RC 1510), A-628

**Lobbes M., Vriens I., Nieuwenhuijzen G., Boersma L., van Dalen T., Struikmans H., Siesling S., Voogd A., Tjan-Heijnen V.**  
Only in invasive lobular cancers breast MRI use is associated with a lower risk of surgical margin involvement and reduced number of mastectomies: a "real world" analysis in the Netherlands (SS 602a), B-0420

**Loberg C., Kuhl C., Heinzel A., Mottaghy F., Verburg F.**  
Use of diagnostic computed tomography in paediatric PET-CT: is diagnostic CT essential? (SS 312), B-0375

**Loberg C., Ilgner J., Westhofen M., Kuhl C.**  
Determination of cochlea length via flat panel CT is reliable and safe (SS 708), B-0722

**Loberg C., Ilgner J., Kuhl C.K.**  
Flat panel computed tomography versus multislice computed tomography in diagnosis of superior canal dehiscence (SS 708), B-0724

**Lobo M.L.**  
Chest imaging in paediatrics: B. Lung infection and its complications (RC 412), A-070

**Loewe C.**  
New frontiers in imaging of vascular wall and plaque: Chairman's introduction: How to use the tools? (NH 1), A-007

**Loewe C.**  
Imaging of heart failure: Chairman's introduction (RC 803), A-298

**Loewe C.**  
Cardiac and vascular: B. Cardiovascular imaging: valves, endocardium and aorta (E<sup>3</sup> 1323), A-547

**Loewe C.**  
Thoracic emergencies: Cardiac (Basic 6), A-770

**Logager V.**  
Prostate imaging: how I do it: C. Role of imaging in active surveillance and detection of recurrence (RC 1707), A-742

**Lohrke J.**  
Comparative study of Gd deposits in rat brain after repeated, high doses of linear and macrocyclic contrast agents for magnetic resonance imaging (SS 211b), B-0195

**Lombardi S., Ippolito D., Talei Franzesi C., Trattenero C., Bonaffini P., Sironi S.**  
Diagnostic value of 4th generation iterative reconstruction algorithm with low dose CT-enterography protocol in follow-up of Crohn's disease patients: comparison with standard dose (SS 601b), B-0441

**Lombardi S., Ippolito D., Talei Franzesi C., Sironi S.**  
Dynamic contrast enhanced MRI of small bowel: diagnostic value of quantitative perfusion analysis in vascular assessment between inflammatory and fibrotic lesions in Crohn's disease (SS 601b), B-0448

**Lomovtseva K.K., Glotov A., Babaeva D., Kalinin D., Karmazanovsky G.**  
The ADC value of focal solid liver lesions: does it depend on tumour cellularity? (SS 701a), B-0592

**Loose R.W.R.**  
IT tools for dose tracking and workflow optimisation: C. Optimising technique using patient dose index tracking software: tips and tricks (RC 1513), A-654

**Lopci E.**  
Hybrid imaging: radiology and nuclear medicine: Prostate cancer: PET/CT in early biochemical relapse (ESR/EANM), A-429

# Authors' Index

## Lopes Dias J.

Upper and lower urinary tract: C. Imaging of bladder and urethra (E<sup>3</sup> 822), A-311

## Lorenc T., Palczewski P., Wojcik D., Golebiowski M.

Can we predict who can benefit from axial-loaded MRI? (SS 1410), B-0952

## Lorenzoni G., Bargellini I., Lauretti D., Turini F., Caciagli V., Campani D., Cioni R., Bartolozzi C.

Diagnostic accuracy of dual-energy CT with spectral imaging compared to single-energy CT in hepatocellular carcinoma: radiologic-pathologic correlation (SS 216a), B-0093

## Lotte R., Boussouar S., Le Pimpec-Barthes F., Charpentier A., Dang Tran K., Rivera C., Lambert B., Halimi P., Hernigou A.

Diaphragmatic dynamic magnetic resonance imaging (MRI): preliminary results and perspectives (SS 304), B-0320

## Løvblad K.-O.

Update on endovascular stroke treatment: a medical breakthrough?: C. Endovascular stroke treatment: ethical and economical concerns (RC 1611), A-718

## Lu Q., Luo Y., Lu C.

Liver stiffness is better than serum biomarkers in liver fibrosis staging: study on surgical specimens in patients with chronic hepatitis B (SS 1501), B-1083

## Lu Y., Shek K., Yin B., Geng D.

Intravoxel incoherent motion diffusion-weighted MR imaging in differentiation of meningiomas: initial study (SS 311a), B-0288

## Lubbers M.M., Dedic A., Coenen A., Galema T., Ouhlous M., Niezen A., Hunink M., Krestin G., Nieman K.

Performance of cardiac CT compared to functional testing in women and men with suspected coronary artery disease: the multicenter, randomised CRESCENT trial (SS 703), B-0743

## Lubinus F.G.

From practice to reality: how we do it: Introduction (EM 3), A-779

## Lucarini S., Noferini L., Mazzoni L.N., Galastri L., Busoni S., Menchi I.

Does PI-RADS version 2 perform better than version 1.0 in the classification of prostate lesions in mpMRI? (SS 1407), B-0943

## Ludes C.

Ultra low dose unenhanced chest CT with iterative reconstruction: should we acquire it at 80kV or 135kV? A qualitative and quantitative prospective study on 51 patients (SS 1404), B-0985

## Lundén M.

The professional role of Swedish radiographers in medical imaging: Implementation of a caring approach within the Swedish radiography programme (EM 4), A-408

## Lunder A.K., Hov J.R., Borthne A., Viktil E., Johannesen G., Tveit K., Gleditsch J., Vatn M., Negård A.

MR cholangiography screening in longstanding IBD: prevalence of bile duct pathology indicative of sclerosing cholangitis in a population based cohort (SS 201a), B-0008

## Luo X., Chen M., Zhou J.

Interpretation and clinical use of amide proton transfer imaging signal MTRAsym(3.5ppm) in acute ischemic stroke (SS 1411a), B-0963

## Lurie D.J.

MR: artefacts and devices: A. Image artefacts in MRI and their mitigation (RC 1613), A-713

## M

## M.Ali R.M.K., England A., Tootell A., Hogg P.

Radiation risk from screening mammography (SS 313), B-0307

## Ma F., Qiang J., Zhang G.

MR spectroscopy in the differentiation of benign, borderline and malignant cystic epithelial ovarian tumours (SS 207), B-0132

## Maas M.

How to become the undergraduate teacher you always wanted to be: Chairmen's introduction (part 2) (PC 12b), A-500

## Maas M.

Shoulder MRI: mastering technique and making my report relevant: Chairman's introduction (RC 1510), A-627

## Maas M.

Colon cancer: staging and restaging of local disease: B. Imaging for restaging after neoadjuvant treatment (E<sup>3</sup> 1318), A-512

## Maas M., Shakirin G., Lambregts D.M., Weibrecht M., Perkuhn M., Martens M., Dijkhoff R., Beets G., Beets-Tan R.G.H.

Dynamic contrast enhanced MRI in rectal cancer: tumours with poor prognosis show low vascularity (SS 1816), B-1165

## MacDonald S.

Carotid artery disease: so what's new?: B. Carotid stenting vs endarterectomy: is the jury back yet? (RC 815), A-296

## Mack M.G.

MR imaging in sports medicine I: A. Muscle injury in sports (E<sup>3</sup> 1321), A-505

## Mack M.G.

Head and neck: Chairman's introduction (E<sup>3</sup> 1423), A-589

## Mack M.G.

Head and neck radiology: from symptoms to diagnosis: Lumps of the infrahyoid neck (SF 15), A-612

## Macron L., Sablayrolles J.-L.

Morphological coronary stenosis characteristics by CCTA: comparison with invasive fractional flow reserve (SS 303b), B-0381

## Madani G.

Head and neck cancer after treatment: what you need to know: B. Imaging after radiotherapy/chemotherapy (E<sup>3</sup> 121), A-002

## Madrid J.M., Caballeros M., Matínez-Miravete P., Rodríguez-Spiteri N., Elizalde A., Pina L.

The influence of immunohistochemical patterns of breast tumours in the detection of additional cancers by digital breast tomosynthesis and ultrasound (SS 1802), B-1128

## Madrid J.M., Caballeros F.M., García-Barquin P., Millor M., Pina L., Elizalde A.

Digital breast tomosynthesis: is peritumoural fat an ally in breast cancer detection? (SS 1802), B-1129

## Maggini E., Mancuso E., Maldur V., Pediconi F., Ricci P.

Breast elastography: does strain ratio value depend on Regions Of Interest (ROIs) placement? (SS 602b), B-0532

## Majer M., Mejdoubi M., Schertz M., Colombani S., Arrigo A.

Raw arterial spin labelling data can help identify arterial occlusion in acute ischaemic stroke (SS 1011b), B-0821

## Makowski M.R.

New frontiers in imaging of vascular wall and plaque: Molecular imaging for MR (NH 1), A-008

## Makowski M.R.

Novel ways to assess myocardial tissue: A. T1 mapping: technical considerations (RC 503), A-186

## Malagari K.

Current trends in transarterial chemoembolisation (TACE) and radioembolisation for HCC: B. TACE and TAE for HCC: new agents, new schedules, new combinations (RC 809), A-304

## Malago R., Sala G., Tezza M., Barbiani C., Finetto G., Tabacco G., Catelan S., Pozzi Mucelli R.

Compared analysis of two different software for iron overload quantification in cardiac MRI (SS 203a), B-0054

## Malamateniou C.

CT radiation dose optimisation: are we doing enough?: Chairmen's introduction (part 2) (SF 8d), A-284

## Malamateniou C.

Enhancing research in radiography: a change of culture: B. FoRRM: a Formal Radiography Research Mentorship scheme as an instrument for change (RC 1314), A-560

## Malavasi S., Barone D., Baiocco S., Bevilacqua A., Gavelli G.

Automatic method to support radiologists in choosing the most representative slices in CT perfusion of lung cancer (SS 605), B-0437

## Maly Sundgren P.C.

Advanced imaging techniques in brain tumours: Chairman's introduction (E<sup>3</sup> 519), A-177

## Maly Sundgren P.C.

Head and neck imaging: Orbit (Basic 2), A-202

## Maly Sundgren P.C.

Acute pain: your friend and enemy in emergency radiology: A. Head (RC 917), A-376

## Mancini A., Vellucci V., Patriarca L., Bruno F., Panebianco L., Paoli M., Masi R., Di Cesare E., Masciocchi C.

Late gadolinium enhancement (LGE) at 1.5 and 3 Tesla GE: can stronger fields detect more areas of fibrosis/necrosis? Preliminary evaluation (SS 1903), B-1311

## Manfredi R.

Cholangiocarcinoma: an update: Chairman's introduction (SF 13b), A-535

## Manfredi R.

Differential diagnosis in pancreatic imaging: A. Pancreatic cancer or pancreatitis (RC 1701), A-722

## Mang T.

CT colonography today: B. How I interpret it (RC 801), A-241

## Mangold S., Wichmann J., De Cecco C., Varga-Szemes A., Caruso D., Poole Z., Fuller S., Nikolaou K., Schoepf U.J.

Diagnostic accuracy of coronary CT angiography with 3rd generation dual-source CT and automated tube voltage selection: clinical application in a non-obese and obese patient population (SS 203b), B-0175

## Mangold S., Wichmann J., De Cecco C., Varga-Szemes A., Caruso D., Stubenrauch A., Fuller S., Nikolaou K., Schoepf U.J.

Impact of a noise-optimised virtual monoenergetic reconstruction algorithm on stent visualization and detection of in-stent stenosis in lower extremity run-off CT angiography (SS 315), B-0263

## Mani N., Varma R.K.

Percutaneous radiologic gastrostomy in amyotrophic lateral sclerosis (ALS) patients with minimal intravenous analgesia: technical success, safety and efficacy (SS 609), B-0539

# Authors' Index

**Manikis G.C., Nikiforaki K., Papanikolaou N., Albiin N., Kartalis N., Marias K.**  
Diffusion weighted imaging of pancreatic adenocarcinoma: which model is the most appropriate? (SS 1901a), B-1270

**Manka R.**  
Cardiac imaging: to new horizons: B. Imaging of microvascular disease (E<sup>3</sup> 1620), A-679

**Mann M.J., Szczepura K., England A.**  
An investigation into the effectiveness of common cleaning wipes in removing infection control risks from radiographic cassettes (SS 1414), B-1008

**Mann R.M.**  
Optimising breast MRI using novel imaging strategies, dedicated reading protocols and computer aided diagnosis (SY 1a)

**Manyonda I.**  
Uterine myomas: radiological diagnosis and treatment: Epidemiology, clinical presentation and non radiological therapeutic options for the treatment of fibroids (MS 16a), A-683

**Marano R.**  
Cardiac CT: from stenosis assessment to risk stratification: A. CT in stable chest pain (E<sup>3</sup> 621), A-200

**Maras Ozdemir Z., Aydingoz U., Korkmaz M.F., Tunay Bayrakci V., Ergen F.B., Atay O.A., Baysal O.**

Ultrasonography-guided injection for quadriceps fat pad edema: a 6-month clinical and radiological follow-up (SS 310), B-0270

**Marcy P.-Y.**  
Orbits and olfaction: Keynote speaker (SS 208), K-02

**Maresky H.S., Gottlieb P.A., Copel L., Ahoulim D., Tal S.**  
Cervical adipose tissue to airway volume ratio (CAT:AV): a novel anthropometric measure, its anatomic relationship to sleep apnea, cerebrovascular accident and overall mortality (SS 308), B-0360

**Marin A., Gangi A., Murchison J., MacNee W., van Beek E., Mirsadraee S.**  
Association between 18F-FDG-PET/CT metabolic activity and CT density of the aortic wall and severity of lung emphysema (SS 1804), B-1213

**Marincek B.**  
Differential diagnosis in pancreatic imaging: Chairman's introduction (RC 1701), A-721

**Marincu B., Forsting M., Umutlu L.**  
Does gadolinium remain in our heads? A comparison trial of T1 signal intensity after repeated administration of gadoterate meglumine (SS 211b), B-0197

**Marino M.A., Clauser P., Woitek R., Wengert G.J., Kapetas P., Bernathova M., Pinker-Domenig K., Helbich T.H., Baltzer P.A.T.**

A simple scoring system for breast MRI interpretation: does it compensate for reader experience? (SS 1002), B-0758

**Marino M.A., Clauser P., Woitek R., Wengert G., Kapetas P., Bernathova M., Pinker-Domenig K., Helbich T.H., Baltzer P.A.T.**

Combined evaluation of contrast-enhanced magnetic resonance imaging and diffusion weighted imaging of the breast: a multi-reader study (SS 1902a), B-1259

**Maroldi R.**  
Head and neck imaging: don't sell your ultrasound yet!: C. Lymph nodes: differential diagnosis and fine-needle aspiration (RC 408), A-074

**Maroldi R.**  
Head and neck imaging: Sinuses (Basic 2), A-204

**Maroof S., Alam T.**  
Awareness and knowledge of ionising radiation hazard among medical students and residents in Kabul, Afghanistan (SS 313), B-0305

**Marosi G., Drobni Z., Szilveszter B., Kolossvary M., Csury T., Vecsey-Nagy M., Molnar A., Merkely B., Maurovich-Horvat P.**  
The effect of sleep duration on the presence of coronary artery disease (SS 1003), B-0788

**Marra P., Salerno A., Antunes S., Giganti F., Esposito A., De Cobelli F., Del Maschio A.**  
Pre-treatment contrast-enhanced CT texture analysis (CTTA) of gastric cancer to predict response to neoadjuvant chemotherapy: comparison with histological tumour regression grade (TRG) (SS 701b), B-0626

**Marra P., Antunes S., Canu T., De Cobelli F., Tacchetti C., Esposito A., Del Maschio A.**  
Automatic segmentation of visceral fat in 7T MRI of mice (SS 1805), B-1145

**Marra P., Venturini M., Sallemi C., Ratti F., De Cobelli F., Aldrighetti L., Del Maschio A.**  
Different strategies to induce hypertrophy of the future liver remnant (FLR) in case of major hepatic resection: a prospective comparative study in 118 patients (SS 1901b), B-1298

**Marten-Engelke K.**  
Occupational lung diseases: the known and the less known: A. Silicosis and coal workers' pneumoconiosis (RC 1204), A-470

**Marti-Bonmati L.**  
Abdominal diffusion-weighted imaging (DWI): an update: Chairman's introduction (SA 5), A-157

**Marti-Bonmati L.**  
Non-alcoholic fatty liver disease (NAFLD): Imaging in diagnosing and staging liver fibrosis (SF 13c), A-543

**Martin S.S., Albrecht M.H., Vogl T.J., Jacobi V.**  
Development and evaluation of a computer-aided diagnosis system for diagnosis of interstitial lung diseases in high-resolution CT (SS 605), B-0432

**Martin S.S., Wichmann J.L., Scholtz J., Weyer H., Bucher A.M., Bauer R.W., Jacobi V., Vogl T.J., Albrecht M.H.**  
Diagnostic accuracy for the detection of arterial bleeding of the abdomen can be improved with noise-optimised virtual monoenergetic dual-energy CT (SS 615), B-0483

**Martin S.P., Gariani J., Hachulla-Lemaire A., Adler D., Karenovics W., Montet X.**  
Impact of different types and levels of iterative reconstructions on emphysema quantification by computed tomography scanner (SS 604), B-0588

**Martin V.S., León C.A., Hinestroza M.N., Robador L.O., Formoso F.D., Toledo L.S., Mohamad M.T., Armas M.A., Rodriguez M.S.**  
Visceral fat volume as a predictor of acute complicated diverticulitis (SS 301b), B-0243

**Martincich L.**  
MRI for women with a high risk of breast cancer (SY 15)

**Martini K., Bäessler M., Frauenfelder T.**  
Added value of dual energy subtraction radiography compared to standard conventional radiography using computed tomography as standard of reference (SS 1004), B-0846

**Martucci M., Botto A., Di Lella G.M., Ruberto E., Russo R., Verdolotti T., Gaudino S., Colosimo C.**  
Dynamic susceptibility-weighted contrast-enhanced (DSC) perfusion MR imaging in paediatric neuro-oncology, first step: a clinical feasibility study (SS 212), B-0164

**Martynov P., Mitropolskii N., Kukkola K., Mutanen L., Reponen J., Makynen A.**  
CARDS: the decision support tool for radiologists examining head CT images (SS 305), B-0233

**Maruno M., Kiyosue H., Tanoue S., Hongo N., Matsumoto S., Mori H.**  
Endosaccular embolisation of visceral artery aneurysms with adjunctive techniques (SS 1909), B-1372

**Masarwah A.N.J., Auvinen P., Sudah M., Dabravolskaite V., Arponen O., Sutela A., Oikari S., Kosma V., Vanninen R.**  
Mammographic breast density and HER2 overexpression assessment improves the Nottingham Prognostic Index prognostic ability in patients with invasive breast cancer (SS 1502), B-1118

**Massmann A., Saar M., Schneider G.K., Stoeckle M., Siemer S., Buecker A., Niklas C.**  
First experiences of prostatic artery embolisation for large benign prostatic hyperplasia ahead of a randomised controlled trial (SS 1515), B-1104

**Massmann A., Buecker A., Schneider G.K.**  
Preliminary in vitro and in vivo results of a MR-safe guidewire (SS 1809), B-1229

**Mathys C., Hoffstaedter F., Caspers J., Südmeyer M., Eickhoff C., Reetz K., Turowski B., Schnitzler A., Eickhoff S.**  
Functional connectivity and gray matter volume changes in the Multiple-Demand Network of Parkinson patients (SS 1911), B-1341

**Matoori S., Sohaib A., Koh D.-M., Thian Y., Gutzeit A.**  
Pretreatment tumour CT density is associated with overall and progression-free survival and tumour growth in patients with metastatic renal cell carcinoma under antiangiogenic therapy (SS 1916), B-1325

**Matos C.**  
A tour around cholangiopathies: Chairman's introduction (E<sup>3</sup> 426a), A-061

**Matos C.**  
Abdominal diffusion-weighted imaging (DWI): an update: Biliary ducts and pancreas: main advantages in clinical practice (SA 5), A-159

**Mattsson S.**  
Pregnancy and lactation: Radiation protection of pregnant and lactating patients in nuclear medicine (EF 2), A-391

**Mauf S., Held U., Gascho D., Baumeister R., Schweitzer W., Flach P., Ruder T., Nguyen-Kim T., Thalí M.J., Jentzsch T.**  
The unfolded chest cage: flat rib projection is superior in the detection of rib fractures for trauma surgeons and medical laypersons compared to conventional multi planar reformation (SS 605), B-0438

**Mauri G., Varano G.M., Della Vigna P., Bonomo G., Orsi F.**  
US/CT guided percutaneous treatment of renal tumours using radiofrequency and microwave ablation (SS 209), B-0125

# Authors' Index

- Maurovich-Horvat P., Karady J., Kolossvary M., Jermendy A.L., Bartykowski A., Karolyi M., Panajotu A., Bagyura Z., Merkely B.**  
Simmelweis cardiac CT registry: the feasibility of automated data collection with a structured reporting tool (SS 703), B-0747
- Mavrovi E., Beji H., Tredan O., Bachelot T., Ray-Coquard I., Heudel P., Peix M., Guerin N., Pilleul F.**  
Primary breast tumour percutaneous cryoablation in patients with metastatic breast cancer (SS 209), B-0123
- Mavrovi E., Cuinet M., Richioud B., Mastier C., Pilleul F., Chvetzoff G., Kalenderian A.**  
Evaluation of pain reduction after percutaneous thoracic cryoneurolysis in chest wall metastatic patients (SS 209), B-0128
- Mavrovi E., Beji H., Kalenderian A., Vaz G., Mastier C., Thiesse P., Richioud B.**  
Radiological percutaneous osteosynthesis and cementoplasty for impending malignant pathological fracture of the proximal femur (SS 309), B-0329
- May M.S., Lell M., Uder M., Wüst W.**  
Effect of spectral shaping on radiation dose in computed tomography of the paranasal sinuses (SS 1008), B-0880
- Mayer J.**  
Pneumonia: C. Fungal pneumonia in immunocompromised hosts (RC 104), A-030
- Mayrhofer M.T.**  
Biobanks meet imaging: Patient rights: data overprotection? (PC 9a), A-325
- Mazzocco C., Grenier N., Fracasso G., Germain-Genevois C., Dugot-Senant N., Couillaud F.**  
In vivo imaging of prostate cancer using an anti-PSMA fragment as a probe (SS 1406), B-0932
- Mc Nulty J., Lewis S., Lane S., White P., Mackay S.**  
Emotional intelligence and academic performance in radiography education (SS 214), B-0143
- McGrath C.**  
MR: artefacts and devices: B. Imaging around metal implants: artefact reduction in MRI (RC 1613), A-714
- McHugh K.**  
Imaging children with cancer: C. Imaging of complications of therapy (RC 1312), A-521
- McNulty J.**  
Enhancing research in radiography: a change of culture: A. Radiography research updates: new collaborations and initiatives in Europe (RC 1314), A-559
- Meel-van den Abeelen A.S.S., Weijers G., van Zelst J.C.M., Thijssen J.M., Mann R.M., de Korte C.L.**  
Quantitative 3D breast ultrasound analysis may reduce the number of biopsies for benign breast lesions (SS 202), B-0022
- Meinel F., Spearman J., Schoepf U.J., Rottenkolber M., Driesser I., Canstein C., Thierfelder K., Krazinski A., De Cecco C.**  
Impact of automated attenuation-based tube voltage selection on radiation dose at CT: an observational study on a global scale (SS 1813), B-1203
- Mekiš N., Foley S., Paulo G., Starc T., Rainford L., Santos J.**  
Additional copper filtration for adult chest imaging and its impact on dose and image quality (SS 1814), B-1248
- Mekis N.**  
The magic of excellent images: Chairmen's introduction (part 1) (RC 1714), A-763
- Melzig C., Wörz S., Ley S., Fink C., Partovi S., Rohr K., Kauczor H.-U., Grünig E., Rengier F.**  
Automated 3D segmentation of pulmonary magnetic resonance angiography in patients with pulmonary arterial hypertension: correlation with pulmonary arterial systolic pressure (SS 304), B-0313
- Melzig C., Wörz S., Ley S., Fink C., Partovi S., Rohr K., Kauczor H.-U., Grünig E., Rengier F.**  
Automated 3D MRI volumetry of the pulmonary arteries for predicting pulmonary hypertension has excellent intra- and interobserver agreement (SS 1415), B-1043
- Menassel B., Duclos A., Passot G., Dohan A., Payet C., Isaac S., Valette P., Glehen O., Rousset P.**  
Preoperative CT and MRI prediction of non-resectability in patients treated for pseudomyxoma peritonei from mucinous appendiceal neoplasms (SS 1816), B-1169
- Menu Y.**  
Hepatocellular tumours: C. Equivocal nodules in cirrhotic patient: how to solve the puzzle (RC 901), A-317
- Mercer C.E.**  
State-of-the-art breast imaging: A. Current status of digital mammography (RC 914), A-352
- Mesrar J., Ognard J., Ghomadi S., Chechin D., Misery L., Ben Salem D.**  
In vivo skin moisturizing measurement by high-resolution 3-T MR imaging (SS 713), B-0665
- Metaxa L., Suaris T., Hunter K., Dilks P., Dani S., O'Keeffe S.**  
Correlation of UK 5-point breast imaging classification and BI-RADS classification of calcification with final histology. Which is a better predictor of malignancy? (SS 202), B-0018
- Metkees M.K., Sarry El Din A.M., Abbas Y., Geneidi E., Gaber A., Reda W.**  
Epilepsy cases: fMRI and MR tractography as qualitative and quantitative tools for proper localisation and pre-operative planning (SS 211a), B-0087
- Meyer A., Schmid A., Lang W., Rother U.**  
Below-the-knee angioplasty in dialysis patients with critical limb ischemia- outcomes with respect to pedal arch involvement (SS 315), B-0262
- Meyer E., Labani A., Severac F., Jeung M., Ludes C., Meyer A., Haouin K., Roy C., Ohana M.**  
Radiation dose reduction with 320-row sequential wide-volume over helical acquisitions in chest CT: a prospective study in an ultra-low-dose setting (SS 1404), B-0986
- Michielsen K.L.M., Vergote I., Vanslembrouck R., Mussen E., Amant F., Leunen K., De Keyzer F., Souverijns G., Vandecaveye V.**  
Whole body diffusion-weighted MRI for tumour characterisation, staging and prediction of complete resection in ovarian carcinoma: a comparison with CT (SS 1416), B-1037
- Michielsen K., Van Ongeval C., Van Steen A., Kuipers M., Soens J., Ghunaim H., Petrov D., Cockmartin L., Nuyts J.**  
Phantom and visual grading analysis of three breast tomosynthesis reconstruction methods (SS 1913), B-1357
- Miele V., Piccolo C.L., Trinci M.**  
'Special patients' in the emergency room: when and how to image them?: A. Children (RC 417), A-121
- Miettunen K., Metsälä E.**  
Development in radiological department practices: an analysis of clinical audits in the years 2002 - 2014 (SS 1414), B-1009
- Miki Y.**  
State-of-the-art radiology: Interlude: Radiologists' intermission: refreshing photo-stream on our beautiful country (I) (EM 2), A-572
- Mikulis D.**  
Cerebral blood flow quantification: C. Cerebrovascular reserve imaging and the consequences of neurovascular uncoupling (E<sup>3</sup> 819), A-294
- Mildenberger P.**  
Clinical decision support (CDS): Cost-effectiveness of clinical decision support (PC 8a), A-259
- Mildenberger P.**  
Mind the gap - data-sharing for better patient outcomes - the key issues for patients and the radiology community: eHealth, EHR and data protection: friend or foe? (ESR-PAG 2), A-585
- Mildenberger P.**  
European variation in imaging: focus on technology: Procedure codes and lexica in radiology for supporting workflow improvements (PC 17), A-734
- Mirón Mombiola R., Borrás C., Facal de Castro F., Moreno P.**  
Can echo intensity obtained from ultrasonography images reflect muscle strength in the frail elderly population? (SS 710), B-0641
- Mirsadraee S., Marin A., Jenkins W., Connell M., Tavares A., Fletcher A., Hirani N., van Beek E.J.**  
The identification of systemic integrin activation in idiopathic and systemic sclerosis pulmonary fibrosis using 18F-fluciclatide positron emission tomography (SS 1804), B-1218
- Mizandari M., Habib N.**  
Endoluminal RFA assisted percutaneous recanalisation of biliary and main pancreatic duct obstruction, caused by inoperable malignancy (SS 609), B-0540
- Mochula O., Ussov W.**  
Contrast enhanced magnetic resonance imaging of the heart in the quantification of myocardial damage in drug-resistant hypertension (SS 603), B-0461
- Mohamed Hoesein F.A.A., Pompe E., Bartstra J., Verhaar H.J.J., Oudkerk M., de Koning H.J., Lammers J.J., de Jong P.A.**  
Current smokers have a faster decline in bone density than former smokers: a longitudinal CT study (SS 610a), B-0488
- Mohanty H.S., Rajan Mj G., Shirodkar K., Kumar Gg S., Nandikoor S.**  
Analysis and correlation of 18F-FDG uptake in different immuno-histochemical subtypes of breast carcinoma (SS 1902a), B-1262
- Molinari F.**  
HRCT - patterns in chest radiology: back to basics and beyond: B. Linear and reticular pattern (RC 504), A-167
- Montealegre Angarita A.C., Rendon Villa M., Serres X., Trilla E., Juarez Garcia M.**  
Management of renal tumours by US-guided radiofrequency ablation: our experience in 140 patients (SS 209), B-0124
- Montet X.**  
Perfusion imaging: Chairman's introduction (E<sup>3</sup> 526), A-181
- Montet X.**  
Dose optimisation made easy in computed tomography of the chest: B. CT angiography and CT of lung disease (E<sup>3</sup> 25E), A-795

# Authors' Index

**Monti L., Salsano M., Soglia G., Colella Bisogno M., Simonetti A., Torre G., Rossi P., Bonomo L., Tomà P.**  
Accuracy of ultrasound signs, ARFI and clinico-laboratoristic data for detection of biliary atresia in cholestatic patients (SS 1012), B-0890

**Moon J., Cheung J., Koh S., Lee K.**  
Comparison of  $SR_{max}$ ,  $SR_{ave}$  and color map of elastography in differentiating malignant from benign breast lesions (SS 602b), B-0528

**Moon S., Jung H., Ko K., Kim S.**  
Management strategies for benign papillomas without atypia diagnosed at percutaneous imaging guided breast core biopsy in recently published reports (SS 202), B-0015

**Moraitis N., Perisinakis K., Pagonidis K., Tzedakis A., Damilakis J.**  
Breast bismuth shielding in coronary CT angiography: is it worth it? (SS 1813), B-1205

**Morana G.**  
IgG4-related disease: what is it and what do I need to know?: C. Systemic manifestations (RC 1301), A-510

**Morgan R.**  
Thoracic emergencies: Vascular (Basic 6), A-768

**Morillo A.**  
From practice to reality: how we do it: Minor interventional procedures in tropical diseases (EM 3), A-782

**Morozov S.**  
Will the good old PACS disappear?: A. It's time for PACS replacement: how-to guide, recommendations and pitfalls (RC 1405), A-580

**Morrish O.**  
Breast imaging modalities and radiation dose: Digital mammography for screening and diagnosis of breast cancer: breast doses and radiogenic risks (EF 1), A-357

**Morsbach F., Higashigaito K., Benz D., Alkadhi H.**  
Triple rule-out CT in the emergency department patient: should we just do it? (SS 617), B-0519

**Moschetta M., Telegrafo M., Introna T., Coi L., Rella L., Stabile Ianora A., Angelelli G.**  
Breast MRI background parenchymal enhancement (BPE) correlates with the risk of breast cancer (SS 1402b), B-1067

**Mosconi C., Vicennati V., Papadopoulos D., Pasquali R., Golfieri R.**  
Radiological formula for differentiating between secreting and non secreting adrenal adenomas (SS 1807), B-1242

**Mostbeck G.H.**  
Image fusion for image-guided interventions: B. US image fusion (RC 109), A-047

**Mostbeck G.H.**  
Radiology ten years from now: where will it be?: The beauty of general radiology (PC 9b), A-333

**Motara H., Olusoga T., Russell G., Jamieson S., Ahmed S., Pillai A., Scarsbrook A., Patel C., Chowdhury F.**  
The clinical impact of 18F-fluorodeoxyglucose (FDG) positron emission tomography/computed tomography (PET/CT) in patients with cognitive impairment (SS 311b), B-0387

**Moustafa A.S., Abdel Aal A.M.K., Redden D., Saddekni S., Dubay D.**  
Trends for using lipiodol-Doxorubicin vs drug-eluting beads-Doxorubicin for transarterial chemoembolisation in hepatocellular carcinoma: a single-centre experience (SS 1409), B-0998

**Mraithy H.A.A.B., England A., Hogg P.**  
An investigation into the impact of the 'anode heel effect' on patient gonadal dose in AP pelvic radiographic examination (SS 1813), B-1208

**Mrakic Sposta F.**  
Hybrid imaging: radiology and nuclear medicine: Prostate cancer: multiparametric MR in the diagnosis and clinical management of prostate cancer (ESR/EANM), A-430

**Mubarak F.**  
Is there any relationship between carotid artery plaque and cerebral micro bleed? (SS 711), B-0649

**Mueller-Lisse U.G., Scherr M., Meister A., Reiser M.F., Mueller-Lisse U.L.**  
Magnetic resonance spectroscopy of the prostate: in vitro comparison of the choline-plus-creatine-over-citrate ratio at 1.5 T and 3.0 T (SS 307), B-0342

**Mueller-Lisse U.G., Marwitz L., Tufman A., Huber R., Reiser M.F., Paolini M.**  
Equal delineation of mediastinal, hilar, and peripheral lymph nodes at 64-row-MDCT of the chest with a one-millisievert protocol when compared with standard dose (SS 1404), B-0990

**Mulé S., Ganeshan B., Dohan A., Thiéfin G., Hoeffel C.**  
Advanced hepatocellular carcinoma: pre-treatment contrast-enhanced CT texture as prognostic biomarker in patients treated with sorafenib (SS 216a), B-0094

**Mullen S., Mc Nulty J., O'Hora L., Mc Guire V., Buchanan T., Gilligan P., Rainford L.**  
An investigation of how to improve recall and awareness of radiation dose levels associated with cardiovascular interventional procedures (SS 1814), B-1247

**Murakami T.**  
State-of-the-art radiology: Advanced liver imaging: improving treatment decisions (EM 2), A-573

**Muthurangu V.**  
Cardiac MRI: Clinical use of MR in congenital cardiac disease (ESR/ESMRMB), A-421

**Muto M.**  
Functional imaging of the spine: Chairman's introduction (E<sup>3</sup> 919), A-359

## N

**Nadriljanski M., Pavlovic - Stankovic D., Spasic N., Plesinac - Karapandzic V., Nikitovic M., Milosevic Z.**  
Breast cancer detection in dense breast with abbreviated breast MRI protocol: first hundred cases (SS 602a), B-0419

**Nagasawa N., Kitagawa K., Yamazaki A., Sakuma H.**  
Potential usefulness of cardiac output and total peripheral resistance as indicators of adequate vasodilation in myocardial perfusion imaging (SS 303b), B-0384

**Nagasawa N., Kitagawa K., Yamazaki A., Sakuma H.**  
Optimal scan delay time for quantitative CT myocardial perfusion imaging (SS 303b), B-0385

**Naguib N.N.N., Nour-Eldin N.A., Gruber-Rouh T., Hammerstingl R., Zangos S., Vogl T.J.**  
A leiomyoma scoring system for selecting patients for uterine artery embolisation (SS 607a), B-0467

**Naguib N.N.N., Nour-Eldin N.A., Gruber-Rouh T., Lehnert T., Zangos S., Vogl T.J.**  
Leiomyoma maximal diameter versus leiomyoma volume: which is more reliable for proper patient selection for uterine artery embolisation (SS 607a), B-0470

**Naguib N.N.N., Nour-Eldin N., Gruber-Rouh T., Harth M., Vogl T.J.**  
Multiplanar reconstruction of the internal auditory canal using high resolution MR-imaging: effect of constitutional differences on the size of the cochlear and facial nerves (SS 708), B-0725

**Nagy A., Nagy E., Palkó A., Palásthy Z., Takács T., Baráth L.**  
Investigation of international conformance of health economic analyses by comparing open and endovascular repair of abdominal aortic aneurysm regarding costs and outcomes (SS 1909), B-1373

**Nair A.V., Meera P., Nazer P.K., Ramachandran P.V.**  
Role of pre-operative ultrasonography for tumour thickness evaluation in guiding management in patients with oral tongue squamous cell carcinoma (SS 608), B-0561

**Nair A., Camporata L., Barrett N.A., Sharma N., Desai S.R.**  
Relationship between CT patterns of lung injury and serum N-terminal-peptide type III procollagen (NT-PCP-III) in patients with severe acute respiratory distress syndrome (ARDS) (SS 1804), B-1217

**Nakagawa T., Isogai J., Harata N., Miyazaki T.**  
Acute cervical traumatic spinal cord injury: MRI with diffusion-weighted imaging correlated with neurologic outcome (SS 717), B-0688

**Nakano S., Fujii K., Kousaka J., Mouri Y., Ando T., Tetsuka R., Goto M., Imai T., Ishiguchi T.**  
Second-look US using real-time virtual sonography increases the sonographic detection rate of MRI-detected lesions with non-mass like enhancement on breast MRI (SS 302), B-0223

**Nakano S., Tetsuka R., Fujii K., Kousaka J., Mouri Y., Ando T., Goto M., Imai T., Ishiguchi T.**  
Impact of Real-time Virtual Sonography, a coordinated US and MRI system, on the detection of conventional B-mode-occult lesions in second-look US for MRI-detected breast lesions (SS 602b), B-0531

**Nardo L., Facchetti L., Loo K., Algazi A., Tsai K., Daud A., Pampaloni M.H.**  
Prognostic value of baseline 18F-FDG PET/CT and laboratory parameters in treatment of metastatic melanoma with anti-PD1 monoclonal antibodies (SS 1916), B-1320

**Nasr H.A., Farghaly H.R.S., Al Qarni A.O.**  
Thyroid incidentalomas on 18F-FDG PET/CT in oncology patients: are there any predictors for malignancy? (SS 616), B-0509

**Natale L.**  
Cardiac imaging: to new horizons: C. Tracking of stem cells in cardiac repair: role of MR and hybrid imaging (E<sup>3</sup> 1620), A-680

**Nattenmüller J., Wochner R., Muley T., Steins M., Hummler S., Kauczor H.-U., Wiefpütz M.O., Heussel C.P.**  
Potential prognostic impact of CT-quantified abdominal muscle and fat re-distribution under chemotherapy in lung cancer patients (SS 616), B-0513

# Authors' Index

**Navichenka A., Beimanov A., Kononov P., Piskun B., Gontchar A.**

Role of CT-angiography and digital subtraction angiography in cerebral aneurysm volume estimation (SS 1011a), B-0800

**Navin P., Egan A.M., Hutchinson B., Bergin D., Bell M., Bruzzi J.**

Sonographic assessment of thyroid nodules: a comparison of current guidelines (SS 1408), B-1017

**Nazli M.A., Mutlu I.N., Kilickesmez Ö.N., Kelten C., Can Tirabulus D., Yardimci A.H., Cermik T.F.**

Radiologic imaging features of breast cancer according to the molecular subtypes (SS 1902b), B-1280

**Nazli M.**

Radiological imaging features of breast cancer according to the molecular subtypes (SS 302), B-0219

**Nechaev V.**

Digital tomosynthesis in the diagnosis of chest diseases and injuries (SS 1004), B-0849

**Negrelli R., Avesani G., Boninsegna E., Frulloni L., Manfredi R., Pozzi Mucelli R.**

Type 1 and type 2 autoimmune pancreatitis: is there any difference in MRI? (SS 201a), B-0004

**Nekolla S.G.**

How to quantify the haemodynamic significance of coronary stenosis: C. New players on the field: SPECT/CT, PET/CT, MR/PET (E<sup>3</sup> 920), A-323

**Nelassov N., Morgunov M., Hripun I., Dombrovsky V., Vorobiev S., Eroshenko O., Karkoshka T.**

Sonographic assessment of brachial artery reactive hyperemia in patients with diabetes and polymorphism in the gene of nitric oxide endothelial synthase using time interval method (SS 215), B-0063

**Nerad E., Lahaye M., Lambregts D.M., Kersten E., van den Bosch H., Bakers F., Beets G., Grabsch H., Beets-Tan R.G.H.**

MR imaging in preoperative staging of primary colon cancer patients: a feasibility study (SS 301b), B-0244

**Nerad E., Lahaye M., Lambregts D.M., Kersten E., van den Bosch H.C.M., Beets G., Bakers F., Grabsch H., Beets-Tan R.G.H.**

Diagnostic performance of MR imaging in preoperative staging of primary colon cancer patients (SS 301b), B-0245

**Nerestyuk Y.I., Karmazanovsky G., Gepalova Y.**

Quantitative assessment of the pancreatic tumours by means of perfusion-related parameters derived from low-dose CT perfusion (SS 1901a), B-1267

**Neri E.**

Daily use of mobile devices in radiology: B. Is it appropriate to read a study on a smartphone or a tablet? (RC 105), A-014

**Nestle U.**

MR and MR/PET in radiation treatment planning - challenges and opportunities: The benefit of MR/PET in radiation oncology (ESR/ESTRO), A-671

**Neuhaus V., Abdullayev N., Hellmich M., Krämer S., Maintz D., Krug B., Borggrefe J.**

Association of quality and quantity of bone metastases as well as volumetric bone mineral density with the prevalence of vertebral fractures in breast cancer patients (SS 316), B-0295

**Neuwirth J.**

Chest CT dose reduction: Keynote speaker (SS 1404), K-25

**Nevalainen M.T., Roedl J.B., Morrison W.B., Zoga A.C.**

MRI of the painful carpal boss: variations at the extensor carpi radialis brevis insertion and imaging findings in regional traumatic and overuse injuries (SS 1810), B-1180

**Newstead G.M.**

Modern methods for MRI screening (SY 1b)

**Ng M., Liu J., Mak K., Lau C., Tse H., Yiu K.**

CT calcium score of coronary artery calcification progression in rheumatoid arthritis over a 10-year period and risk factors for progression (SS 1003), B-0784

**Nganga E.C.**

Comparison of quantitative analysis to qualitative analysis for interpretation of lower limb lymphoscintigraphy (SS 615), B-0481

**Nguyen H.T., Shah Z., Mortazavi A., Pohar K., Wei L., Jia G., Zynger D., Knopp M.**

Diffusion-weighted MRI of urinary bladder: non-invasive quantification of tumour heterogeneity to differentiate malignant from benign tissues (SS 1016), B-0833

**Nieboer K.H.**

Whole body CT in trauma patients: C. Optimising the value of radiologists in trauma care (E<sup>3</sup> 1226c), A-498

**Niessen W.J.**

The VPH-DARE@IT Project: delivering a clinical decision support platform for earlier dementia diagnosis: Phenomenological modelling and the RSS (EIBIR 4), A-605

**Nielsenstein R.A.J.**

Key issues in paediatric imaging: B. Dose reduction and image quality in paediatric CT (RC 1212), A-445

**Nightingale J.M., Murphy F.J., Robinson L.**

Breast compression: an exploration of decision making in mammography (SS 1914), B-1379

**Niiniviita H., Virtanen J.**

Low dose CT protocol optimisation for the assessment of acute appendicitis: a phantom study (SS 1813), B-1207

**Nijholt W., Bakker A., Bennet A., Borgen M., Ellermann A., Hogg P., Gamboa P., Vorster L., Aandahl I.**

An analysis of the validity and reliability of a handheld ultrasound device for measuring rectus femoris muscle size (SS 714), B-0711

**Nikolaou K.**

An introduction to European Imaging Biomarker Alliance (EIBALL): Imaging biomarker development for EIBALL by subspecialty societies (PC 8b), A-273

**Nilsson A.**

Basic principles of percutaneous tumour ablation: D. Irreversible electroporation: principles, technique and clinical applications (RC 409), A-120

**Nitrosi A., Bertolini M., Campari C., Braglia L., Iotti V., Vacondio R., Ginocchi V., Pattacini P., Iori M.**

Interpretation time in a population-based breast screening program: digital breast tomosynthesis versus 2D mammography (SS 1402a), B-0922

**Nobel M., Robben S.G.F.**

Structured reporting: evidence-based? (SS 305), B-0228

**Nogueira L., Borlinhas F., Brandão S., Nunes R.G., Loureiro J., Ramos I., Ferreira H.A.**

Microstructural environment analysis of breast lesions with diffusion kurtosis imaging (SS 702), B-0603

**Nogueira L., Brandão S., Nunes R.G., Ferreira H.A., Loureiro J., Ramos I.**

The influence of regions of interest demarcation approaches on apparent diffusion coefficient in breast lesions (SS 1002), B-0753

**Noordmans J.P.D., Geenen R.W.F.,**

**Wagenvoort A.M., Kool W., Algra P.R.** Initial experiences with ultra low-dose CT scanning in body packers (SS 201b), B-0036

**Nordemar D., Öberg J., Brosjö O., Skorpil M.**

Multivariate data analysis as a clinical tool for differentiating intraarticular synovial sarcomas from localised pigmented villonodular synovitis (SS 1010a), B-0810

**Notohamiprodjo S., Webber N.,**

**Birnbacher L., Willner M., Herzer J., Mayr D., Bartsch H., Saam T., Hetterich H.**

Myocardial alterations in grating-based phase-contrast computed tomography (gb-PCCT) (SS 1803), B-1149

**Nummela M.T., Bensch F.V., Koskinen S.K.**

Costal cartilage fractures: an overlooked injury in polytrauma patients? A review of 978 consecutive blunt trauma patients (SS 717), B-0689

**Nunez D.**

General principles: paediatric and ENT emergencies: C. Imaging in ENT emergencies (MC 828), A-308

**Nyberg L.**

Functional MRI of the brain opens new horizons: C. Introduction to resting state fMRI and functional connectomics (E<sup>3</sup> 419), A-109

**Nyhsen C.**

Minimising the risk of transmitting infections through ultrasound: is current practice sufficient?: Why is it important to consider infection control issues in ultrasound? Low- vs high-risk examinations (Res.WG), A-248

**Nyhsen C.**

How to become the undergraduate teacher you always wanted to be: Teaching methods' top tips: how you can capture and maintain your students' attention (PC 12b), A-502

## O

**O'Connor M., Foley S.**

Noise variations across clinically accepted paediatric body CT scans (SS 314), B-0346

**O'Connor M., Foley S.**

Manual vs automated visceral adipose tissue quantification in paediatric CT: which is best? (SS 714), B-0710

**O'flynn E., Fromageau J., Ledger A.,**

**Messa A., D'Aquino A., Schmidt M., Duric N., Swerdlow A., Bamber J.**

Breast density measurements with ultrasound tomography: a comparison with non-contrast MRI (SS 1502), B-1117

**O'Flynn E.A.M., Blackledge M., Collins D.,**

**Downey K., Doran S., Dumontiel S., Mok W., Leach M.O., Koh D.-M.**

Evaluating the diagnostic sensitivity of computed diffusion-weighted MR imaging in the detection of breast cancer (SS 1902a), B-1258

**O'Hora L., Butler M.-L., Catania D., Ong M.,**

**Decoster R., Offermans J., Starc T., Rainford L.**

Patient skin dose in interventional radiology: an international review of procedures (SS 1014), B-0867



# Authors' Index

- O'Keeffe S., Longman C., Suaris T.**  
Recall rates in surveillance breast MRIs performed in women at high risk of developing breast cancer (SS 1002), B-0759
- O'Leary D.**  
Safety issues in medical imaging: C. An introduction to mammography safety: what can be done? (RC 1614), A-710
- O'Neill D.C., Cronin O., O'Neill S.B., Herlihy D., Keohane D., Woods T., Molloy M., Falvey E.**  
Application of a sub-set of skinfold sites for ultrasound measurement of subcutaneous adiposity and percentage body fat estimation in athletes (SS 710), B-0644
- O'Reilly M.K., Sugrue G., Geoghegan T., Jones J.F.X.**  
Fabrication and assessment of 3D printed anatomical models of the lower limb for femoral vessel access training in interventional radiology (SS 1909), B-1376
- Occhipinti M.**  
Mediastinal disease revisited: B. Mediastinal masses: role of CT (RC 1504), A-644
- Occhipinti M., Franchi P., Ciliberto M., Tonetti L., Cicchetti G., Larici A.R., Bonomo L.**  
Baseline results from an Italian CT lung cancer screening program compared to the NLST data (SS 704), B-0679
- Offiah A.C.**  
Thorax and musculoskeletal: Keynote speaker (SS 312), K-09
- Ogul H., Karaca L., Sade R., Kantarci M., Bayraktutan U., Gündoğdu B., Karabulut N., Akyuz Y., Turkeli M.**  
Role of apparent diffusion coefficient values using 3T magnetic resonance imaging in differentiation of hepatic alveolar echinococcosis from primary hepatic tumours (SS 701a), B-0598
- Oh S., Lee W., Shin N., Lee S., Lim S.**  
Alterations of white matter integrity in HIV-associated neurocognitive disorder: a tract-based spatial statistics study (SS 311b), B-0395
- Oh S., Lee W., Shin N., Lee S., Lim S.**  
Can 3D FLAIR reflect intact presynaptic dopaminergic function in patients with parkinsonism? (SS 1911), B-1337
- Ohana M., Labani A., Jeung M., Roy C.**  
What is the optimal monochromatic keV level for lung parenchyma analysis in spectral CT? A qualitative study on 50 patients (SS 604), B-0582
- Ohno Y., Kishida Y., Seki S., Koyama H., Yoshikawa T., Yui M., Lu A., Miyazaki M., Sugimura K.**  
Pulmonary thin-section MR imaging with ultra-short TE: comparison of capability for lung nodule detection and nodule type classification with low- and standard-dose thin-section CTs (SS 304), B-0316
- Ohno Y., Yui M., Miyazaki M., Kishida Y., Seki S., Koyama H., Yoshikawa T., Sugimura K.**  
Chemical exchange saturation transfer (CEST) imaging vs FDG-PET/CT: capability for differentiation of malignant from benign pulmonary lesions (SS 304), B-0319
- Ohno Y., Kishida Y., Seki S., Koyama H., Aoyagi K., Yamagata H., Sugimura K.**  
Whole-body MRI with and without DWI: comparison of capability for recurrence assessment with PET/CT, PET/MRI and conventional radiological examination in NSCLC patients (SS 716), B-0655
- Ohno Y., Kishida Y., Seki S., Koyama H., Fujisawa Y., Sugihara N., Yoshikawa T., Sugimura K.**  
Dynamic contrast-enhanced perfusion area-detector CT vs FDG-PET/CT: capability for therapeutic outcome prediction in non-small cell lung cancer patients with chemoradiotherapy (SS 704), B-0684
- Ohno Y., Kishida Y., Seki S., Koyama H., Fujisawa Y., Sugihara N., Yoshikawa T., Sugimura K.**  
Dynamic CE-perfusion area-detector CT: comparison of capability for N-stage assessment with FDG-PET/CT in non-small cell lung cancer patients (SS 704), B-0685
- Ohno Y., Yaguchi A., Okazaki T., Aoyagi K., Sugihara N., Kaminaga S., Yoshikawa T., Sugimura K.**  
FIRST vs AIDR 3D vs. FBP methods: accuracy of computer-aided volumetry (CADv) for low-dose lung cancer CT screening protocols in QIBA recommended lung nodule phantom study (SS 1904), B-1364
- Oikonomou A.**  
Less common infiltrative lung diseases: C. Lymphangioleiomyomatosis (E<sup>3</sup> 1626), A-707
- Oleaga Zufiria L.**  
Monitoring safety and quality: Experience of total management of quality and safety (PC 18), A-785
- Oliveira M.V.L., Andrade Almeida M., Batista W., Flores P.**  
Small fov cone beam computed tomography: dosimetry for temporomandibular joint exam (SS 1014), B-0868
- Oliver Goldaracena J., Martinez Gamarra C., Córdoba Chicote V., Verón Sánchez A., Roca Navarro M., Andres Mateo A.**  
Axillary lymph node fine-needle aspiration biopsy in invasive breast cancer: usefulness of adding core-needle biopsy when cytological diagnosis is discordant or insufficient (SS 1902b), B-1282
- Oliveri A., Howarth N., Salame H., Gevenois P., Tack D.**  
Short and long term effects of clinical audit on compliance with procedures in CT scanning (SS 314), B-0347
- Omelchenko O., Rozhkova Z., Karaban I.**  
Peculiarities of tremor-related brain activation in Parkinson's disease during motion: fMRI study (SS 1911), B-1338
- Onofrj V., Piludu F., Vecchio F., Miraglia F., Granata G., Caulo M., Bramanti P., Rossini P.M., Colosimo C.**  
Altered brain connectivity in dementia: a correlation study between functional and structural data (SS 311b), B-0393
- Onu M.**  
Increased connectivity between sensorimotor and attentional areas in Parkinson's Disease (SS 1911), B-1339
- Orlando A.A.M., Safina M., Lodato L., Buffa G., Cirino A., Ienzi R., Taibbi A., Bartolotta T.V.**  
Categorisation of focal breast lesions according to the BI-RADS US lexicon: role of a computer-aided decision-making support (S-Detect) (SS 602b), B-0533
- Örnberg G.**  
The professional role of Swedish radiographers in medical imaging: Cultural highlights (EM 4), A-410
- Orsi F.**  
Basic principles of percutaneous tumour ablation: A. Thermal ablation with RF (RC 409), A-117
- Orsi M., Cellina M., Battaglia E., Barmettler F., Oliva G.**  
Breast MRI in the screening setting: is maximum intensity projection (MIP) a reliable technique for cancer detection? (SS 602a), B-0422
- Orsini E.B., Ippolito D., Talei Franzesi C., Besostri V., Spiga S., Sironi S.**  
Efficacy of whole-body low-dose CT (WBLDCT) in the staging of patients with multiple myeloma (MM): comparison with whole-body magnetic resonance imaging (WBMRI) (SS 716), B-0662
- Ortiz-Pérez J.T.**  
Imaging of heart failure: A. Current ESC and AHA guidelines: how to choose imaging techniques in heart failure patients? (RC 803), A-299
- Ota H., Takagi H., Sugimura K., Takase K.**  
Dual-energy pulmonary blood volume CT for treatment evaluation of balloon pulmonary angioplasty for chronic thromboembolic pulmonary hypertension (SS 204), B-0110
- Othman A., Falkner F., Weiss J., Kruck S., Martirosian P., Nikolaou K., Notohamiprodjo M.**  
Effect of temporal resolution on diagnostic performance of DCE-MRI of the prostate (SS 707), B-0704
- Othman A.E., Eigentler T., Bier G., Kloth C., Pfannenberger C., Bösmüller H., Thiel C., Nikolaou K., Klumpp B.**  
Imaging of gastrointestinal melanoma metastases: correlation with surgical and pathological findings (SS 201b), B-0039
- Oudkerk M.**  
Essentials of modern imaging in cardiac diseases: A. Major challenges in diagnostic imaging of cardiac diseases (E<sup>3</sup> 1220), A-447
- Oustwani C.S., Korutz A.W., Lester M., Kianirad Y., Simuni T., Hijaz T.**  
Utility of susceptibility weighted imaging in differentiating patterns of iron deposition in Parkinson disease and the Parkinson-plus syndromes (SS 1911), B-1343
- Ouyang R., Wu L., Xu J.**  
T1 mapping: diagnostic value in hypertrophic cardiomyopathy with no apparent fibrosis in late gadolinium enhancement (SS 303a), B-0253
- Owens C.**  
EuroSafe Imaging Alliance & Campaign - what is new?: The European paediatric imaging project (EuroSafe 2), A-081
- Owens C.**  
Paediatric: B. Paediatric chest imaging (E<sup>3</sup> 1823), A-791
- Owman T.**  
Safety issues in medical imaging: A. Safeguarding patients and staff in MRI (RC 1614), A-708
- Oyen R.H.**  
Abdominal trauma: does it bleed, will it start bleeding or is something else leaking?: C. Urogenital tract (RC 117), A-051
- Oyen R.H.**  
Kidney: B. Differential diagnoses of solid renal masses (E<sup>3</sup> 622), A-210
- Oyen R.H.**  
Radiology ten years from now: where will it be?: Potential synergies between radiology and pathology (PC 9b), A-332

# Authors' Index

**Ozdemir O., Metin Y., Orhan Metin N., Yavaşı Ö., Bilir Ö., Kalcan S.**  
Contribution of diffusion-weighted MR imaging to non-enhanced CT in evaluation of acute abdominopelvic pain (SS 717), B-0694

**Ozgen Mocan B., Bulut E., Dolgun A., Bajin D., Sennaroglu L.**  
Diagnostic accuracy of TSE diffusion weighted MR imaging for the diagnosis of cholesteatoma (SS 708), B-0726

**Ozgokce M., Alper F., Yavuz A., Ogul H., Aydın Y., Batur A., Eroglu A.**  
The efficacy of cine-magnetic resonance imaging in accurate evaluation of the invasion level of tumour tissue in esophageal carcinoma (SS 701b), B-0625

**Öztek M.A., Çeken K., Ocak G.A., Dablan A., Durmaz E., Kabaaloğlu A., Gürer E.I., Apaydın A., Sindel T.**  
Which nodules should have repeat biopsies: the role of thyroid imaging and reporting system (TI-RADS) in cases of nodiagnostic cytology (SS 1408), B-1024

**Ozturk K., Soylu E., Savci G.**  
Chemical shift MRI at 3 T to differentiate hepatocellular carcinoma and non-hepatocellular malignant tumours of the liver (SS 216b), B-0190

---

**P**

---

**Paalimäki-Paakkı K., Henner A.**  
Good practice: lumbosacral spine x-ray examination (SS 214), B-0151

**Padhani A.R.**  
Prostate: C. Staging of prostate cancer (E<sup>3</sup> 1022), A-396

**Padhani A.R.**  
Prostate MRI: increasing need?: The role of prostate MRI in active surveillance (SF 16), A-696

**Padhani A.R., Petralia G., Sokhi H., Sanguedolce F., Anyamene N., Hellawell G.**  
Multiparametric MRI in the follow-up of low-risk prostate cancer patients on active surveillance (SS 1407), B-0947

**Padrón M.**  
Sports injuries: diagnosis and management: Chairman's introduction (MS 16b), A-689

**Palkó A.**  
Abdominal emergencies: A. Abdominal injuries (MC 528), A-193

**Palkó A.**  
Abdominal emergencies: C. Interactive case discussion (part 1) (MC 528), A-195

**Palkó A.**  
Emergency radiology I: A. Abdominal vascular emergencies (E<sup>3</sup> 1021), A-382

**Palkó A.**  
Emergency imaging of the pregnant patient: Polytrauma: US, CT or MR (SA 17), A-744

**Palkó A.**  
Monitoring safety and quality: Experience from a group of imaging centres (PC 18), A-787

**Palmisano A., Esposito A., Colantoni C., Cava M., Sala S., De Cobelli F., Del Maschio A.**  
Cardiac MR or delayed enhanced CT in patients with sudden occurrence of ventricular arrhythmias and normal coronary arteries: comparison with endomyocardial biopsy (SS 303a), B-0251

**Palmisano A., Esposito A., Di Chiara A., Passoni P., Slim N., Albarello L., Del Maschio A., De Cobelli F.**  
Multiparametric MRI for prediction of pathological complete response (pCR) to neoadjuvant chemoradiation therapy (CRT) in locally advanced rectal cancer (LARC) (SS 1001a), B-0781

**Palmisano A., Esposito A., Antunes S., Colantoni C., Bisceglia C., Baratto F., Della Bella P., De Cobelli F., Del Maschio A.**  
Integrated electroanatomic mapping with three-dimensional computed tomographic images for real-time guided ablations: comparison with standard procedure (SS 1503), B-1074

**Pameijer F.A.**  
Pitfalls in interpretation of head and neck disease: A. Anatomical variants without clinical consequence (RC 1308), A-522

**Panebianco V.**  
MR-targeted focal therapies for prostate cancer: A. The role of multiparametric MR in the planning phase of focal therapy (E<sup>3</sup> 426b), A-102

**Panebianco V.**  
Prostate MRI: increasing need?: Is prostate MRI accurate enough for focal treatment planning? (SF 16), A-697

**Panebianco V.**  
Multiparametric magnetic resonance imaging of prostate cancer: diagnosis and stratification of patients with PIRADS 3 pattern through a multivariate statistical analysis (SS 1407), B-0946

**Panfili M., Calandrelli R., D'Apolito G., Di Lella G., Colosimo C.**  
Quantitative approach to the posterior cranial fossa and cranio-cervical junction in asymptomatic children with achondroplasia (SS 211a), B-0081

**Pannatier M., Bize P., Hahnloser D., Meuli R., Schmidt S.**  
Management of active colonic bleeding detected by angio- MDCT: interventional radiology versus surgery (SS 301b), B-0247

**Pans S., Goossens V., Noppe N., De Keyzer F., Delforge M.**  
Assessing progressive disease in myeloma patients with whole-body diffusion-weighted imaging: a prospective study comparing whole body T1-WI, T2-STIR-WI and laboratory findings (SS 716), B-0661

**Panzeri M., Losio C., Palmisano A., Cavallin R., Maria Grazia R., Panizza P., De Cobelli F., Del Maschio A.**  
Baseline breast evaluation with multiparametric MRI: prediction of pathological complete response to neoadjuvant chemotherapy in locally advanced breast cancer (SS 1902b), B-1273

**Papanikolaou N.**  
Abdominal diffusion-weighted imaging (DWI): an update: Technical advances: the many faces of DWI (SA 5), A-158

**Papanikolaou N.**  
Diffusion-weighted imaging (DWI) in oncology: how I do it: A. DWI: how to optimise protocols (RC 916), A-340

**Papanikolaou N.**  
Rectal cancer: staging and restaging local disease: C. Multiparametric assessment of treatment response (E<sup>3</sup> 1618), A-666

**Paprottka K.J., Lehner S., Fendler W.P., Ilhan H., Rominger A., Sommer W., Clevert D.A., Reiser M.F., Paprottka P.M.**  
Reduced peri-procedural analgesia following replacement of water for injection (WFI) with glucose 5% (G5) as the infusion medium for 90yttrium resin microspheres (SS 1409), B-0997

**Parakh A., Euler A., Boll D., Morsbach F., Mueller D., Szucs-Farkas Z., Schindera S.**  
Feasibility of in vitro differentiation of urinary stones using manufacturer-recommended and dose-optimised protocols with single-source split-filter dual-energy CT (SS 607b), B-0570

**Parakh A., Euler A., Schindera S.**  
Big-data analytics and visualisation of a three-year CT radiation dose optimisation program at an academic center using radiation dose monitoring software (SS 1905), B-1288

**Paravasthu M., Kandel S., Farrell C., Rogalla P.**  
Variable SD scanning for dose reduction in chest, abdomen and pelvic CT (SS 1813), B-1204

**Parizel P.M.**  
An introduction to European Imaging Biomarker Alliance (EIBALL): Chairman's introduction (PC 8b), A-269

**Parizel P.M.**  
Cerebrovascular disease: C. Cerebral perfusion studies in cerebrovascular disease: techniques, indications and applications (RC 1211), A-482

**Park D., Park J., Lee J., Choi Y., Baek J.**  
Papillary thyroid cancer: optimal scan delay for contrast-enhanced CT in detecting lateral lymph node metastasis by quantitative assessment of enhancement (SS 1408), B-1023

**Park G., Jee W., Lee S., Jung J., Ha K., Min C., Son Y., Paek M.**  
Differentiation of multiple myeloma and metastases of the spine using diffusion-weighted MR imaging including ADC histogram moments at 3T (SS 1010a), B-0806

**Park H., Kim H., Park S., Lee J., Kim A., Ha H.**  
Gastrointestinal involvement from renal cell carcinoma: CT findings and clinicoradiologic features (SS 201b), B-0040

**Park H., Lee S., Seo J., Lee S., Kim N., Oh S., Song J.**  
Prediction of decline in forced vital capacity by texture-based automated quantification of regional disease patterns on initial CT in idiopathic pulmonary fibrosis (SS 1904), B-1366

**Park J., Lee J., Lee D., Joo I., Yoon J., Park J., Yoon J., Han J.**  
Value of registration of preprocedure MR imaging and postprocedure multidetector CT for therapeutic response assessment of radiofrequency ablation for hepatocellular carcinoma (SS 1001b), B-0842

**Park S.**  
Determination of optimal imaging setting for urolithiasis CT using FBP, statistical IR, and knowledge-based IMR: physical human phantom study (SS 607b), B-0569

**Park S., Jang H., Park S., Oh Y., Jung D.**  
Peritoneal seeding of renal cell carcinoma: analysis of histologic characteristics and prognosis (SS 1807), B-1239

**Parkar A.P.**  
Sports injuries to the knee: improving my report: C. Imaging the reconstructed ACL in athletes: how to assess and what to report (RC 810), A-263

**Parkar A.P.**  
The magic of excellent images: Chairmen's introduction (part 2) (RC 1714), A-764

# Authors' Index

**Parkar A.P., Adriaensen M.E.A.P., Vindfeld S., Solheim E.**

A systematic review of studies assessing the anatomic centres of the femoral and tibial footprints of the anterior cruciate ligament (SS 210), B-0075

**Pasquier H., Gardavaud F., Chiaradia M., Legou F., Rahmouni A., Luciani A.**

Assessment of new model-based iterative reconstruction kernels for the detectability of small hypervascular liver lesions: a phantom study (SS 213), B-0104

**Patak M.A.**

Abdominal trauma: does it bleed, will it start bleeding or is something else leaking?: B. Pancreas, bowel and mesentery (RC 117), A-050

**Patriarca L., Mariani S., La Marra A., Arrigoni F., Barile A., Masciocchi C.**

Application of DTI in the evaluation of peripheral nerve tumours and in the preoperative planning of surgical intervention (SS 1410), B-0959

**Pattacini P.**

DBT vs mammography in a randomised population-based screening trial: initial results (SY 15)

**Paulo G.**

Improving quality and safety in radiology: B. Patient satisfaction with radiology departments: are we doing our best? (MIR 2), A-417

**Paulo G.**

Enhancing research in radiography: a change of culture: C. Translating research evidence into clinical practice (RC 1314), A-561

**Peck D.**

IT tools for dose tracking and workflow optimisation: A. Digital Imaging and Communications in Medicine (DICOM) standard and Integrating the Healthcare Enterprise (IHE) (RC 1513), A-652

**Pediconi F.**

Common mistakes in breast imaging: Common mistakes in breast MRI (SF 8a), A-246

**Pediconi F.**

Challenging questions for breast imaging in 2016: breast density, how to solve the non-mass enigma, new developments in breast MRI: B. How can we manage the non-mass breast (enigma) pattern? (E<sup>3</sup> 1726c), A-756

**Peeters R.**

How to assess and communicate examination risks to patients and referring physicians?: C. Risk in MRI (RC 513), A-172

**Peetrons P.**

The elbow: a comprehensive approach: A. The tendons: anatomy, pathology and intervention (RC 110), A-021

**Pegoretti K., Arulkumaran S., Allsop J., Fox M.J., Price A., Hajnal J., Rutherford M., Malamateniou C.**

Fetal MRI: 3T or 1.5T? (SS 1012), B-0897

**Pekarovic D., Zdešar U.**

The magic of excellent images: B. Fine tuning of image quality in computed tomography, the role of the radiographer (RC 1714), A-766

**Pelage J.-P., Letellier A., Le Pennec V., Jegonday M., Fohlen A.**

Embolisation of pulmonary arterio-venous malformations using hydrogel-coated coils mid-term results (SS 1415), B-1049

**Pelgrim G., Van Tuijl S., Slump K., Stijnen M., Oudkerk M., Vliegenthart R.**

Quantification of myocardial perfusion defects at third-generation dual-source CT in an ex-vivo porcine heart model (SS 303b), B-0376

**Pelgrim G., Nieuwenhuis E.R.,**

**Wichmann J.L., De Cecco C.N., Van der Geest R., Slump K.H., Oudkerk M., Schoepf U.J., Vliegenthart R.**

Optimal timing of static CT iodine distribution scans based on dynamic CT myocardial perfusion imaging data (SS 303b), B-0380

**Pelgrim G., Vliegenthart R., Meinel F.G.,**

**Wichmann J.L., Pugliese F., De Cecco C.N., Oudkerk M., Schoepf U.J.**

Relationship of cardiovascular risk factors to myocardial perfusion parameters using dynamic computed tomography myocardial perfusion imaging (SS 303b), B-0386

**Pellegrin A., Divis P., Gavrilovic V.,**

**Puppato M., Vit A., Sponza M.**

Visceral artery aneurysms (VAA) single center case series in endovascular treatment using up-to-date materials, based on 11 patients during the past 2 years (SS 1515), B-1101

**Peng Z.M.H.S.**

Gd-EOB-DTPA-enhanced magnetic resonance imaging combined with T1 mapping predicts the degree of differentiation in hepatocellular carcinoma (SS 206), B-0032

**Pereira A., Poiares B., Esteves B., Paulo G., Santos J.**

Analysis of overexposed areas in paediatric plain radiography (SS 1014), B-0870

**Pereira C., Partington K.**

Reducing metal artefacts in MRI: a retrospective analysis of improved diagnostic quality and reporting confidence without the use of specialised commercial pulses/techniques (SS 1914), B-1387

**Pereira P.L.**

Basic principles of percutaneous tumour ablation: B. Microwave ablation: what is the difference? (RC 409), A-118

**Perez Aguilera S., Zauner Jakubik M.**

Cementoplasty for arthrodesis screw loosening: a technique to prolong the useful life of an implant (SS 309), B-0328

**Perri M., Popolizio T., Marsecano C.,**

**Varrassi M., Splendiani A., Carlo M.**

Usefulness of O2-O3 intradiscal versus steroid intraforaminal injection in back pain control: a prospective double-blind trial in patients with different disc/vertebral pathologies (SS 309), B-0326

**Pershina E., Gutberlet M., Grothoff M.**

Cardiac magnetic resonance (CMR) evaluation of non-compacted myocardium: comparison of two software packages (SS 603), B-0462

**Pershina E., Sinitsin V., Merzhina E.**

Assessment of left-ventricle non-compacted myocardium magnetic resonance parameters modified by novel semi-automatic pixel intensity-based approach of trabeculae measurement (SS 1903), B-1310

**Persson A.**

New frontiers in imaging of vascular wall and plaque: New options with CT (NH 1), A-011

**Pescatori L.C., Casale R., Messina C.,**

**Doniselli F.M., Di Leo G., Sardanelli F.,**

**Sconfienza L.M.**

A new ultrasound-based method to detect liver steatosis using CT as reference standard (SS 1805), B-1143

**Petrash E., Mikhaylova E., Sevryukov D.**

Diffusion-weighted imaging (DWI) in paediatric liver MRI - confuses or helps? (SS 1012), B-0889

**Peynircioglu B.**

Imaging and endovascular treatment of pulmonary embolism: Chairman's introduction (RC 509), A-189

**Pfannenberger C., Gueckel B., Schuele S.,**

**Schwenzer N., Kaufmann S., Mueller A.,**

**la Fougere C., Nikolaou K., Martus P.**

Generating evidence for clinical benefit of PET/CT based on the results of an oncologic PET/CT registry - filling the gap between diagnostic accuracy and patient outcome? (SS 716), B-0664

**Phyu S.M., Smith T.A.D., Tseng C.**

Probing the PI3K/Akt/mTOR signalling inhibitors response in breast cancer cells by 31P-NMR spectroscopy (SS 1406), B-0937

**Pianyk O.**

Big Data in optimising radiology management: from passive storage to real-time response (SS 305), B-0234

**Pianyk O.**

DICOM and HL7 security worldwide: adoption maps and country ratings (SS 1905), B-1290

**Picchia S., Rengo M., De Santis D.,**

**Zerunian M., Biondi T., Badia S., Laghi A.**

Evaluation of rectal cancer response to therapy: role of magnetic resonance tumour regression grade (MR-TRG) to predict pathological complete response (SS 1001a), B-0780

**Piccolo C.L., Ianniello S., Sessa B.,**

**Buquicchio G.L., Trinci M., Miele V.**

First-line diagnosis of paediatric pneumonia in emergency: lung ultrasound in addition to chest-XR and its role in follow-up (SS 617), B-0522

**Pietsch H.**

Gd deposits in preclinical perspective (SY 11)

**Pijnappel R.M.**

Cracking the mystery of needles and gauges (E<sup>3</sup> 24B), A-213

**Pijnappel R.M., Lind B., Meeuwis C.,**

**Bisschops B., Veltman J., Lavin P.T.,**

**Mann R.M.**

Opto-acoustic breast imaging: downclassification and upclassification of suspicious breast masses (SS 302), B-0217

**Pimentel Silva R., Senese R., Zeccolini F.,**

**Giurazza F., Giugliano F.M., Izzo R., Muto M.**

The role of MR-perfusion in the follow-up of primitive cerebral malignant neoplasms: single-center experience on 36 patients (SS 1411b), B-1057

**Pina Insausti L.J.**

Breast density: how not to be confused?: The ultrasound dense breast (SF 9a), A-345

**Pina Insausti L.J.**

Evaluation of different approaches of tomosynthesis examinations (SY 1c)

**Pinilla R., Ortega M.I.R., Campos E.M.,**

**Monteiro M.**

Optimisation of CT follow-up protocol's in patients with gastrointestinal stromal cancer (SS 314), B-0350

**Pinker-Domenig K.**

Multiparametric breast MRI, PET: Keynote speaker (SS 1902a), K-34

**Pinker-Domenig K.**

Joint VPH-PRISM/ASSURE Session - from screening to therapy: innovative breast care concepts: Quantitative treatment planning, response prediction, and monitoring (EIBIR 1), A-229

# Authors' Index

**Pinto dos Santos D.**

Communication in radiology: B. Impact of structured reporting on communication with referring physicians (MIR 1), A-399

**Pisani Mainini A., Sconfienza L.M., Ali M., Di Leo G., Sardanelli F., Mauri G.**

Thermal ablation of benign thyroid nodules: a systematic review and meta-analysis (SS 209), B-0122

**Pisani Mainini A., Carbonaro L.A.,**

**De Angelis C., Ioan I., Benedek A., Menicagli L., Trimboli R.M., Lucchini R., Sardanelli F.**

Poulution-based biennial mammographic screening: how many women ask for more? (SS 1402a), B-0923

**Pizzolato R., Belgrano M., Poillucci G., Spezzacatene A., Cova M.**

As low as reasonably achievable: lowest dose CT angiography in patients with endoleak after endovascular aneurysm repair (SS 615), B-0476

**Plasencia-Martínez J., Carmona-Bayonas A., Calvo-Temprano D., Jiménez-Fonseca P., Benegas-Urtega M., Sánchez-González M., Varona-Porres D., Martínez-de-la-Haza D., Hernández-Muñoz S.**

Cardiac and hemodynamic effect of arterial obstruction in cancer-related acute pulmonary embolism (SS 1415), B-1046

**Platz Batista da Silva N., Loss M., Hornung M., Stroszczyński C., Jung E.M.**

Intraoperative contrast enhanced ultrasound and color coded elastography for characterisation of liver lesions before surgical resection (SS 1901b), B-1300

**Platzek I., Kitzler H.H., Plodeck V., Leonhardt H., Gudziol V., Laniado M.**

SR EPI DWI vs. SS EPI DWI in head and neck cancer (SS 608), B-0559

**Pobozy T., Slynarski K., Sklinda K., Frel M.**

Ultrasound evaluation of meniscal implant extrusion, after meniscus reconstruction and impact of the extrusion on patients quality of life (SS 310), B-0275

**Podgorska J.**

Assessing inflammation and fibrosis in Crohn's disease: B. Is there space for MDCT (spectral imaging, iodine map)? (RC 101), A-005

**Podgorska J., Pachó R., Albrecht P., Łazowska-Przeorek I.**

Bowel contraction amplitude measured in CINE MR enterography (MRE) as a marker of inflammatory activity in children with Crohn's disease (SS 1012), B-0893

**Podobnik G.**

State-of-the-art breast imaging: C. Breast MRI and the future (RC 914), A-354

**Pokieser P.**

How to become the undergraduate teacher you always wanted to be: Online resources: how to find the best case material and tutorials for your medical students (PC 12b), A-503

**Polanec S., Bickel H., Georg D.,**

**Pinker Domenig K., Susani M., Helbich T.H., Baltzer P.A.T.**

Head-to-head comparison of PI-RADS v1 and v2 in prostate lesions biopsied by MR-guided in-bore biopsy (SS 1407), B-0944

**Polkowski C., Bodelle B., Vogl T.J.**

Spine evaluation in 70 kV thoracic CT: dose effectiveness and image quality (SS 1404), B-0994

**Pomianowska A., Walecki J., Czubak J.,**

**Zlotorowicz M., Ludwikowska J., Frel M.** MRI assessment of hip joint cartilage in patients with femoroacetabular impingement (FAI): usability and comparison of radial sequences and reconstructions (SS 1010b), B-0911

**Pomianowska A., Walecki J., Czubak J., Zlotorowicz M., Ludwikowska J., Frel M.**

Evaluation of usability and comparison of radial sequences and reconstructions in MRI assessment of hips with femoroacetabular impingement (FAI) (SS 1010b), B-0914

**Pomschar A., Moritz K., Schwarz F.,**

**Kümpfel T., Reiser M.F., Ertl-Wagner B.** Increased volume of adenoids in patients with multiple sclerosis: a MRI study (SS 1511), B-1114

**Ponhold L., Sevcenco S., Heinz G.,**

**Baltzer P.A.T.**

Diffusion-weighted MRI of the bladder as a biomarker for prediction of bladder cancer aggressiveness (SS 1807), B-1240

**Pons E., Braun L.M.M., Kors J.A.,**

**Hunink M.G.M.**

Automatic indication detection for imaging decision support in clinical workflows (SS 305), B-0232

**Pons E., Visser J.J., Hunink M.G.M.**

Identification of rare imaging findings: application of natural language processing (SS 305), B-0237

**Pontone G.**

How to quantify the haemodynamic significance of coronary stenosis: A. CT-angiography: new tools (TAFE, TAG, CT-FFR) (E<sup>3</sup> 920), A-321

**Pontone G., Andreini D., Rota C.,**

**Guglielmo M., Mushtaq S., Baggiano A., Solbiati A., Guaricci A., Pepi M.**

Computed tomography coronary angiography vs stress cardiac magnetic resonance for the management of symptomatic revascularised patients: a cost effectiveness study (SS 303b), B-0377

**Pontone G., Andreini D., Solbiati A.,**

**Guglielmo M., Mushtaq S., Baggiano A., Rota C., Guaricci A., Pepi M.**

Comparison of transthoracic echocardiography versus cardiac magnetic for ICD therapy in primary prevention strategy dilated cardiomyopathy patients (SS 1503), B-1075

**Pontone G., Andreini D., Annoni A.,**

**Petullà M., Russo E., Innocenti E.,**

**Guglielmo M., Mushtaq S., Pepi M.**

Submillisievert computed tomography with MBIR before pulmonary veins radiofrequency catheter ablation of atrial fibrillation: impact on radiation exposure and outcome (SS 1503), B-1076

**Portalez D., Aziza R., Roumiguie M.,**

**Sanson S., Malavaud B.A.**

Qualification biopsies by elastic fusion registration in active surveillance for localised prostate cancer (SS 307), B-0337

**Portelli J.**

Key issues in paediatric imaging: Chairman's introduction (RC 1212), A-443

**Portelli J.L., McNulty J., Bezzina P.,**

**Rainford L.**

Paediatric imaging radiation dose awareness and use of referral guidelines amongst radiology practitioners and radiographers (SS 1814), B-1252

**Posa A., Iezzi R., Coppola G.,**

**Antonuccio E.G.M., Gasbarrini A., Bonomo L.** Surgical resection versus radiofrequency ablation plus drug-eluting beads transcatheter arterial chemoembolisation in the treatment of single large hepatocellular carcinoma (SS 1409), B-0999

**Pottecher P., Sibilleau E., Emerich L.,**

**Touraine S., Hamze B., Parlier C., Petrover D., Laredo J., Bousson V.**

Dynamic contrast-enhanced MR imaging in osteoid osteoma: relationships with clinical and CT characteristics (SS 1010a), B-0809

**Pozzi-Mucelli R.**

IgG4-related disease: what is it and what do I need to know?: A. Pancreatic manifestations (RC 1301), A-508

**Prayer D.**

Gynaecological and obstetrics: C. Fundamentals of foetal imaging (E<sup>3</sup> 1523), A-639

**Preibsch H., Richter V., Wietek B.M., Hahn M., Staebler A., Nikolaou K., Wiesinger B.**

Repeated surgery in invasive lobular breast cancer after pre-surgical MRI: role of additional ductal carcinoma in situ and background parenchymal enhancement (SS 1402b), B-1068

**Prevoo W.**

Fire and ice outside the liver: A. Lung ablation: update and level of evidence (E<sup>3</sup> 1526), A-617

**Prevhal S., Spink C., Grass M., Bless M.,**

**Schlaefer A., Ilttrich H., Regier M., Adam G.**

Computed tomography blood flow measurements: a phantom experiment (SS 1913), B-1353

**Pricolo P., Alessi S., Summers P.,**

**Tagliabue E., Petralia G.**

Potential role of diffusion weighted MRI for predicting extracapsular extension of prostate cancer (SS 707), B-0705

**Prieditis P., Tirāne M., Stepanovs K.,**

**Radziņa M., Rauda M., Štrumfa I., Spurga M.**

The assessment of thyroid imaging reporting and data system (TIRADS) in malignancy risk stratification (SS 1408), B-1018

**Prieditis P., Radziņa M., Štrumfa I.,**

**Narbutis Z., Ozolins A., Vanags A.**

Contrast enhanced ultrasound in diagnosis of solitary thyroid nodules, preliminary study on papillary cancer (SS 1408), B-1022

**Priola A., Priola S., Gned D., Veltri A.**

Accuracy of diffusion-weighted MR for distinguishing benign conditions from tumours of the anterior mediastinum: comparison of perfusion sensitive vs. perfusion free ADC measurements (SS 206), B-0030

**Prokop M.**

Measurements in chest radiology: B. Lung nodules: is volume better than size? (E<sup>3</sup> 25D), A-599

**Pronin I.N.**

Remarks and conclusions (part I) (SY 22)

**Pronin I.N.**

Recommendations, protocols and modern technologies in neurooncology and neurotrauma (part I) (SY 22)

**Pronin I.N.**

Advanced imaging techniques in brain tumours:

A. Clinical utility of perfusion imaging for differentiating brain tumours (E<sup>3</sup> 519), A-178

**Prosch H.**

HRCT - patterns in chest radiology: back to basics and beyond: Chairman's introduction (RC 504), A-165

# Authors' Index

## Puech P.

Prostate imaging: how I do it: A. Detection and assessment of aggressiveness (RC 1707), A-740

## Puglielli E., Gregori L., Di Mizio V., Lattanzi R., Bernardini A., Di Egidio V.

CT angiography/perfusion (CTA-CTP) for early detection of vascular complications after subarachnoid haemorrhage (SH) due to aneurysm rupture (SS 311c), B-0404

## Puglielli E., Lattanzi R., Roiai S., Di Mizio V., Gregori L., Di Egidio V.

CT-perfusion (CTP) and lepto-meningeal score (LMs) for imaging based patient selection thrombectomy in acute ischemic stroke (SS 611), B-0501

## Puglielli E., Lattanzi R., Gregori L., Di Mizio V., Di Egidio V.

Acute ischemic stroke (AIS), outcome predictors after intra-arterial thrombectomy (SS 1011a), B-0802

## Pullens P., Claes L., Verheyden J., Parizel P.M., on behalf of CENTER-TBI Participants & Investigators

High quality MRI data needs visual quality control: a multicenter experience (SS 211b), B-0204

## Pusceddu C., Ballicu N., Sotgia B., Fele R., Melis L.

Combined microwave ablation and percutaneous screws fixation plus cementoplasty in the treatment of painful bone metastases (SS 309), B-0333

## Puylaert C.A.J., Tielbeek J.A.W., Bipat S., Boellaard T.N., Nio C.Y., Stoker J.

Long-term performance of readers trained in grading Crohn's disease activity using MRI (SS 601b), B-0444

## Pyatigorskaya N.

How to become the undergraduate teacher you always wanted to be: Using social media for undergraduate education: this generation's communication (PC 12b), A-504

## Q

## Qian W., Zhou D., Feng C., Wang H., Jiang Y., Xu J.

Radiation dose and contrast medium volume reduction in lower extremity CT angiography with iterative model reconstruction (IMR) algorithm (SS 315), B-0268

## Qian W., Zhou D., Feng C., Wang H., Jiang Y., Xu J.

Extreme low radiation dose CT angiography of low-dose extremity using iterative model reconstruction algorithm (SS 315), B-0269

## Qiao Z.

Subarachnoid/subdural hyper-intensity on diffusion-weighted MRI predicts severe brain parenchymal injury in children with meningitis? (SS 212), B-0166

## Quaia E., Gennari A., Ulcigrai V., Cova M.

The value of tumoural volume change measured on MR images to identify responders after neoadjuvant chemo-radiation therapy in patient with locally advanced rectal cancer (SS 1001a), B-0778

## Quaia E.

Assessing inflammation and fibrosis in Crohn's disease: A. Is sonography (CEUS and elastography) the right tool? (RC 101), A-004

## Quarchioni S., Arrigoni F., Mariani S.,

## La Marra A., Zugaro L., Barile A., Masciocchi C.

Role of CT-guided percutaneous cryoablation combined with cementoplasty for bone lesion in weight-bearing areas (SS 309), B-0331

## Querques G., Ippolito D., Talei Franzesi C., Bonaffini P., Nasatti A., Sironi S.

The role of perfusion-CT as an early predictor of survival in patients with advanced hepatocellular carcinoma treated with Sorafenib (SS 216a), B-0092

## Quick H.H.

Artefacts and pitfalls in tomography: C. MR/PET (RC 413), A-100

## Quinn-Laurin V., Hogue J., Pinault S., Duchesne N.

Vacuum-assisted complete excision of solid intraductal/intracystic masses and complex cysts: is follow-up necessary? (SS 202), B-0021

## Qurashi A.A., Rainford L.A., Ajlan A., Khashoggi K., Ashkar L., Alraddadi M.,

## Alghamdi M., Althubaiti M., Foley S.J.

Abdominal CT for obese patients: investigating optimal scan parameters (SS 714), B-0708

## R

## Ra Y., Ku Y., Lee S.

Meckel's diverticulum revisited: MDCT by tracing distal ileal artery of superior mesenteric artery for identifying origin of Meckel's diverticulum (SS 201b), B-0038

## Rabelo B.C.S., Nobre R.R., Lopes A.M.A., Domingues R.T., Mota R.M.V., Horta R.G.,

## Gavio L.L.S., Strecker R.

MRI to evaluate the effectiveness of enzyme replacement therapy in type 1 Gaucher's disease patients (SS 610a), B-0486

## Rabelo B.C.S., Nobre R.R., Lopes A.M.A., Ribeiro E.J.S., Baumfeld D.S., Strecker R.

Assessment of fatty degeneration of the gastrocnemius and soleus muscles in patients with achillodynia using MRI: reliability of the Goutallier classification system (SS 710), B-0635

## Radbruch A.

What do we know from the clinical research? (SY 11)

## Radbruch A.

Brain hypersignals after repeated gadolinium administrations: Recent literature review (SF 9c), A-336

## Radmard A., Hashemi Taheri A.,

## Salehian Nik E., Kolahdoozan S.,

## Mirmirachi B., Ekhlasi G., Sotoudeh M.,

## Malekzadeh R., Shahbazkhani B.

MR enterography in Celiac disease: correlation with endoscopic, histopathologic, serologic and genetic features (SS 201b), B-0035

## Ragab Y., Emad Y.

MRI features of acute gouty arthritis on top of chronic gouty involvement in different joints (SS 1810), B-1183

## Ragg J.

Percutaneous valvuloplasty: minimal-invasive restoration of vein valve function using cross-linked hyaluronan (SS 1015), B-0762

## Rahmat K., Lau C., Lim K., Ramli N.

Hippocampal malrotation in benign temporal lobe epilepsy: a volumetric study (SS 211a), B-0086

## Rai A., Rubtsov R., Brunner C., Wielpütz M., Muley T., Eberhardt R., Eichinger M., Kauczor H.-U., Heußel C.P.

Rib fractures: a common comorbidity in COPD (SS 1804), B-1214

## Raimondi E., Bassi M., Tilli M., Dall'ara S.,

## Rizzati R., Simone M., Giganti M., Benea G.

Role of contrast-enhanced ultrasound (CEUS) after inconclusive contrast-enhanced computed tomography or magnetic resonance in evaluating hypovascular small renal masses (SS 1016), B-0834

## Raimondi E., Bassi M., Ferrante Z., Tilli M., Dall'ara S., Rizzati R., Giganti M., Benea G.

Complementary value of contrast-enhanced ultrasound (CEUS) in the diagnostic algorithm of complex renal cysts (SS 1807), B-1238

## Rajgopal D., Bhawat K.

Apparent diffusion coefficient values for discriminating benign and malignant breast MRI lesions (SS 702), B-0611

## Ramalho J., Ramalho M., AlObaidy M., Hoffmann Nunes R., Castillo M., Semelka R.C.

High T1 signal intensity in the dentate nucleus after multiple exposures to gadodiamide: intra-individual comparison between T1-weighted spin echo and 3D MP-RAGE sequences (SS 211b), B-0198

## Ramalho J., Semelka R.C., AlObaidy M.,

## Ramalho M., Hoffmann Nunes R., Castillo M.

Signal change on unenhanced T1-weighted images in dentate nucleus following gadobenate dimeglumine in patients with and without previous multiple administrations of gadodiamide (SS 211b), B-0200

## Rand T.

Endovascular abdominal aneurysm repair (EVAR): where do we stand now?: Chairman's introduction (SA 15), A-631

## Rank C.M., Heußel T., Wetscherek A., Schlemmer H.-P., Kachelrieß M.

Respiratory motion compensation for simultaneous PET/MR based on strongly undersampled MR data (SS 713), B-0669

## Rankine J.

Reporting the degenerative lumbar spine: A. Disc nomenclature: how I make my report (RC 1311), A-565

## Ranschaert E.R.

Daily use of mobile devices in radiology: C. Security and ethical issues of mobile device technology (RC 105), A-015

## Ranschaert E.R.

Taking imaging to the cloud: What are the benefits? (SF 5), A-136

## Raouf A., Sayani R.

Radiological pattern of bomb blast injuries (SS 617), B-0516

## Ratib O.

Daily use of mobile devices in radiology: Chairman's introduction (RC 105), A-012

## Ratib O.

Taking imaging to the cloud: What are the applications of cloud in radiology? (SF 5), A-137

## Ratib O.

Medical hybrid imaging: Practical challenges of hybrid imaging in clinical practice (ESR/ESHI), A-730

## Ratib O.

European variation in imaging: focus on technology: Reporting and communication (PC 17), A-733

# Authors' Index

- Raudner M., Stelzeneder D., Kronnerwetter C., Pieber K., Windhager R., Juras V., Trattnig S.**  
Five-year follow-up T2 mapping of the lumbar intervertebral disc at 3.0 Tesla: quantified imaging methods for prognostic patient assessment (SS 610a), B-0491
- Reddy S., Hill A., Patel D.**  
Diagnostic imaging in the diagnosis of suspected pulmonary embolism during pregnancy and the immediate post-partum period (SS 204), B-0119
- Reekers J.A.**  
Radiology ten years from now: where will it be?: Expanding radiology with new multidisciplinary competencies (PC 9b), A-331
- Reekers J.A.**  
Interventional: C. Vascular interventions (E<sup>3</sup> 1623), A-701
- Regge D.**  
CT colonography today: C. Screening with CTC (RC 801), A-242
- Regge D.**  
Will the good old PACS disappear?: Chairman's introduction (RC 1405), A-579
- Regus S., Lang W., Heinz M., Uder M., Schmid A.**  
Time extended lyse-and-wait technique for thrombosed hemodialysis access (SS 715), B-0617
- Reijnierse M.**  
Inflammatory arthritis: beyond the radiograph: Chairman's introduction (RC 510), A-153
- Reis C.**  
State-of-the-art breast imaging: B. Developments in digital mammography (RC 914), A-353
- Reis C.S., Faquir T., Harsaker V., Hogg P., Kristoffersen L., van Rein I.L., Stancombe K., Warmerdam N.C., Wergeland C.**  
Optimisation of chest computed tomography using a phantom: impact of mAs and reconstruction techniques on image quality (SS 314), B-0345
- Reiser M.F.**  
Ligaments, tendons and joints: Keynote speaker (SS 1810), K-29
- Reiter U., Reiter G., Adelsmayr G., Manninger M., Schipke J., Greiser A., Mühlfeld C., Post H., Fuchsjäger M.**  
Native myocardial T1-times are not necessarily increased with myocardial collagen: a preclinical study in hypertensive hypertrophic heart disease (SS 203a), B-0052
- Reiter U., Reiter G., Adelsmayr G., Manninger M., Alogna A., Stalder A.F., Scherr D., Post H., Fuchsjäger M.**  
Dobutamine stress-induced impairment of cardiac and myocardial performance in a preclinical model of HFpEF: a cardiac magnetic resonance imaging study (SS 303a), B-0257
- Rella R., Giuliani M., Patrolecco F., Di Giovanni S.E., Carlino G., Romani M., Rinaldi P., Belli P., Bonomo L.**  
Ultrasound-guided core-needle breast biopsy: comparison of small-sized needles (16G/18G) versus 14G needle diagnostic accuracy (SS 202), B-0020
- Remedios D.**  
You too can definitely do audits: Experience from an established national programme (EuroSafe 4), A-686
- Rémy-Jardin M.**  
Pulmonary embolism - persistent controversies: Chairman's introduction (RC 404), A-093
- Rémy-Jardin M.**  
Perfusion imaging: C. Lung perfusion (E<sup>3</sup> 526), A-184
- Rémy-Jardin M.**  
Comprehensive cardiothoracic radiology: the way to go?: Perspectives from thoracic imaging (PC 12a), A-467
- Remy-Jardin M., Santangelo T., Deschildre A., Faivre J., Hutt A., Rémy J.**  
Lung perfusion with dual-energy CT: can we achieve a diagnostic image quality in children? (SS 312), B-0370
- Remy-Jardin M., Bortolotto C., Khung S., Faivre J., Duhamel A., Rémy J.**  
Is spectral separation improved with the third-generation of dual-source CT systems? (SS 604), B-0590
- Ren Q.**  
Evaluation of diffusion-weighted MRI in osteoporosis (SS 610a), B-0494
- Renard-Penna R., Cancel-Tassin G., Comperat E., Mozer P., Leon P., Roupert M., Bitker M., Lucidarme O., Cussenot O.**  
Apparent diffusion coefficient value is a strong predictor of unsuspected aggressiveness of prostate cancer before radical prostatectomy (SS 707), B-0699
- Reneman L.**  
Toxic brain disorders: B. Recreational drugs and occupational hazards (RC 111), A-040
- Rengier F.**  
Endovascular abdominal aneurysm repair (EVAR): where do we stand now?: The role of imaging in preoperative planning and follow-up (SA 15), A-633
- Rengo M.**  
Imaging in obesity: Imaging of modern surgical procedures and their complications (SF 8c), A-281
- Reponen J.**  
Taking imaging to the cloud: Chairman's introduction (SF 5), A-134
- Restrepo R.**  
From practice to reality: how we do it: The law of radiology in Colombia: how we arrived to it (EM 3), A-780
- Revel M.-P.**  
Emergency imaging of the pregnant patient: Pulmonary embolism: CT or scintigraphy? (SA 17), A-745
- Reznek R.H.**  
Advancing clinical practice: role of education: MDTs and patient outcomes (ESOR), A-222
- Rheinheimer S., Reh C., Figiel J., Mahnken A.H.**  
CT vs MRI: comparison of right atrium volumetry (SS 303a), B-0258
- Ribeiro L.P., Pinto D., Abrantes A.F.C.L., Almeida R.P.P., Azevedo K.B., Pinheiro J.P., Rodrigues S., da Silva C.A.**  
Accuracy of the interpretation of chest radiographs for the radiographers (SS 214), B-0152
- Ribeiro L.P., Ribeiro J., Almeida R.P.P., Rodrigues S., Abrantes A.F.C.L., Azevedo K.B., Pinheiro J.P., Lesyuk O.**  
Exposure index in digital radiology (SS 1014), B-0873
- Ribeiro L.P., Bodião I., Lesyuk O., Abrantes A.F.C.L., Almeida R.P.P., Pinheiro J.P.**  
Work-place related ergonomic conditions as prognostic factors for work-related musculoskeletal disorders (WRMD) in radiographers (SS 1414), B-1006
- Ribeiro L.P., Alves C., Ribeiro A.M., Abrantes A.F.C.L., Azevedo K.B., Lesyuk O., Pinto N.M., Almeida R.P.P.**  
Assessment of image quality criteria from brain MRI examinations (SS 1914), B-1386
- Ribeiro M.C.P., O'Neill J.E., Cruz-Mauricio J.F.**  
Evaluation of the corpus callosum by MRI related to the frontal atrophy in the elderly people (SS 1914), B-1389
- Riccabona M.**  
Imaging of foetus and infant: C. Neonatal urinary tract imaging (RC 512), A-140
- Ricci P.**  
Fixing a leaky EVAR: A. The role of US: Doppler, 3D US, CEUS (RC 915), A-368
- Rickaby S.J., Colbert M.**  
Radiology reporting workflows: the development and testing of a semi-naturalistic observational technique using eyetracking, scene video and screen capture (SS 305), B-0231
- Ricke J.**  
MITIGATE: What does it take to perform clinical trials in interventional radiology?: How to implement investigator-initiated or industry-sponsored trials in interventional oncology: SORAMIC vs SIFLOX (EIBIR 2), A-414
- Riddell A.M.**  
Liver metastases: detection, characterisation and treatment response assessment: Keynote speaker (SS 301a), K-05
- Riederer S., Borisch E., Froemming A., Grimm R., Kawashima A., Trzasko J.**  
Prostate DCE-MRI: improved SNR with 32-element receiver arrays (SS 707), B-0706
- Riedl C., Mahmood U., Agostini A., Mannelli L.**  
Clinical investigation of single source dual energy computed tomography (SSDECT) accuracy in quantification of iodine concentration in calf liver simulated lesions (SS 1913), B-1350
- Riegler G., Lieba-Samal D., Platzgummer H., Pivec C., Jengoan S., Brugger P., Vierhapper M., Bodner G.**  
Visualisation of the deep branch of the ulnar nerve using high-resolution ultrasound (SS 310), B-0278
- Riegler G., Lieba-Samal D., Pivec C., Platzgummer H., Jengoan S., Brugger P., Vierhapper M., Bodner G.**  
Visualisation of the recurrent motor branch of the median nerve using high-resolution ultrasound (SS 310), B-0279
- Riklund K.**  
Hybrid imaging: radiology and nuclear medicine: Introduction (part 1) (ESR/EANM), A-425
- Riklund K.**  
MR and MR/PET in radiation treatment planning - challenges and opportunities: Chairmen's introduction (part 1) (ESR/ESTRO), A-667
- Riklund K.**  
Medical hybrid imaging: The aims of the new society (ESR/ESH), A-726
- Rimola J., Alvarez-Cofiño A., Pérez-Jeldres T., Ayuso C., Rodríguez S., Alfaro I., Ordás I., Panés J.**  
Evaluation of three MRE index for grading Crohn's disease activity (SS 601b), B-0446
- Ringe K.I., von Falck C., Raatschen H., Wacker F., Hinrichs J.**  
Influence of different contrast agent application protocols on transient severe motion (TSM) at gadoxetate disodium-enhanced MRI (SS 1401), B-0978

# Authors' Index

**Riva S., Guzzardi G., Fossaceca R., Cerini P., Galbiati A., Carriero A.**

Endovenous radiofrequency ablation for the treatment of varicose veins: a single center experience (SS 1909), B-1375

**Robben S.G.F.**

Hepatobiliary imaging in children: B. Imaging of biliary disorders (RC 912), A-319

**Robben S.G.F.**

Paediatric: C. Paediatric abdominal imaging (E<sup>3</sup> 1823), A-792

**Robella M., Placido R., Cortese G., Quattrocchio G., Roccatello D.**

Chest x-ray and CT aspects of lung involvement in microscopic polyangiitis (SS 1804), B-1220

**Robinson L., Ure C., Wray J., Griffiths M., Hill C., Shires G., Stein Hodgins J., Scragg B.**  
Engaging users in service improvement using social media: an example from breast screening (SS 1402a), B-0924

**Robinson P.**

MR imaging in sports medicine II: A. Sports injuries of the ankle (E<sup>3</sup> 1721), A-719

**Robinson S.**

Head and neck imaging: don't sell your ultrasound yet!: B. Masses of the soft parts of the neck (RC 408), A-073

**Rockall A.G.**

Wilhelm Conrad Röntgen Honorary Lecture: Imaging the invisible killer: towards personalisation of ovarian cancer care (HL 1), A-212

**Rodriguez Laval V., Pavel M., Steffen I., Wiedenmann B., Denecke T.**

Midgut neuroendocrine tumours: is there a link between mesenteric fibrosis and carcinoid heart disease? (SS 201b), B-0041

**Rodt T., Murray J., McCavert M., Given M., McGrath F., Lee M.**

2D-Perfusion angiography of the foot: technical considerations and initial analysis (SS 315), B-0266

**Roemer F.W., Serner A., Hölmich P., Thorborg K., Weir A., Tol J.L., Guermazi A.**

MRI of acute groin injury in athletes with a focus on the adductor muscles: reliability and patterns of injury (SS 710), B-0639

**Roethke M.C.**

MR-targeted focal therapies for prostate cancer: B. MR-targeted high intensity focused ultrasound (E<sup>3</sup> 426b), A-103

**Rollven E.**

Colon cancer: staging and restaging of local disease: A. Computed tomography for staging (E<sup>3</sup> 1318), A-511

**Ronot M.**

IgG4-related disease: what is it and what do I need to know?: B. Hepatobiliary manifestations (RC 1301), A-509

**Ros P.R.**

Communication in radiology: A. Communication and conflict resolution in radiology: how to recruit and retain the best team (MIR 1), A-398

**Ros P.**

Advancing clinical practice: role of education: Role of remodelling in delivering of learning (ESOR), A-220

**Ros Mendoza L.H.**

Communication in radiology: C. Informed consent in the radiology department: when and how? (MIR 1), A-400

**Ros Mendoza L.H.**

The spleen: the forgotten organ: Chairman's introduction (RC 1601), A-660

**Rosenbaum C., van den Hoven A., Braat M., Koopman M., Lam M., Zonnenberg B., Verkooijen H., van den Bosch M.**

Yttrium-90 radioembolisation for colorectal cancer liver metastases: a prospective cohort study on circulating angiogenic factors and treatment response (SS 1409), B-0995

**Rossi A.**

Imaging of foetus and infant: A. Foetal neuro imaging (RC 512), A-138

**Rossi A.**

Neuroradiology: spine: Anatomy and congenital disorders (Basic 5), A-593

**Rossi A.**

Neuro imaging in paediatrics: Chairman's introduction (SF 17a), A-748

**Rossi Espagnet M., Romano A., Mancuso V., Tavanti F., Ciccone F., Scaringi C., Bozzao A.**

Multiparametric analysis of follow-up of low grade gliomas: comparison between perfusion and diffusion MR and F-DOPA PET (SS 1411b), B-1060

**Rostovtseva T., Ananyeva N., Vasilyev S., Smirnova E., Ezhova R.**

MRI of rectal cancer: pathologic correlation of preoperative tumour staging (SS 1816), B-1164

**Rother U., Lang W., Horch R.E., Meyer A.**

The angiosome concept evaluated on the base of micro-perfusion - an O2C guided study (SS 315), B-0259

**Rotzinger R., Gebauer B., Schnapauff D., Streitharth F., Wieners G., Grieser C., Freyhardt P., Hamm B., Maurer M.H.**

Placement of central venous catheters in the routine clinical setting: estimation of the costs and the learning curve of radiologist newly learning the implantation procedures (SS 715), B-0621

**Rotzinger R.A., Kahn J., Böning G., Hamm B., Streitharth F.**

CT angiography in long-term follow-up after endovascular aneurysm repair (EVAR) - combined dose reduction techniques (SS 1815), B-1174

**Routledge E., Malamateniou C., Lohezic M., Allsop J.M., Fox M.J., Kainz B., Price A., Hajnal J.V., Rutherford M.A.**

Optimisation of MR imaging for the evaluation of human placental anatomy (SS 1914), B-1385

**Rovira-Canellas A.**

Neuroradiology: brain: White matter disorders (Basic 1), A-174

**Rovira-Canellas A.**

White spots in the brain: B. How can I improve my reporting of T2-hyperintense lesions? (RC 1511), A-656

**Rowley H.A.**

CNS emergencies: A. CNS trauma and neurovascular injury (MC 728), A-230

**Rowley H.A.**

CNS emergencies: C. Interactive case discussion (part 1) (MC 728), A-232

**Rozhkova Z.Z., Omelchenko O.**

1H MRS and fMRI investigation of metabolism and dysfunction of the resting state default mode network in patients with Parkinson's disease and different level of cognitive impairment (SS 1911), B-1344

**Rubbert C., May R., Martens D., Turowski B., Mathys C., Caspers J.**

Prediction of long-term functional outcome after subarachnoid hemorrhage using machine learning (SS 311c), B-0402

**Ruff C., Grimm R., Hornung A., Kündel M., Weiß J., Bamberg F., Nikolaou K., Notohamiprodjo M.**

Free-breathing 3D T1-weighted fat-saturated contrast-enhanced gradient-echo sequence with radial data sampling in thoracic and cardiovascular MRI (SS 304), B-0312

**Runge J.H., Smits L.P., Verheij J., Sinkus R., Nederveen A.J., Beuers U.H., Stoker J.**

Fractionally encoded 3D MR elastography in non-alcoholic fatty liver disease: comparison with histological grading (SS 1501), B-1091

**Runge V.**

Brain hypersignals after repeated gadolinium administrations: Chairman's introduction (SF 9c), A-334

**Russo F., Mazzetti S., Giannini V., Giacobbe A., Collura D., Castelli E., Muto G., Regge D.**

MR-targeted vs TRUS-guided prostate biopsy in patients with high PSA values: a randomized controlled trial (CTIR 2)

**Rutigliano C., Santangelo C., Grippo C., Merlino B., Savino G., Marano R., Bonomo L.**

Dual source cardiac CT angiography (CCTA) in the preparticipation screening of competitive athletes (SS 1003), B-0790

**Rutten M.J.C.M.**

MSK and intervention: C. Injectables - steroids and platelet-rich plasma (PRP): how and when? (E<sup>3</sup> 1826), A-777

**Ryoo I., Suh S., Chae S., Park A., Ku M., Shin H., Seol H.**

Vascular pattern analysis on microvascular ultrasonography in differentiating metastatic lymphadenopathy from tuberculous lymphadenitis (SS 608), B-0562

**Ryzhkova D.V.**

Myocardial characterisation: established modalities vs new ones: A. Hybrid systems in the assessment of myocardial perfusion and viability (E<sup>3</sup> 1520), A-620

## S

**Saad M.A.M., Magdy A.M.**

Assessment of post interventional hepatocellular carcinoma using morphological and functional MR data (SS 1001b), B-0840

**Sabel B.O.T., Plum J., Kneidinger N., Leuschner G., Raziorrouh B., Koletzko L., Schinner R., Reiser M.F., Meinel F.G.**

Structured reporting of CT examinations in acute pulmonary embolism (SS 305), B-0229

**Sagaydak O., Danilov N., Matchin Y., Martinuk T., Chazova I.**

Intravascular ultrasound in pulmonary arterial hypertension vasoreactivity testing (SS 703), B-0750

**Sakai Y., Kato T., Iwase K., Takahashi K., Hattori A., Nakamura Y., Morishita J.**

A patient identification system using a combination of objective and subjective similarities in bedside chest radiographs to prevent filing mistakes (SS 605), B-0431

**Sala E.**

Pitfalls in gynaecologic oncologic imaging: how to avoid them and minimise risks: Chairman's introduction (RC 107), A-035

**Sala E.**

MRI for gynaecologic imaging: how I do it: C. Diffusion and ADC (RC 1207), A-453

**Sala E.**

Gynaecological and obstetrics: B. Disorders of the adnexa (E<sup>3</sup> 1523), A-638

**Salamon J., Hofmann M., Jung C., Kaul M.G., Reimer R., vom Scheidt A., Adam G., Knopp T., Ittrich H.**

Real-time 3D MPI-guided angioplasty using an MRI road map and blood pool agent approach: next steps towards interventional MPI (SS 1809), B-1224

**Saldari M., Vinci V., Bernardo S., Manganaro L., Catalano C.**

Can fetal MRI predict the need for neonatal emergency procedures? (SS 1012), B-0896

**Saldari M., Vinci V., Bernardo S., Manganaro L., Catalano C.**

Quantitative evaluation of dynamic contrast enhanced MRI in the differentiation between benign and malignant testicular lesions (SS 1907), B-1334

**Salem M.A.A.A.**

Assessment of endothelial dysfunction, coronary and carotid atherosclerosis in juvenile diabetics (SS 215), B-0057

**Salgado R.**

Cardiac CT and new interventions: C. CT before and after electrophysiology interventions (E<sup>3</sup> 126), A-055

**Saltybaeva N., Alkadhi H.**

Effect of the topogram projection angle on organ dose in chest CT with tube current modulation (SS 1813), B-1200

**Saltybaeva N., Alkadhi H.**

Ultra-low dose chest CT: lung dose and radiation-induced cancer risk reduction (SS 1813), B-1209

**Sanabria A., Lombardo S., Espejo J., Perez M., Zurera L., Betancourth J.**

The minimally-invasive-treatment of ureteric stenosis in children with balloon-angioplasty and double-J-stenting (SS 609), B-0536

**Sanguedolce F., Petralia G., Sokhi H., Anyamene N., Hellawell G., Padhani A.**

Pre-active surveillance multiparametric MRI predicts short-term outcomes (SS 707), B-0700

**Santangelo T.P., Trezzi M., Muscogiuri G., Maurizi Enrici M., Albanese S., Carotti A., Tomà P., Secinaro A.**

Role of dual-source computed tomography in identification of respiratory symptomatic patients affected by true isolated vascular rings (SS 312), B-0369

**Santini C., Arranja A., Dankova A., Schosseler F., Morawska K., Dubruiel P., Mendes E., de Jong M., Bernsen M.**

Intravenous vs intratumoural: effect of different injection routes on biodistribution and tumour accumulation of Pluronic-P94 (SS 616), B-0514

**Santoni M., Ciolina M., Pichi A., Baldassari P., Iannitti M., Cavallini C., Diacinti D., Iafrate F.**

Diagnostic value of CAD-assisted CT colonography in the assessment of nonpolypoid colorectal lesions (NPLs) using CT colonography: a single-centre experience (SS 301b), B-0238

**Santos J.**

CT radiation dose optimisation: are we doing enough? CT radiation dose optimisation: what has been achieved so far? (SF 8d), A-285

**Santos R.A., Armada-da-Silva P.**

Reproducibility of ultrasound parameters (echo-intensity and thickness) of quadriceps muscle (SS 714), B-0712

**Sanz-Requena R., Marti-Bonmati L., Perez R., Garcia-Marti G., Mañas-Garcia A.**

Differences in quantitative perfusion parameters between normal transitional, normal peripheral and tumour regions from 3T DCE-MR images of the prostate (SS 707), B-0701

**Sardanelli F.**

Clinical decision support (CDS): What is a clinical decision support system? (PC 8a), A-256

**Sardanelli F.**

Tailoring breast cancer screening to risk level: C. High risk: MRI alone? (RC 1302), A-551

**Sasiadek M.**

Functional imaging of the spine: B. Diffusion tensor imaging of the spinal cord in the assessment of intramedullary changes (E<sup>3</sup> 919), A-361

**Sasiadek M.**

Neuroradiology: spine: Degenerative disease of the spine (Basic 5), A-595

**Saukko E., Niiniviita H., Lauren H.**

Cone beam CT (CBCT) and multislice CT (MSCT) in the diagnostic imaging of the maxillary sinuses: evaluation of patient radiation dose and radiographic assessment of findings (SS 1008), B-0882

**Sawicki L.M., Grueneisen J., Buchbender C., Schaarschmidt B.M., Ruhlmann V., Wetter A., Umutlu L., Antoch G., Heusch P.**

Comparative performance of 18F-FDG PET/MRI and 18F-FDG PET/CT regarding detection and characterisation of pulmonary lesions in 121 oncologic patients (SS 716), B-0656

**Sawicki L.M., Schaarschmidt B.M., Heusch P., Buchbender C., Rosenbaum-Krumme S., Umutlu L., Bockisch A., Antoch G., Floeth F.W.**

Focal 18F-FDG uptake in PET/MRI indicates activated facet arthrosis and guides facet block therapy (SS 1006), B-0901

**Sawicki L.M., Grueneisen J., Schaarschmidt B., Buchbender C., Heusch P., Ruhlmann V., Umutlu L., Antoch G., Kinner S.**

Evaluation of 18F-FDG PET/MRI, 18F-FDG PET/CT, MRI, and CT in whole-body staging of recurrent breast cancer: initial results (SS 1416), B-1036

**Scaglione M.**

Abdominal trauma: does it bleed, will it start bleeding or is something else leaking? A. Liver and spleen (RC 117), A-049

**Scarabello M., Cannao P.M., Petrini M., Riva F., Secchi F., Sardanelli F.**

Late gadolinium enhancement and systolic function in non-ischemic dilated cardiomyopathy (SS 303a), B-0252

**Scardapane A., Lorusso F., Pignataro P., Stabile Ianora A.A., Angelelli G.**

Colorectal infiltrating endometriosis: can MRI predict the need of intestinal resection? (SS 607a), B-0468

**Scevola G., Rastelli M., Loreni G.**

Tace of liver metastases from CR cancer with DEBIRI technique association with CHT: five years of our experience and follow-up (SS 1409), B-1005

**Schaarschmidt B.M., Gomez B., Buchbender C., Grueneisen J., Sawicki L.M., Ruhlmann V., Wetter A., Antoch G., Heusch P.**

Differentiation of incidental tracer uptake in the head and neck area: a comparison between 18F-FDG PET/CT and 18F-FDG PET/MRI (SS 608), B-0560

**Schaarschmidt B.M., Grueneisen J., Metzenmacher M., Gomez B., Heusch P., Ruhlmann V., Umutlu L., Antoch G., Buchbender C.**

Influence of staging differences between 18F-FDG PET/CT and 18F-FDG PET/MRI on therapeutic decisions in non-small cell lung cancer patients (SS 716), B-0657

**Schaefer-Prokop C.M.**

Pulmonary embolism - persistent controversies: A. Subsegmental PE, incidental PE: diagnosis and management (RC 404), A-094

**Schaefer-Prokop C.M.**

Chest emergencies: B. Non-traumatic thoracic emergencies (MC 628), A-206

**Schaefer-Prokop C.M.**

Chest emergencies: C. Interactive case discussion (part 2) (MC 628), A-208

**Schaefer-Prokop C.M.**

Thoracic emergencies: Pulmonary (Basic 6), A-769

**Schäfer J.**

Imaging children with cancer: B. From whole body MRI to MR/PET (RC 1312), A-520

**Schaudinn A., Linder N., Garnov N., Blüher M., Karlas T., Dietrich A., Schütz T., Kahn T., Busse H.**

Optimum slice-based MRI estimates of visceral adipose tissue volumes in patients with excess weight: influence of gender, age and BMI range (SS 1401), B-0983

**Schaudinn A., Hudak A., Linder N., Garnov N., Stocker G., Hacker U., Kahn T., Busse H.**

Software for CT-based quantification of abdominal adipose tissue: preliminary evaluation in normal weight patients (SS 1805), B-1144

**Scheer F., Luedtke C., Schlörcke E., Kamusella P., Andresen R., Wissgott C.**

Rotational atherothrombectomy in combination with drug eluting balloon angioplasty for femoropopliteal occlusions: 12 month outcome (SS 715), B-0616

**Schertz M., Silvera J., Mutschler C., Bernard C., Masmejean E.**

Ulnar neuropathy at the elbow: visualisation of cause of ulnar entrapment with high-resolution ultrasound is predictive of outcome after transposition (SS 310), B-0276

**Schiavone M., Ippolito D., Talei Franzesi C., Bonaffini P., Sironi S.**

Real-time elastography (RTE): noninvasive diagnostic tool in evaluation of liver stiffness in patients with chronic viral hepatitis, correlated to biopsy (SS 1501), B-1084

**Schillebeeckx J.**

Will the good old PACS disappear?: C. Does PACS into the cloud means PACS evaporates? (RC 1405), A-582

**Schima W.**

Evaluating lymph node involvement: an impossible task?: A. The current criteria for nodal involvement MRI/CT (RC 416), A-086

**Schindera S.T.**

Setting the course for practical DRLs: a regional dose registry in Switzerland (SY 12)

**Schindera S.T.**

Single-dual-multi-energy CT: C. Do we really need multi-energy CT? (RC 113), A-034

**Schindera S.T., LeCoultré R., Bize J., Merkle E.M., Meuli R., Verdun F.R.**

Benchmarking of CT radiation dose parameters: comparison of two academic institutions in Switzerland (SS 1905), B-1286



# Authors' Index

## Schlemmer H.-P.

A multidisciplinary approach to prostate cancer: can we make a difference?: B. The radiologist: evidence-based use of multiparametric MRI (RC 516), A-163

## Schlemmer H.-P.

Prostate imaging: how I do it: Chairman's introduction (RC 1707), A-739

**Schlett C.L., Hendel T., Hirsch J., Ittermann T., Kauczor H.-U., Forsting M., Bamberg F., the German National Cohort**  
Whole-Body MRI: Inter- and Intra-Reproducibility of Quantitative, Organ-specific Measures across different 3 Tesla MR Scanners in the Pilot-Study of the German National Cohort (SS 713), B-0667

## Schmaranzer F., Kogler M., Reichkender M., Schmaranzer E.

Utility of MR arthrography with and without leg traction in detection of loose bodies in the hip joint (SS 1010b), B-0910

## Schmid J., Maderthaler R., Ablasser K., Stojakovic T., Binder J.S., Rainer P.

Ejection fraction and left-atrial diameter are predictors of NT-proBNP recovery after transcatheter aortic valve implantation (SS 1503), B-1079

## Schmidt D., Söderberg M., Lee Christoffersen C., Lindvall H., Nilsson M., Leander P.

Image quality and radiation dose warrants routine use of abdominal dual energy CT (SS 701c), B-0730

## Schmidt-Holtz J., Laqmani A., Butscheidt S., Kurfürst M., Avanesov M., Behzadi C., Nagel H., Adam G., Regier M.

Evaluation of iterative model reconstruction (IMR) in ultra low-dose MDCT for urinary stone detection: a comparison to filtered-back-projection and iDose level 4 (SS 607b), B-0574

## Schmitt A.J., Smith L., Hughes A., Chaturvedi N., Jager R.H.

Intracranial vascular findings in a large tri-ethnic cohort (SS 711), B-0648

**Schmitz D., Seidel R., Dabew R., Buecker A.**  
Clinical evaluation of a commercially available algorithm for metal artefact reduction for CT in patients with orthopaedic implants (SS 1410), B-0955

## Schneider G.

Key issues in paediatric imaging: C. Patient compliance and motion-free protocols in general paediatric MRI (RC 1212), A-446

## Schneider G., Stroeder J., Raguwaran A., Buecker A.

MRI-guided biopsies and MR-guided wire localisation biopsies of soft tissue tumours based on contrast-enhanced images (SS 1809), B-1230

## Scholten E.T., Jacobs C., Schaefer-Prokop C., Rühaak J., de Koning H.J., Oudkerk M., de Jong P.A., Prokop M., van Ginneken B.

Temporal subtraction of chest CT in lung cancer screening (SS 1904), B-1362

## Scholtz J., Kaup M., Hüsters K., Albrecht M.H., Bodelle B., Bauer R.W., Lehnert T., Vogl T.J., Wichmann J.L.

Advanced modeled iterative reconstruction in low-tube-voltage contrast-enhanced neck CT: evaluation of objective and subjective image quality (SS 1008), B-0877

## Scholtz J., Wichmann J.L., Hüsters K., Albrecht M.H., Beeres M., Fischer S., Bauer R.W., Vogl T.J., Bodelle B.

3rd dual-source CT of the neck using automated tube voltage adaptation in combination with advanced modeled iterative reconstruction: evaluation of image quality and radiation dose (SS 1008), B-0878

## Scholtz J., Albrecht M.H., Martin S., Mahmoudi S., Frellesen C., Bauer R.W., Vogl T.J., Wichmann J.L.

Advanced virtual monoenergetic reconstruction of unenhanced head CT for detection of intracranial hemorrhage: optimisation of kiloelectron volt settings to improve image contrast (SS 1411a), B-0967

## Scholz O., Amer H., Schmitzberger F., Winzer K., Schmuckowitsch H., Fallenberg E.M.

15 years of imaging of the male breast: a retrospective analysis (SS 1402a), B-0926

## Schönberg S.O.

Personalised radiology: myth or reality?: Personalised imaging and standardised protocols: a contradiction? (PC 5), A-146

## Schönberg S.O.

MITIGATE: What does it take to perform clinical trials in interventional radiology?: Introduction (part 1) (EIBIR 2), A-411

## Schouman-Claeys E.

Improving radiology departments: C. Key features for organisational and financial sustainability (MIR 3), A-475

## Schreuterkamp I.L., Kwee R.M., Veekmans P., van Wissen M.S.O., Adriaensen M.E.A.P.

Breast cancers missed by screening radiologists can be detected by reading mammograms from distance (SS 1402a), B-0930

## Schubert E.C., Rummeny E.J., Kanz K., Holzapfel K.

Volume of intra-abdominal air measured by CT: a potential marker for abdominal compartment syndrome in trauma patients? (SS 617), B-0517

## Schuknecht B.F.

Pitfalls in interpretation of head and neck disease: C. Distinct head and neck disease or systemic disease? (RC 1308), A-524

## Schüle S., Martus P., Forschner A., Nikolaou K., la Fougère C., Gückel B., Pfannenber C.

Benefit assessment of 18F-FDG-PET/CT in patients with advanced melanoma based on the analysis of clinical management changes using the "linked evidence approach" (SS 206), B-0023

## Schuller Arteaga M.A., Antón Mendez L., Udondo González del Tánago M., Del Cura Rodríguez J.L., Bilbao González A., Zabala Landa R.M., Korta Gómez I., Viteri Jusue A., Grande Icarán D.

Ultrasound-guided salivary gland core needle biopsy: the road to take (SS 308), B-0358

## Schulz A., Godt J.C., Dormagen J.B., Høltedahl J.E., Bogsrud T.V., Labori K.J., Kløw N., Bach-Gansmo T.

Respiratory gated PET/CT of the liver: a novel method and its impact on the detection of colorectal liver metastases (SS 301a), B-0211

## Schwaab J., Malavé Dos Santos A., Diez Y., Martí R., van Zelst J., Bensouda Mourri A., Gregori J., Günther M.

Computerised image quality assessment in automated 3D breast ultrasound images (SS 1805), B-1138

## Schwaiger B.J., Gersing A.S., Ma B., Rodeo S.A., Krych A.J., Link T.M., Majumdar S.

Sensitivity and specificity of the Whole-Organ Magnetic Resonance Imaging Score (WORMS) in patients after anterior cruciate ligament injury (SS 610b), B-0557

## Schwaiger B.J., Gersing A.S., Lee S., Nardo L., Samaan M.A., Souza R.B., Link T.M., Majumdar S.

Scoring hip OA with MRI (SHOMRI) for the longitudinal assessment of MRI in hip osteoarthritis in correlation with clinical progression (SS 1010b), B-0913

## Schwaiger B.J., Gersing A.S., Behr M., Zimmer C., Ringel F., Bauer J.S.

CT findings predict clinical outcome after dynamic posterior stabilisation in patients with painful segmental instability of the lower spine (SS 1811), B-1193

## Sconfienza L.M.

The elbow: a comprehensive approach: C. Nerve entrapment at the elbow (RC 110), A-023

## Sconfienza L.M., Pescatori L., Doniselli F.M., Cavallaro F., Tontini G., Pastorelli L., Vecchi M., Sardanelli F.

In vivo axial-strain sonoelastography helps distinguish acutely inflamed from fibrotic terminal ileum strictures in patients with Crohn's disease (SS 601b), B-0447

## Secchi F., Petrini M., Cozzi A., Cannao P., Sardanelli F.

Cardiac magnetic resonance volume analysis in patients with single ventricle (SS 603), B-0459

## Sechopoulos I.

Breast imaging modalities and radiation dose: Breast CT: technology and patient dose (EF 1), A-356

## Sedlaczek O.L.

Actionable pulmonary nodules: should we rely on size only?: Shape and density: predictors of subtypes and mutations in NSCLC? (SF 17b), A-760

## Seidel R., Massmann A., Fries P.,

## Schneider G., Buecker A.

Local hepatic tumour control in patients with HCC undergoing transarterial lipiodol embolisation followed by microwave ablation (SS 1409), B-1002

## Seith F.F., Schmidt H., Bezrukov I., Schüle S., Schraml C., Pfannenber C., La Fougère C., Nikolaou K., Schwenzer N.

SUV-quantification of physiological lung tissue in an integrated PET/MR-system: impact of lung density and bone tissue (SS 1006), B-0904

## Seker F., Potreck A., Möhlenbruch M., Bendszus M., Pham M.

Comparison of four different collateral scores in acute ischemic stroke by CT angiography (SS 611), B-0497

## Sellars M.

Contrast enhanced ultrasound (CEUS) in paediatrics: CEUS of focal liver lesions in children (ESR/EFUMB/ESPR), A-674

## Sellers J.

Risks and benefits of reporting incidental findings: Questions and answers (part 2) (PS 427), A-127

## Sencer S.

Carotid artery disease: so what's new?: C. Carotid interventions in the setting of acute CVA (RC 815), A-297

## Seraydarmansour O.

Effect of patient size on radiation dose for abdominal MDCT performed with automatic exposure control (SS 1014), B-0875

# Authors' Index

**Sevastyanov V., Romanycheva E., Furman Y.**  
Method of contour analysis of neoplasms in x-ray mammograms (SS 1416), B-1032

**Seyfer P., Hengl C., Mahnken A.H., Heverhagen J.T.**  
USPIO-enhanced MRI as a potential predictor of tumour aggressiveness (SS 1416), B-1035

**Shady M., Abdel Latif M., Nabil H.**  
Sonoelastography in differentiation between endometrial hyperplasia and endometrial carcinoma (SS 207), B-0133

**Shams S., Larvie M., Lev M., Martola J., Charidimou A., Kristoffersen Wiberg M., Wahlund L.**

Microinfarcts detected on MRI - another important imaging biomarker in cognitive impairment? (SS 311b), B-0390

**Sharma A.K., Sharma N.**  
Effect of duration of scan acquisition on 256 Slice MDCT perfusion values in liver metastases (SS 301a), B-0210

**Sharma A.K., Sharma N.S.**  
Cerebral aneurysms: accuracy of 256-MDCT non-subtracted and subtracted volumetric CT angiography in diagnosis (SS 1011a), B-0797

**Sharp P.**  
Pregnancy and lactation: Chairman's introduction (EF 2), A-390

**Sheehan M., Kok H., Thanaratnam P., Ryan E., Asadi H., Bajwa R., Pennycooke K., Given M., Lee M.**  
Outcomes of infrapopliteal angioplasty for limb salvage in critical limb ischaemia (SS 315), B-0267

**Shi J.**  
The quantitative CEUS features of clinically suspicious non-Hodgkin lymphoma involved superficial lymph nodes: a preliminary study (SS 316), B-0301

**Shimizu Y., Matsunobu Y., Morishita J.**  
An optimum combination of biological fingerprints extracted from edge-enhanced chest radiograph to identify misfiled images in a picture archiving and communication system (SS 605), B-0430

**Shirodkar K., Mohanty H., Bind M., Mulla V., Nandikoor S., Reddy S., H.N.S., Mallarajapatna G.**  
Imaging in dengue: what every radiologist needs to know (SS 201b), B-0042

**Shrainer I., Voropaev V., Mershina E., Lyadov V., Sinitsyn V.**  
Pancreatic volume and texture as radiological predictors of pancreatic fistula after Whipple procedure (SS 1901b), B-1296

**Sidhu P.S.**  
Normal, fibrosis or cirrhosis? NICE guidelines on VTq assessment and cost-effectiveness (SY 14)

**Sidhu P.S.**  
Contrast enhanced ultrasound (CEUS) in paediatrics: Legal issues with CEUS in children (ESR/EFUMB/ESPR), A-673

**Silva V.M., Ramos I., Moreira J., Marques M.**  
Evaluation of magnetic resonance acoustic noise in 1.5 and 3 Tesla scanners (SS 1414), B-1014

**Sim K., Kim M., Park B., Sung D., Han N.**  
Effect of tube voltage on CT radiation dose: compared with 100 kVp vs 120 kVp using iterative reconstruction algorithm (SS 213), B-0108

**Sim K., Sung D., Han N., Park B., Kim M., Cho Y., Cho S.**  
Preoperative CT findings to predict postoperative inguinal hernia after robot-assisted laparoscopic radical prostatectomy (SS 207), B-0131

**Sim K., Sung D., Choi S., Han N., Park B., Kim M., Cho S.**  
CT prediction of histologic grade of small clear cell renal cell carcinoma (SS 1807), B-1232

**Simoncini M., Biondi M., Amata L., Virgilio M., Giuliani L., Ottonello C.**  
The visible and the invisible in cone beam CT: the role of radiographer (SS 314), B-0354

**Sinitsyn V.E.**  
Cardiothoracic emergencies: Keynote speaker (SS 617), K-15

**Sinn L., Wong K., Lam T., Lam S., Lau V., Ip J., Ho G., Leung J., Lam W.**  
Comparison of lesion detection and characterisation of benign and malignant masses with digital mammography, synthesised 2D mammography (SM) and digital breast tomosynthesis (DBT) (SS 1802), B-1133

**Sivit C.J.**  
General principles: paediatric and ENT emergencies: B. Challenges of imaging paediatric abdominal emergencies (MC 828), A-307

**Skaane P.**  
Tomosynthesis: the new mammography: B. Clinical validation and results in the last 5 years: where do we stand? (RC 1602), A-703

**Skornitzke S., Fritz F., Koell M., Mayer P., Hansen J., Pahn G., Klauß M., Kauczor H.-U., Stiller W.**  
Quantitative evaluation of linear models to estimate CT-perfusion from single-acquisition dual-energy iodine maps acquired at peak tissue enhancement (SS 1415), B-1047

**Skornitzke S., Fritz F., Klauß M., Hansen J., Pahn G., Grenacher L., Kauczor H.-U., Stiller W.**  
Quantitative comparison of single-acquisition dual-energy iodine maps as an alternative to abdominal CT-perfusion measured with the Patlak model (SS 1913), B-1352

**Smadja J., Balleyguier C., Arfi-Rouche J., Mathieu M., Mazouni C., Delalogue S., Dunant A., Dromain C.**  
Contrast enhanced spectral mammography (CESM) as first exam in symptomatic patients: a monocentric prospective study on 226 patients (SS 1402b), B-1061

**Smaldone F., Ferrari F., Arrigoni F., Miccoli A., Carducci S., Giordano A., Masciocchi C.**

Use of GnRH-agonist therapy in patients affected by uterine fibroids treated with uterine artery embolization: MRI evaluation of necrotic area reabsorption time and clinical outcome (SS 1515), B-1100

**Smaldone F., Ferrari F., Miccoli A., Arrigoni F., Iafrate S., Capretti I., Masciocchi C.**  
MRI evaluation of uterine morphology and clinical response in women treated by MRgFUS: 4 year follow-up (SS 1809), B-1226

**Smets A.M.J.B.**  
Imaging children with cancer: A. Imaging of abdominal masses at diagnosis: clues for benignity vs malignancy (RC 1312), A-519

**Smirnova A., Tkachev A., Plakhotina N., Archakov D.**  
MRI criteria for disease management decision in patients with herniated intravertebral discs (SS 1811), B-1194

**Smits M.**  
CNS emergencies: B. CNS non-traumatic emergencies (MC 728), A-231

**Smits M.**  
CNS emergencies: C. Interactive case discussion (part 2) (MC 728), A-233

**Smits M.**  
Emergency radiology II: A. Brain trauma (E<sup>3</sup> 1621), A-658

**Sögner P., Möller T.**  
Is ISO 9001:2015 standard better for teleradiology services for reduction of risks for patients, doctors and healthcare providers than the old version 2008? (SS 1905), B-1291

**Solbiati L.A.**  
Image fusion for image-guided interventions: C. How can we improve targeting in image-guided interventions: stereotaxis, robotics and advanced techniques (RC 109), A-048

**Soligo E., Stecco A., Carecchio M., Matheoud R., Carriero A.**  
Brain MR pallid index do not correlate with clinical functional scale in extrapyramidal syndromic cirrhotic patients (SS 311b), B-0392

**Solmaz Tuncer A., Gürel S., Halicioğlu S., Dağıstan E., Coşgun Z., Gür S.**  
Sex estimation using cross sectional MDCT anatomy of C1 vertebrae (SS 610a), B-0490

**Sommer C.M.**  
Fire and ice outside the liver: B. Renal ablation: update and level of evidence (E<sup>3</sup> 1526), A-618

**Sommer G.**  
New insights in bone tumour imaging: C. New insights in imaging for multiple myeloma (RC 1216), A-464

**Sommer N.N., Treitl K.M., Coppentrath E., Kooijman H., Sommer W.H., Reiser M.F., Saam T.**  
3D black-blood T1-mVISTA for detection of temporal and ophthalmic artery involvement in patients with giant cell arteritis (SS 215), B-0058

**Sommer W.H., Thierfelder K., Janssen H., von Baumgarten L.**  
Crossed cerebellar diaschisis in patients with acute MCA infarction: analysis of CT perfusion characteristics (SS 1011b), B-0820

**Sommer W.H., Armbruster M., Reiser M.F., Haasters F., Helfen T., Sommer N.**  
Structured reporting vs free-text reporting of MRI examinations of the shoulder: impact on surgical planning (SS 1810), B-1182

**Song J., Byon J., Kim E.**  
Diffusion weighted imaging of upper abdominal organs in different time points: value of normalisation using spleen as a reference organ (SS 701a), B-0594

**Song S., Jeong W., Kim J., Kim Y., Choi D., Park H., Yu J., Lee J.**  
Evaluation of treatment response of radiotherapy for HCC using pre- and post-treatment magnetic resonance imaging (SS 1001b), B-0839

**Song Y., Yang D.**  
Left-ventricular geometry associated with outflow obstruction in patients with hypertrophic cardiomyopathy: 3D CT analysis (SS 303a), B-0250

**Sorantin E.**  
CT radiation dose optimisation: are we doing enough?: Dose reduction techniques in paediatric CT: from A to Z (SF 8d), A-286

# Authors' Index

## **Sorantin E.**

Key issues in paediatric imaging: A. Key issues in the x-ray department (RC 1212), A-444

## **Sosna J.**

Whole body imaging: Keynote speaker (SS 716), K-19

## **Soto J.A.**

Chest emergencies: A. Thoracic injuries (MC 628), A-205

## **Soto J.A.**

Chest emergencies: C. Interactive case discussion (part 1) (MC 628), A-207

## **Sousa P.F.**

Basic principles of varicose vein diagnosis and endovascular treatment: C. Ultrasound guided sclerotherapy (RC 415), A-112

## **Spezia L., Sozzi C., Contro A., Mansueto G., Pozzi Mucelli R.**

Effects on renal function of transcatheter embolisation in renal bleeding (SS 1515), B-1103

## **Spiga S., Ippolito D., Talei Franzesi C., Besostri V., Orsini E., Sironi S.**

Diagnostic value of whole-body ultra low dose CT (WBULDCT) in comparison with spinal magnetic resonance imaging (SMRI) in the assessment of disease in patients with multiple myeloma (MM) (SS 316), B-0299

## **Spiliopoulos S.C.**

Imaging and endovascular treatment of pulmonary embolism: C. Updates on the endovascular treatment of massive and submassive pulmonary embolism (RC 509), A-192

## **Spink C., Schmidt T., Grass M., Avanesov M., Adam G., Bannas P., Kooops A.**

Radiation dose reduction during transjugular intrahepatic portosystemic shunt (TIPS) implantation using a novel image-processing platform (SS 715), B-0622

## **Spira D.**

Low-dose research in medical radiation protection: Dose reduction in modern digital plain-radiography on the basis of indication-specific, standardised quality criteria (EuroSafe 1), A-018

## **Sporea I., Bende F., Popescu A., Sirli R., Mare R., Lupusoru R.**

The performance of 2D SWE.GE compared to transient elastography for the evaluation of liver stiffness: preliminary results (SS 1501), B-1087

## **Sportoletti C., Brocchi S.,**

## **Croci Chiocchini A., Scrivo A., Comai G., Serra C., Marchetti A., Zompatori M.**

Renal allograft shearwave elastography: a new diagnostic tool to assess chronic allograft alterations compared with biopsy (SS 207), B-0139

## **Stabile Ianora A.A., Lucarelli N.M.,**

## **Telegrafo M., Scardapane A., Niccoli A.A., Pignataro P., Moschetta M., Angelelli G.**

Comparison between CT Net enhancement and PET/CT SUV for N staging of gastric cancer (SS 701b), B-0631

## **Stadlbauer A., Merkel A., Sommer B., Brandner S., Zimmermann M., Buchfelder M., Rössler K.**

Intraoperative MR imaging of cerebral oxygen metabolism in patients with brain tumours (SS 311a), B-0281

## **Stadlbauer A., Zimmermann M., Rössler K., Oberndorfer S., Buchfelder M., Dörfler A., Heinz G.**

Magnetic resonance imaging biomarkers for assessment of vascular pathologies in glioma (SS 311a), B-0283

## **Stadlbauer A., Zimmermann M., Rössler K., Oberndorfer S., Buchfelder M., Dörfler A., Heinz G.**

Multiparametric MR imaging of oxygen metabolism and angiogenesis in glioma patients (SS 311a), B-0284

## **Ståhlbrandt H.**

Mammography in Nordic countries: screening and new developments: Introduction (EM 1), A-384

## **Stajgis M.**

Severe trauma patients: myths, realities and future: Chairman's introduction (SF 13d), A-552

## **Stanzione A., Chianca V., Longo N., Fusco F., Liuzzi R., Imbriaco M., Brunetti A.**

Sensitivity of a biparametric (T2 and diffusion-weighted) 3T magnetic resonance imaging protocol for prostate cancer imaging (SS 1016), B-0824

## **Stenman C., Glavas R., Jansson K., Enlund A., Thorelius L., Smedby Ö.**

Do radiologists agree when reviewing ultrasound examinations performed by a sonographer and a radiologist? (SS 714), B-0714

## **Sterzing F.**

Pancreatic cancer: radiological diagnosis and treatment: Radiation oncological management (MS 8), A-268

## **Steuwe A., Geisbüsch P., Schulz C.J., Böckler D., Kauczor H.-U., Stiller W.**

Comparison of radiation exposure associated with intraoperative CBCT and follow-up MDCT for evaluating EVAR procedures (SS 1813), B-1210

## **Stichelbaut N., Hoste P., De Roo B., Annemans L., Verstraete K.**

Efficient use of medical imaging in Belgium: where does it go wrong in prescribing imaging studies for the lumbar spine and abdomen? A national multicentric study (CTIR 1)

## **Stiller W.**

Low-dose research in medical radiation protection: Developing a strategic research agenda for medical radiation protection: a chance for advancing research in radiology (EuroSafe 1), A-016

## **Stoecklein S., Lause S., Pomschar A., Schniepp R., Lee S., Jahn K., Alperin N., Ertl-Wagner B.**

Changes of systolic cerebrospinal fluid flow in patients with normal pressure hydrocephalus exceed age-related alterations (SS 311b), B-0396

## **Stoffels I., Morscher S., Burton N.C., Klode J.**

Sentinel lymph node detection and in vivo/ex vivo assessment of melanin distribution by means of multispectral optoacoustic tomography in patients with malignant melanoma (SS 1006), B-0908

## **Stojanov D., Jjubisavljevic S., Stojanovic I., Vojinovic S.**

Association of MR features, clinical presentation and levels of matrix metalloproteinases in patients with clinically isolated syndrome and relapsing remitting multiple sclerosis (SS 1511), B-1109

## **Stork A., Seitz D.F., Wegjan E., Begemann P., Kemper J.**

Digital breast tomosynthesis: thick vs thin slices - clinical performance and reading time (SS 1802), B-1132

## **Stoupis C.**

Rectal cancer: staging and restaging: Keynote speaker (SS 1001a), K-20

## **Stoupis C.**

Differential diagnosis in pancreatic imaging: C. Incidental findings (RC 1701), A-724

## **Stowe J.G., McNulty J.**

Blending healthcare and educational technologies to enhance radiography healthcare information technology education (SS 214), B-0146

## **Stumpp P., Risy Y., Purz S., Gawlitza M., Sabri O., Kahn T.**

A comparison between 18F-FDG-PET/CT and 18F-FDG-PET/MRI for detection of primary head-and-neck cancer (SS 1006), B-0902

## **Stumpp P., Diogo R., Gawlitza M., Purz S., Boehm A., Sabri O., Kahn T.**

Simultaneous 18F-FDG PET/MRI in comparison to 18F-FDG PET/CT in patients with suspected recurrence or residual manifestation of head and neck cancer (SS 1006), B-0906

## **Suchá D., Symersky P., van den Brink R.B.A., Tanis W., Meijs M.F.L., Habets J., Chamuleau S.A.J., van Herwerden L.A., Budde R.P.J.**

Routine MDCT results in an increased diagnostic certainty and a therapeutic change in patients with suspected prosthetic heart valve dysfunction (SS 1503), B-1078

## **Suchá D., Symersky P., de Heer L.M., Mali W.P.T.M., van Herwerden L.A., Budde R.P.J.**

Biological aortic heart valves deform after surgical implantation: a multidetector-row computed tomography study (SS 1503), B-1082

## **Sudarski S., Floss T., Gaa T., Attenberger U., Haubenreisser H., Schönberg S.O., Henzler T.**

Comparison of perfusion parameters calculated from dynamic volume perfusion CT and perfusion MRI in patients with rectal cancer (SS 1816), B-1161

## **Sudol-Szopińska I.**

Inflammatory arthritis: beyond the radiograph: A. Rheumatoid arthritis: what does MRI show and how do I do it? (RC 510), A-154

## **Sugimoto K., Saito K., Kobayashi Y., Moriyasu F.**

Multimodality imaging to assess immediate response following irreversible electroporation in patients with malignant hepatic tumours (SS 216b), B-0194

## **Suhai F., Czibalmos C., Csécs I., Tóth A., Horváth B., Szima Mármarosi E., Becker D., Merkely B., Vágó H.**

Cardiac magnetic resonance characteristics of patients with the clinical signs of ST-elevation myocardial infarction and normal coronary angiography (SS 603), B-0457

## **Sun J., Procter A.J., Malcolm P., Toms A.**

Measuring liver fat content on MRI: the effect on accuracy of simplified sampling protocols (SS 1401), B-0980

## **Suntharalingam S., Wetter A., Stenzel E., Guberina N., Ringelstein A., Schlosser T., Forsting M., Nassenstein K.**

Image quality and radiation dose of third generation dual-energy CT of the head and neck compared with a standard acquisition (SS 616), B-0507

## **Suntharalingam S., Wetter A., Guberina N., Theysohn J., Ringelstein A., Schlosser T., Forsting M., Nassenstein K.**

Impact of the scout view orientation on the radiation exposure and image quality in thoracic and abdominal CT (SS 1813), B-1201

# Authors' Index

**Suntharalingam S., Labus S., Allmendinger T., Nassenstein K., Wetter A.**  
Spectral filtration in paediatric and adult chest CT examinations: a phantom study on dose reduction and image quality (SS 1913), B-1351

**Sverzellati N.**  
Evaluation of patients with lung emphysema: B. Diagnostic work-up after treatment of lung emphysema (E<sup>3</sup> 821), A-238

**Swift S.**  
Gynaecology: C. Differential diagnoses of adnexal masses (E<sup>3</sup> 922), A-381

**Syrgiamiotis V.**  
State-of-the-art breast imaging: Chairmen's introduction (part 1) (RC 914), A-350

**Szapiro D., Bidaut L., Serhan J., Matthews A., Hartley T., Gangi A.**  
Warm CO<sub>2</sub> CT enteroclysis or virtual enteroscopy (VE): preliminary experience of a new technique for small bowel imaging on Crohn's patients with subocclusive or complicated disease (SS 601b), B-0442

**Szczerbo-Trojanowska M.**  
Interventional: Chairman's introduction (E<sup>3</sup> 1623), A-698

## T

**Tabar L.**  
3D automated breast-ultrasound (ABUS) combined with digital mammography: a responsible approach for screening women with dense breasts (SY 15)

**Taberner López E., Camps Herrero J., Martínez Rubio C., Cano Gimeno J., Cuevas Sanz J., Taberner Bonastre M., Lorca Chapa J.**  
Diffusion tensor imaging parametric 1 maps are more accurate than grey-scale parametric ADC maps in evaluating early response to neoadjuvant chemotherapy (SS 1902a), B-1260

**Tack D.**  
Dose optimisation made easy in computed tomography of the chest: A. Dose descriptors (E<sup>3</sup> 25E), A-794

**Taha H., Rahmat K., Lim K., Fadzli F., Ramli N.**  
The role of combined structural MR imaging and spect in refractory epilepsy (SS 211a), B-0083

**Tahir E., Kido T., Tanabe Y., Fukuyama N., Kido T., Yamamura J., Lund G.K., Adam G., Mochizuki T.**  
Adenosine triphosphate stress dynamic perfusion CT imaging to identify myocardial ischemia: correlation with coronary CTA and invasive coronary angiography (SS 303b), B-0382

**Tahir E., Sinn M., Avanesov M., Wien J., Saering D., Radunski U.K., Muellerleile K., Adam G., Lund G.K.**  
Reproducibility of native and contrast-enhanced CMR techniques to measure lesion size following acute myocardial infarction (SS 1803), B-1156

**Takahashi S., Negi N., Kagawa K., Suehiro E., Nishii T., Ueno Y., Kono A., Kawamitsu H., Sugimura K.**  
Dilute concentration or reduce injection rate? Optimisation of reducing iodine delivery rate for low-energy contrast enhanced body CT (SS 701c), B-0731

**Takx R.A.P., Szilveszter B., Emami H., Mayrhofer T., Leiner T., Hoffmann U.**  
Prognostic value of coronary CT angiography: a meta-analysis (SS 1003), B-0787

**Talakis E., Schaffellner S., Kniepeiss D., Müller H., Stauber R., Schöllnast H.**  
Volume CT-perfusion of the liver and spleen: is there a correlation between hepatic venous pressure gradient (HVPG) and perfusion in patients with liver cirrhosis? (SS 601a), B-0417

**Talei Franzesi C.R.G.L., Ippolito D., Bonaffini P.A., Del Buono F., Riva L., Sironi S.**  
Diagnostic value of Low kV MDCT angiography protocol with low contrast medium volume in transcatheter aortic valve implantation (TAVI) planning (SS 1015), B-0767

**Talei Franzesi C.R.G.L., Ippolito D., Drago S., Lombardi S., Spiga S., Sironi S.**  
Contrast-enhanced T1 free-breathing gradient echo sequences in comparison with standard T1 breath-hold gradient echo sequences in the evaluation of thoraco-abdominal aortic disease (SS 1015), B-0770

**Talei Franzesi C.R.G.L., Ippolito D., Fior D., Cangiotti C., Brembilla G., Sironi S.**  
Low kV CT-angiography (CTA) with low contrast medium volume using a 256 MDCT scanner in the evaluation of abdominal aorta disease: diagnostic quality and radiation dose reduction (SS 1815), B-1173

**Tali E.T.**  
Unexpected findings on brain MRI: B. Incidental lesions on a brain MRI (E<sup>3</sup> 221), A-057

**Tali E.T.**  
Neuroradiology: brain: Stroke (Basic 1), A-176

**Tanoue S., Kiyosue H., Mori H., Kubo T., Sugita K., Ishibashi R., Ishii A.**  
Imaging anatomy of dural blood supply from pial arteries: evaluated by 3D rotational angiography in normal subjects and pathologic conditions (SS 311c), B-0405

**Tanyildizi Y., Gökce S., Mengel E., Kampmann C., Müller-Forell W., Hennermann J.**  
Aortic tortuosity: a new finding in patients with Mucopolysaccharidosis type IVa (MPS IVa) (SS 1015), B-0769

**Taoka T.**  
State-of-the-art radiology: Interlude: Radiologists' intermission: refreshing photo-stream on our beautiful country (II) (EM 2), A-574

**Taoka T., Kawai H., Nakane T., Naganawa S.**  
Evaluation of vascular permeability in gliomas by dynamic susceptibility contrast (DSC) method using "K2" value and histogram analysis (SS 1411b), B-1051

**Tarantino L., Ambrosino P.**  
Microwave ablation of large HCCs using a new device: a case series (SS 1001b), B-0843

**Tarantino L., Tarantino P., Ambrosino P.**  
Microwave ablation of large HCCs by simultaneous multiple antennae insertion: long term follow-up (SS 1001b), B-0844

**Tarantino L., Ambrosino P.**  
Percutaneous ablation of small HCCs: comparison of 3 commercially available microwave devices (SS 1001b), B-0845

**Tardivon A.**  
Breast ultrasound: a primer (E<sup>3</sup> 24A), A-058

**Tarnoki D.L., Tarnoki A.D., Fejer B., Littvay L., Maurovich Horvat P., Lucatelli P., Baracchini C., Schillaci G., Stazi M.A.**  
Common genetic influence on the carotid and femoral intima-media thickening: new potential in screening? (SS 215), B-0061

**Taron J., Martirosian P., Erb M., Kuestner T., Weiss J., Notohamiprodjo M., Schwenzer N., Nikolaou K., Schraml C.**  
A step towards scan time minimisation: simultaneous multislice-accelerated diffusion-weighted imaging of the liver (SS 701a), B-0593

**Tas S., Onur M., Soyulu A., Yilmaz S., Korkusuz F.**  
Shear wave ultrasound elastography is a reliable and repeatable method to measure elastic modulus of patellar and achilles tendons (SS 310), B-0274

**Tavares F., Abrantes A.F.C.L., Ribeiro L.P., Almeida R.P.P., Pinheiro J.P., Azevedo K.B., Rodrigues S.**  
Radiographer's expectations for role development: a survey in the perspective of Norwegian radiography students (SS 214), B-0150

**Tawfik S.A., Abdel Razek N.M., Tuhamy Y.M., Youssif O.Z., Eissa A.E.**  
Pre-operative evaluation of breast cancer by contrast enhanced digital mammography (SS 1402b), B-1065

**Taylor S.A.**  
Assessing inflammation and fibrosis in Crohn's disease: C. Will MRI (DWI and perfusion) solve the problem? (RC 101), A-006

**Taylor S.A.**  
Abdominal diffusion-weighted imaging (DWI): an update: Small bowel: main advantages in clinical practice (SA 5), A-160

**Telegrafo M., Introna T., Coi L., Rella L., Stabile Ianora A., Angelelli G., Moschetta M.**  
Abbreviated combined MR protocol: a new faster strategy for characterising breast lesions (SS 602a), B-0421

**Telegrafo M., Introna T., Coi L., Rella L., Stabile Ianora A., Angelelli G., Moschetta M.**  
Time-signal intensity curve analysis in breast MRI: still a role for lesion characterisation? (SS 1902a), B-1256

**Terraz S.**  
Cholangiocarcinoma: an update: Diagnostic assessment of periductal/infiltrating and intraductal-growing types: the view of the interventional radiologist (SF 13b), A-539

**Tessa C.**  
Novel ways to assess myocardial tissue: B. T2 mapping: technical considerations (RC 503), A-187

**Thafer F., Aguilar M., Harmening C., Kurre W., Martinez R., Kurucz P., Ganslandt O., Henkes H.**  
Endovascular occlusion of intracranial vessels using nBCA embolisation, controlled by adenosine-induced asystole (SS 311c), B-0401

**Thapar S., Desai S., Bhadoria A.S., Pargewar S., Rajesh S., Mukund A., Bansal K., Surekha B., Sarin S.K.**  
Extra-hepatic portal vein obstruction (EHPVO) with cholangiopathy: imaging based criteria on the basis of CT and MRCP findings for disease classification and management (SS 201a), B-0009

**Thierfelder K.M., Sommer W.H., Ertl-Wagner B., Beyer S.E., Meinel F.G., Kunz W.G., Reiser M.F., Janssen H.**  
Prediction of stent-retriever thrombectomy outcomes by dynamic CT angiography in patients with acute carotid T or MCA occlusions (SS 1011a), B-0793

# Authors' Index

**Thierfelder K.M., Bollwein C., Ertl-Wagner B., von Baumgarten L., Janssen H., Reiser M.F., Sommer W.H.**

Diagnostic accuracy of whole-brain CT perfusion in MRI-confirmed infratentorial infarctions (SS 1411a), B-0968

**Thoeny H.C.**

Evaluating lymph node involvement: an impossible task?: B. Advanced MRI techniques: what do they contribute? (RC 416), A-087

**Thoeny H.C.**

Genitourinary and gastrointestinal radiology: A. Prostate MRI using PI-RADS (E<sup>3</sup> 1521), A-606

**Thoeny H.C.**

Urogenital: C. Prostate imaging (E<sup>3</sup> 1923), A-806

**Thomassin-Naggara I.**

Pitfalls in gynaecologic oncologic imaging: how to avoid them and minimise risks: C. Mistakes in assessment of ovarian masses (RC 107), A-038

**Thorwarth W.T.**

Delivering higher value care in radiology: how to make it work in clinical practice - perspectives from the American College of Radiology: Radiologists' role in delivering higher-value care through population health management (ACR), A-289

**Thurnher M.M.**

Expert 1 (SY 19)

**Thurnher M.M.**

Reporting the degenerative lumbar spine: C. What to say and not to say in your report (RC 1311), A-567

**Thurnher M.M.**

Neuroradiology: spine: Tumours (Basic 5), A-594

**Timmermans L., Bleyen L., De Brabander I., Lemmens K., Van Steen A., Van Ongeval C., Van Herck K., Bacher K., Thierens H.**

Screen detected cancers vs interval cancers: influence of image modality and breast density (SS 1402a), B-0920

**Titelbaum N., Corcuera-Solano I., Doshi A., Pawha P., Tanenbaum L.N.**

Automated adaptive multiplane-multiangle oblique (AAMO) rendering of volumetric spine CT (SS 1811), B-1197

**Tomiyama N.**

State-of-the-art radiology: Diagnostic imaging of thymic tumours (EM 2), A-575

**Tonkopi E., Manos D., Abdoell M.**

Assessment of diagnostic low dose CT chest protocols in the province of Nova Scotia (SS 1813), B-1206

**Torii M., Fukui T., Inoue M., Kanao S., Inagaki T., Tsuchimochi H., Umetani K., Shirai M., Toi M.**

Quantification of microvascular hemodynamics in mice breast cancer using in vivo synchrotron radiation (SR) microangiography (SS 302), B-0216

**Törnwall O.**

Biobanks meet imaging: Population-based cohort biobanks: accessing large European prospective cohorts through the biobanking infrastructure BBMRI - large prospective cohorts (LPC) (PC 9a), A-327

**Torresin A.**

How to assess and communicate examination risks to patients and referring physicians?: Chairman's introduction (RC 513), A-169

**Torresin A.**

Monitoring safety and quality: Chairmen's introduction (part 2) (PC 18), A-784

**Tosetti M.**

MR: artefacts and devices: Chairman's introduction (RC 1613), A-712

**Tot T.**

Radio-pathological correlation: more important than you thought: C. The breast radiologist sitting down with the pathologist (RC 402), A-092

**Touska P., Elstob A., Rao N., Parthipun A.**

One-stop SPECT-CT-guided ultrasound for parathyroid adenoma localisation - a single centre experience (SS 308), B-0365

**Tramontini C., Mora J.A., Aluja F., Herazo-Bustos C., Navas C.**

Signal intensity evaluation in dentate nuclei, pons, globus pallidus and thalamus in patients with multiple sclerosis: gadolinium retention assessment (SS 211b), B-0202

**Trattnig S.**

Imaging beyond morphology: MRI fingerprinting: the future? (NH 5), A-150

**Trattnig S.**

An introduction to European Imaging Biomarker Alliance (EIBALL): EIBALL and its mission (PC 8b), A-270

**Trianni A.**

Pregnancy and lactation: Occupational radiation protection: protecting pregnant or potentially pregnant workers in interventional radiology (EF 2), A-393

**Trianni A.**

IT tools for dose tracking and workflow optimisation: Chairman's introduction (RC 1513), A-651

**Trimboli R.M., Di Leo G., Sacchetto D., Mann R., Álvarez Benito M., Zuiani C., Wenkel E., Siegmann-Luz K., Lobbes M., Balleyguier C., Pinker-Domenig K., Calabrese M., Veltman J., Aksoy Ozcan U., Pediconi F., Camps Herrero J., Forrai G., Harms S., Obdeijn I.-M., Van Goethem M., Docema M., Anderson J., Losio C., Gilbert F., Helbich T.H., Houssami N., Sardanelli F.**  
The impact of breast MRI on surgical planning and reoperation rate: first results from the MIPA study (CTiR 2)

**Trojanowska A.**

Head and neck: A. Temporal bone and skull base (E<sup>3</sup> 1423), A-590

**Tsai W., Kao K., Chang K., Lin C.E.**

B1+ field correction of T1 estimation is necessary for quantitative breast DCE MRI even at 1.5T (SS 602a), B-0424

**Tsapaki V.**

Radiation risk assessment and awareness: Keynote speaker (SS 313), K-10

**Tsapaki V.**

Artefacts and pitfalls in tomography: Chairman's introduction (RC 413), A-097

**Tsetis D.K.**

Endovascular abdominal aneurysm repair (EVAR): where do we stand now?: Endovascular versus open surgical repair: what do we know so far? (SA 15), A-632

**Tsougos I.**

MR: artefacts and devices: C. Artefacts in perfusion and diffusion MRI (RC 1613), A-715

**Tsuboyama T., Gregor J., Kim T., Hori M., Onishi H., Tatsumi M., Sakane M., Hubertus P., Tomiyama N.**

Impact of injection protocol on arterial tumour enhancement, artifacts, and arterial blood gases in rabbit VX2 tumour model: comparison of Gd-EOB-DTPA and Gd-DTPA (SS 1401), B-0979

**Tsuchiya K., Yamashita M., Ichisaka S., Hara M., Kokan M., Suzuki T.**

Collateral flow assessment in intracranial major trunk stenocclusive diseases by fast non-contrast time-resolved MR angiography using arterial spin labelling (SS 611), B-0495

**Tsuchiya K., Schacht D., Sheth D., Mori N., Kulkarni K., Reddy R., Mueller J., Karczmar G., Abe H.**

The value of breast MRI for patients with a biopsy showing atypical ductal hyperplasia (ADH): can we safely follow patients rather than perform surgery? (SS 602a), B-0429

**Tuan A.S., Hurst R.W., Bilello M.**

Automated detection of coiled aneurysm recurrence using 3D TOF MRA (SS 1011a), B-0801

**Tucker L., Ramasundara S., Myles J., Duffy S.W., Gilbert F.J.**

A comparison of FFDM and synthetic 2D images with DBT: which images do readers prefer for assessment of different radiological features? (SS 1802), B-1127

**Turmezei T.D., Gee A.H., Poole K.E.S., Treece G.M.**

Validation of joint space mapping: a new 3D approach to quantitative multimodal hip joint space assessment (SS 1010b), B-0912

**Turmezei T.D., Gee A.H., Poole K.E.S., Treece G.M.**

Joint space mapping: a novel platform for multiparametric quantitative 3D joint analysis from multimodal cross-sectional imaging data (SS 1805), B-1147

**Tutein Nolthenius C.J., Bipat S., Mearadji B., Spijkerboer A., Montauban van Swijndregt A., Ponsioen C.I.J., Stoker J.**

MRI features of proctitis in Crohn's disease (SS 601b), B-0451

**Tuthill E., O' Hora L., O' Donohoe M., Panci S., Campion D., Trenti R., Fox E., Catania D., Rainford L.**

Investigation of reference levels and radiation dose associated with abdominal EVAR (endovascular aneurysm repair) procedures across several European centres (SS 1815), B-1170

**Tyurin I.E.**

Introduction (SY 22)

**Tyurin I.E.**

Remarks and conclusions (part II) (SY 22)

**Tyurin I.E.**

Pneumonia: Chairman's introduction (RC 104), A-027

## U

**Uberoi R.**

Imaging and endovascular treatment of pulmonary embolism: B. What is new in the recently published guidelines for pulmonary embolism treatment? (RC 509), A-191

**Uberoi R.**

Fixing a leaky EVAR: C. Endovascular management (RC 915), A-370

**Uberoi R.**

Endovascular abdominal aneurysm repair (EVAR): where do we stand now?: Implantation techniques and long-term results (SA 15), A-634

# Authors' Index

**Ueno Y., Yoshikawa T., Ohno Y., Negi N., Inokawa H., Sugihara N., Murakami T., Fujisawa Y., Sugimura K.**  
Model-based iterative reconstruction technique for low radiation dose abdominal CT: comparison with hybrid iterative reconstruction and filtered back projection techniques (SS 213), B-0106

**Ukkola L., Oikarinen H., Henner A., Tervonen O.**  
Patient information in connection with radiological examinations is inadequate (SS 604), B-0585

**Ullrich T., Schimmöller L., Quentin M., Dietzel F., Arsov C., Rabenalt R., Blondin D., Albers P., Antoch G.**  
Are single shot biopsies sufficient for targeted MR-guided prostate cancer detection? (SS 307), B-0335

**Ulyte A., Skardelly M., Schittenhelm J., Braun C., Bender B., Bisdas S.**  
Prognostic value of preoperative dynamic contrast-enhanced MRI perfusion parameters for high-grade glioma patients (SS 311a), B-0286

**Umutlu L.**  
Breast MRI: practical tips on performing, reading and reporting (SY 1a)

**Umutlu L.**  
Molecular imaging: what can we quantify?: C. Clinical applications of quantitative hybrid imaging in oncology (RC 106), A-044

**Umutlu L.**  
Challenging questions for breast imaging in 2016: breast density, how to solve the non-mass enigma, new developments in breast MRI: C. New developments in breast MRI (E<sup>3</sup> 1726c), A-757

**Unterhumer G., Handlchner L.**  
The impact of education on radiologic technology as a developing scientific discipline in Austria (SS 214), B-0147

**Uprimny C., Kroiss A., Geraldo Roig L., Decristoforo C., Kendler D., von Guggenberg E., Virgolini I.J.**  
Evaluation of <sup>68</sup>Ga-PSMA-PET/CT in primary staging of prostate cancer patients (SS 206), B-0027

**Urbach H.**  
Functional MRI of the brain opens new horizons: B. Clinical utility of fMRI for pre-operative brain mapping (E<sup>3</sup> 419), A-108

**Uriza F.**  
From practice to reality: how we do it: Percutaneous biopsies: how do I do it? (EM 3), A-781

## V

**Vago H., Czibalmos C., Csecs I., Toth A., Suhai F.I., Kiss O., Sydo N., Becker D., Merkely B.**  
The role of cardiac magnetic resonance (CMR) imaging in the differentiation of arrhythmogenic right ventricular cardiomyopathy (ARVC) and athlete's heart (SS 303a), B-0248

**Vakil P., Elmokadem A.H., Sherazi F., Cantrell C.G., Carroll T.J., Ansari S.**  
Quantifying intracranial plaque permeability with dynamic contrast enhanced MRI (SS 1011b), B-0822

**Valentini V.**  
Rectal cancer: update on organ saving treatments: B. The oncological perspective (E<sup>3</sup> 1218), A-432

**Valentini V.**  
MR and MR/PET in radiation treatment planning - challenges and opportunities: Chairmen's introduction (part 2) (ESR/ESTRO), A-668

**Valero L., Marco S., Fretellier N., Baudimont F., Guerquin-Kern J., Rasschaert M., Robert P., Idee J., Corot C.**  
Imaging and identification of gadolinium deposits in deep cerebellar nuclei of gadodiamide-repeatedly treated rats (SS 211b), B-0201

**van Beek E.J.R.**  
Pulmonary embolism - persistent controversies: B. CT not available, contraindicated, or inconclusive: what to do? (RC 404), A-095

**van Beek E.J.R.**  
Comprehensive cardiothoracic radiology: the way to go?: Chairman's introduction: A perspective from both worlds: cardiac and thoracic imaging (PC 12a), A-465

**van Beek E.J.R.**  
Cardiac imaging: to new horizons: A. New approaches for coronary atherosclerotic plaque characterisation (E<sup>3</sup> 1620), A-678

**van Dam L., Willemssen F.E.J.A., Dwarakasing R.S.**  
Surveillance for hepatocellular carcinoma in high-risk patients: abdominal ultrasound compared to cross-sectional imaging: results of 5-year cohort follow-up (SS 601a), B-0408

**van de Pol D., Kuijter P.P.F.M., Pannekoek-Hekman M., Terpstra A., Maas M., Planken R.N.**  
The prevalence of posterior circumflex humeral artery aneurysms in elite volleyball players (SS 1815), B-1179

**van den Hauwe L., Van Goethem J.W., Faure M., Van Den Wyngaert T., Huyskens J., De Belder F., Venstermans C., Parizel P.M.**  
Reporting the degenerative lumbar spine: B. Don't forget the facet joints and posterior elements (RC 1311), A-566

**van der Heide U.**  
MR and MR/PET in radiation treatment planning - challenges and opportunities: The benefit of high tesla MRI for radiation oncology planning (ESR/ESTRO), A-669

**van der Laak J.**  
Joint VPH-PRISM/ASSURE Session - from screening to therapy: innovative breast care concepts: Histopathology images: the new kid on the block of clinical multimodality imaging (EIBIR 1), A-228

**van der Lugt A.**  
Risks and benefits of reporting incidental findings: B. Good reasons to report incidental findings (PS 427), A-125

**van der Lugt A.**  
Biobanks meet imaging: What is the difference between a PACS and a clinical bank of radiological images? (PC 9a), A-326

**van der Woude H.**  
Diagnostic evaluation of bone tumours: A. Bone tumours: benign or malignant? (E<sup>3</sup> 921), A-312

**van der Zijden T.**  
Update on endovascular stroke treatment: a medical breakthrough?: B. Which techniques can we use to reopen an occluded cerebral blood vessel? (RC 1611), A-717

**van Dijken B.R.J., van Laar P.J., Holtman G.A., van der Hoorn A.**  
Diagnostic accuracy of MR imaging techniques for treatment response assessment in patients with high grade glioma: a systematic review and meta-analysis (SS 311a), B-0290

**Van Gils C.**  
Joint VPH-PRISM/ASSURE Session - from screening to therapy: innovative breast care concepts: Density patterns, breast cancer risk and masking in screening mammograms (EIBIR 1), A-225

**van Gils M., Mattila J., Lötjönen J., Urhema T., Umer A., Tolonen A., Koikkalainen J.**  
The VPH-DARE@IT Project: delivering a clinical decision support platform for earlier dementia diagnosis: Clinical platform for data-driven differential diagnostics of cognitive disorders (EIBIR 4), A-601

**Van Goethem J.**  
Spine: Keynote speaker (SS 1811), K-30

**Van Gompel G., Buls N., de Mey J.**  
Standard deviation and noise power spectrum as criteria for achievable dose reduction with three types of iterative reconstruction (SS 213), B-0107

**van Hamersvelt R.W., den Harder A.M., Sucha D., Martens J.P.J., Schilham A.M.R., Bos C., Budde R.P.J., Breur J.M.P.J., Leiner T.**  
Aortic coarctation: assessment of stent patency with computed tomography vs magnetic resonance imaging (SS 1015), B-0765

**van Heeswijk M.M., Lambregts D.M., Hupkens B.J.P., Beckers R.C.J., Maas M., van der Sande M.E., Beets G.L., Beets-Tan R.G.H.**  
Long-term follow-up features on rectal MRI during 'wait-and-see' in clinical complete responders after chemoradiotherapy: an update of 68 patients (SS 1816), B-1160

**van Heeswijk M.M., Lambregts D.M., Andrade L., Maas M., Beets G.L., Beets-Tan R.G.H.**  
Clinical assessment of diffusion-weighted MRI for restaging rectal cancer: is there a learning curve? (SS 1816), B-1163

**van Heeswijk M.M., Lambregts D.M., den Ouden L., Ageitos-Casais M.C., Maas M., Beets G.L., Beets-Tan R.G.H.**  
Assessment of rectal tumour height and length on MRI: effect of using DWI instead of T2-weighted MRI (SS 1816), B-1168

**van Kesteren F., Wiegerinck E.M.A., Stoker J., Baan Jr. J., Planken R.N.**  
Prevalence and clinical impact of incidental CTA findings in the work-up for transcatheter aortic valve implantation (SS 1003), B-0792

**van Kesteren F., Wollersheim L.W.L.M., Baan Jr. J., Nederveen A., de Mol B.A.J.M., van Ooij P., Planken R.N.**  
4D flow MRI in stented versus stentless aortic valve bioprosthesis at 1 year after surgery (SS 1803), B-1148

**van Nijnatten T.J.A., Ploumen E.H., Goorts B., Vanwetswinkel S., Nelemans P.J., Schavemaker M., Beets-Tan R.G.H., Smidt M.L., Lobbes M.B.I.**  
Diagnostic performance of standard breast MRI for axillary nodal staging (SS 1902b), B-1281

**Van Ongeval C., Soens J., Kuipers M., Maeyaert S., Cockmartin L., Bosmans H.**  
The role of the synthetic mammogram? (SY 1c)

**Van Westen D., Johnsson M., Håkansson C., Minthon L., Lindberg O., Palmqvist S., Hansson O.**  
Rating scores of medial temporal atrophy from CT and MR images are highly correlated (SS 311b), B-0397

# Authors' Index

**Van Westen D., Panizo C., Minthon L., Palmqvist S., Hansson O.**

Perivascular spaces in the hippocampus are associated with markers of vascular disease only, and not of Alzheimer's disease (SS 1411a), B-0969

**van Zelst J., Gubern-Merida A., Drieling D., Tan T., Rutten M., Karssemeijer N., Mann R.**

Fast and accurate screening of women with dense breasts with a dedicated computer-aided detection-based reading protocol in automated 3D breast ultrasound (SS 602b), B-0527

**van Zelst J., Balkenhol M., Imhof-Tas M., Karssemeijer N., Mann R.**

Imaging molecular subtypes of invasive ductal carcinoma in automated 3D breast ultrasound: how to recognise cancers with a poor prognosis (SS 602b), B-0535

**van Zwam W.**

Update on endovascular stroke treatment: a medical breakthrough?: A. A critical appraisal of the current literature (RC 1611), A-716

**Vande Berg B.**

Trauma and inflammation: Keynote speaker (SS 210), K-03

**Vande Vyvere T., Claes L., van den Hauwe L., Wilms G., Smeets D., Parizel P.M.**

Structured reporting of traumatic brain injury CT images by trained neuroscientists for clinical research: an inter-rater reliability study (SS 211b), B-0205

**Vandecaveye V.**

Diffusion-weighted imaging (DWI) in oncology: how I do it: C. DWI: whole body imaging (RC 916), A-342

**Vandecaveye V., Van Binnebeek S., Dresen R., Haustermans K., Verslype C., Van Cutsem E., De Keyzer F., Christophe D.**  
Neuroendocrine tumours treated with <sup>90</sup>Y-DOTATOC radionuclide therapy: early response assessment with whole body diffusion-weighted MRI predicts survival (SS 1916), B-1323

**Vandenbroucke F., Vandemeulebroucke J., de Mey J.**

Comparison of PET/CT and geometric accuracy for predicting local tumour progression 24 h post-RF ablation of liver metastases (SS 301a), B-0212

**Vandulek C.**

The professional role of Swedish radiographers in medical imaging: Introduction (part 1) (EM 4), A-405

**Vandulek C.**

Joint Session of the ESR and HERCA: the new EU-BSS Directive - a step forward to patient safety: Tools to support implementation of the BSS Directive: radiographers' perspective (EuroSafe 3), A-489

**Vandulek C.**

Enhancing research in radiography: a change of culture: Chairmen's introduction (part 1) (RC 1314), A-557

**Vanel D.**

New insights in bone tumour imaging: Chairman's introduction (RC 1216), A-461

**Vanhoenacker F.M.H.M., Vanderschueren G.**

Diagnostic evaluation of bone tumours: B. Pseudotumours: mimic bone tumours (E<sup>3</sup> 921), A-313

**Vanovcanova L., Lehotska V., Rauova K.**

Multiparametric analysis of morphologic and functional MRI signs with correlation to degree of nuclear atypia at DCIS (SS 1902a), B-1255

**Varga-Szemes A., Muscogiuri G., De Cecco C.N., Suranyi P., Mangold S., Piccini D., Hlavacek A., Nutting A.C., Schoepf U.J.**

Self-navigated 3D radial whole-heart MRA for the assessment of coronary artery anomalies in paediatric patients: comparison with coronary CTA (SS 603), B-0452

**Varga-Szemes A., Muscogiuri G., Suranyi P., Rehwald W.G., De Cecco C.N., Mangold S., Caruso D., Fuller S.R., Schoepf U.J.**

Detection and quantification of myocardial infarction using a dark blood late gadolinium enhancement technique (SS 603), B-0456

**Vargha A.**

You too can definitely do audits: The challenges of introducing a national audit programme (EuroSafe 4), A-687

**Varjonen E.A., Bensch F.V., Koskinen S.K.**

Screening for blunt cerebrovascular injury (BCVI) by two-phased whole body CT (WBCT) after acute blunt trauma using modified Denver criteria: a review of 373 cases (SS 717), B-0691

**Varma S.**

The VPH-DARE@IT Project: delivering a clinical decision support platform for earlier dementia diagnosis: Shared research as a service platform for translating research into clinical practice for dementia (EIBIR 4), A-602

**Varoquaux D.**

Skull base lesions: B. Imaging of the central skull base (E<sup>3</sup> 1421), A-569

**Vasilevska Nikodinovska V.**

Sports injuries to the knee: improving my report: Chairman's introduction (RC 810), A-260

**Vawda Z., Groenewald W., Akudugu J.M., Pitcher R.D.**

Diagnostic reference levels for emergency head CT in paediatric patients (SS 212), B-0173

**Vázquez E.**

Neuro imaging in paediatrics: Imaging headache in children (SF 17a), A-751

**Veillon F.**

Temporal bone: Keynote speaker (SS 708), K-17

**Veit-Haibach P.**

Colorectal cancer: synchronous and metachronous metastases: C. PET/CT vs MR/PET: which and when? (E<sup>3</sup> 1518), A-615

**Vejborg I.**

Mammography in Nordic countries: screening and new developments: Mammography screening in Denmark: implementation and results (EM 1), A-385

**Velarde Pedraza A., Gil Sierra A., Abadal Villayandre J., Galvez Gonzalez E., Alvarez Perez M.**

Renal T1 tumours and ablative techniques: which one to use? (SS 209), B-0126

**Veldhoen S., Stäb D., Weng A.M., Kunz A.S., Fischer A., Wirth C., Hebestreit H., Bley T.A., Köstler H.**

Pulmonary perfusion phase imaging using self-gated Fourier decomposition MRI reveals perfusion inhomogeneities in patients with cystic fibrosis (SS 304), B-0314

**Veldhoen S., Oechsner M., Fischer A., Weng A.M., Kunz A.S., Bley T.A., Köstler H., Ritter C.O.**

Contrast-enhanced MRI for quantitative lung perfusion imaging using the dual-bolus approach: comparison of three different contrast agents and recommendation of feasible doses (SS 1415), B-1045

**Velickaitė V., Kullberg J., Cavallin L., Lind L., Ahlström H., Kilander L., Westman E., Larsson E.-M.B.**

Medial temporal lobe atrophy grades in a homogeneous 75-year-old cognitively normal population (SS 311b), B-0388

**Vellucci V., Mancini A., Di Sibio A., Bruno F., Panebianco L., Paoli M., Masi R., Di Cesare E., Masciocchi C.**

LGE cardiac imaging on a 3-T scanner: retrospective comparison of breath-holding two-dimensional (2D) phase-sensitive inversion recovery (PSIR) and breath-holding 2D IR sequences (SS 203a), B-0045

**Vellucci V., Di Sibio A., Gennarelli A., Felli V., Marsecano C., Michelini G., Masi R., Di Cesare E., Masciocchi C.**

Early cardiac involvement in asymptomatic patients with systemic sclerosis (Ssc) established using cardiac magnetic resonance (CMR) (SS 303a), B-0255

**Venderink W., Steens S., Kunst D., Meijer A., Mylanus E.**

Repeated postoperative follow-up DWI to detect residual or recurrent cholesteatoma (SS 708), B-0727

**Venkatasamy A., Veillon F., Rock B., Riehm S., Meriot P., Baur P., Charpiot A.**

Fractures of the temporal bone: an easier way to read your CT (SS 708), B-0720

**Venkatasamy A., Veillon F., Sick H., Eliezer M., Abu-Eid A., Charpiot A.**

Anatomy of the posterior membranous labyrinth on 3-T MRI without gadolinium (SS 708), B-0721

**Ventikos Y.**

The VPH-DARE@IT Project: delivering a clinical decision support platform for earlier dementia diagnosis: Fluid transport in the ageing brain: an integrative modelling approach (EIBIR 4), A-604

**Venturini E., Jannone M., Palmisano A., Giganti F., Esposito A., Mangili G., Candiani M., Del Maschio A., De Cobelli F.**

MpMRI of endometrial adenocarcinoma: association of the ADC histographic analysis and MRI tumour volumetry with histological features of biologic aggressiveness (SS 1416), B-1028

**Verbist B.**

Head and neck imaging: Ear (Basic 2), A-203

**Verbist B.**

Head and neck radiology: from symptoms to diagnosis: Chairman's introduction (SF 15), A-608

**Verschakelen J.A.**

Personalised radiology: myth or reality?: En route to personalised imaging: the role of multidisciplinary conferences (PC 5), A-147

**Verstraete K., Vanhoenacker F.M.H.M., Jans L., Huyse W.**

Bone trauma in the axial skeleton: patterns of injury and how I describe them: B. Pelvis (RC 410), A-076

**Verstraete K.**

Musculoskeletal: trauma: Knee (Basic 4), A-563

**Vieira A.R.R., Martins S.R.R., Ribeiro M.C.P., Sousa P.J., Mascarenhas J.G.C.**

Magnetic resonance cholangiopancreatography applying a natural negative oral contrast - black tea (SS 1914), B-1384

**Vieira I.F., Koole M., Keyzer F.D., Dresen E., Han S., Vergote I., Amant F., Lima F.R.A., Vandecaveye V.**

1D-histogram feature analysis of the apparent diffusion coefficient improves diffusion-weighted imaging for lymph node characterisation in cervical cancer (SS 1805), B-1141

# Authors' Index

**Vieira J., Ribeiro L.P., Almeida R.P.P., Abrantes A.F.C.L.**

Patient perceptions of radiographer communication skills (SS 1414), B-1015

**Vieira T.S., Esteves C., Bernardes M., Sá Pinto A., Gonçalves D., Pereira J.G.**

CT measured pulmonary artery trunk diameter in a rheumatoid arthritis population without pulmonary hypertension: association with disability and disease activity (SS 1415), B-1048

**Viguier A., Patsoura S., Raposo N., Cazzola V., Claviere L., Albucher J.F., Chollet F., Larrue V., Bonneville F.**

Subdural and convexity subarachnoid haemorrhage are more frequently associated with acute spontaneous lobar haematoma in cerebral amyloid angiopathy (SS 1011b), B-0818

**Vikestad K.G., Hafskjold L., Kjellev E., Sebuodegaard S., Hofvind S.**

A national survey on radiographers and research: roles and attitudes (SS 214), B-0148

**Vilanova J.C.**

Prostate MRI: increasing need?: Chairman's introduction (SF 16), A-694

**Vilanova J.C.**

Multi-parametric MR of prostate cancer: an update: Keynote speaker (SS 1407), K-26

**Vilela P.**

Cerebrovascular disease (1): Keynote speaker (SS 611), K-14

**Vilgrain V.**

An introduction to European Imaging Biomarker Alliance (EIBALL): The organisational role of EIBIR in EIBALL (PC 8b), A-272

**Vilgrain V.**

Josef Lissner Honorary Lecture: Liver imaging: where do we stand now? (HL 2), A-397

**Vilgrain V., Ronot M., Faccinato A., Leporcq B., Van Beers B.E.**

Non-alcoholic fatty liver disease (NAFLD): Imaging in diagnosing and quantifying liver fat (SF 13c), A-542

**Villanueva A., Tardáguila G., Martínez C., Varela C.**

The value of dual energy CT in the detection of pathological intestinal segments in patients with Crohn disease (CD) (SS 601b), B-0443

**Villeirs G.M.**

Prostate: B. Multiparametric MRI of the prostate (E<sup>3</sup> 1022), A-395

**Vinnicombe S.J.**

Challenging questions for breast imaging in 2016: breast density, how to solve the non-mass enigma, new developments in breast MRI: A. Breast density: what the breast radiologist needs to know (E<sup>3</sup> 1726c), A-755

**Vivoda Tomšič M., Šurlan Popovič K., Bisdas S., Kovač V., Serša I.**

Dynamic contrast-enhanced MRI of malignant pleural mesothelioma: a comparative study of pharmacokinetic models and correlation with mRECIST criteria (SS 304), B-0317

**Vlahos J.**

How to avoid misdiagnosis on the chest x-ray: A. Neoplastic lesions (E<sup>3</sup> 25B), A-214

**Vliegenthart R.**

How to quantify the haemodynamic significance of coronary stenosis: B. Myocardial perfusion: what can be done with MR and CT (E<sup>3</sup> 920), A-322

**Vliegenthart R.**

Cardiac and vascular: Chairman's introduction (E<sup>3</sup> 1323), A-545

**Vock P.**

EuroSafe Imaging Alliance & Campaign - what is new?: Update on the concept of Diagnostic Reference Levels (EuroSafe 2), A-079

**Voeist E.E.**

Personalised medicine in oncology: what can imaging offer?: A. Personalised medicine in oncology: hope or reality? (E<sup>3</sup> 1726b), A-752

**Voevodin S.M., Tumanova U.N., Liapin V.M., Shchegolev A.I., Sukhikh G.T.**

Postmortem MRI as a method of evaluating the degree of maceration at intrauterine fetal death (SS 1012), B-0898

**Vogel-Claussen J.**

HRCT - patterns in chest radiology: back to basics and beyond: C. Ground glass opacities (GGO) and consolidation (RC 504), A-168

**Vogl T.J., Basten L., Panahi B., Nour-Eldin N., Naguib N.N.N.**

Evaluation of microwave ablation (MWA) of lung malignancies with real-time enhanced spatial energy control to achieve a spherical ablation zone (SS 209), B-0129

**Vogl T.J., Exner S., Zangos S., Eichler K., Nour-Eldin N.**

MWA, RFA and LITT in patients with non-colorectal lung metastases: comparative evaluation of tumour volume and recurrence rates (SS 209), B-0130

**Vogl T.J., Ring N., Bauer R., Kerl M.**

Evaluation of primary and secondary liver lesions: dual energy CT (DECT) vs. MRI (SS 216b), B-0186

**Vogl T.J., Ring N., Kerl M.J., Bauer R.W.**

Evaluation of primary and secondary liver lesions: dual energy CT (DECT) vs. MRI (SS 301a), B-0213

**Vogl T.J., Stark-Paulsen T., Albrecht M., Nour-Eldin N., Ackermann H., Maataoui A.**

Assessment of salivary gland tumours using MRI and CT: impact of experience on diagnostic accuracy (SS 308), B-0357

**Vogl T.J., Basten L., Panahi B., Naguib N.N.N., Nour-Eldin N.**

Evaluation of thermal microwave ablation (MWA) of liver malignancy with real-time enhanced spatial energy control to achieve a spherical ablation zone (SS 1009), B-0860

**Vogl T.J., Hagar A., Mbalisike E., Zangos S.**

Microwave ablation in colorectal liver metastases: comparison of volume decrease, progression time, recurrence and survival rates with two different microwave systems (SS 1009), B-0862

**Vogl T.J., Koch S., Gebauer B., Willinek W., Engelke C., Brünig R., Wacker F., Enk A.**

Unresectable isolated hepatic metastases from uveal melanoma: treatment with chemosaturation with percutaneous hepatic perfusion of melphalan (SS 1409), B-1003

**Vogl T.J., Dörr F., Zangos S., Naguib N.N.N.**

Transarterial chemoembolisation (TACE) treatment of liver metastases: intraprocedural volume measurement by FAST C-arm-CT during treatment (SS 1409), B-1004

**von Below C.M.**

Validation of 3T MRI including diffusion-weighted imaging for nodal staging of newly diagnosed intermediate- and high-risk prostate cancer (SS 1407), B-0951

**Vonder M., Vliegenthart R., van Ooijen P.M.A., Gratama J.W., Kuijpers D., van der Aalst C.M., van Aerde M., de Koning H.J., Oudkerk M.**

Dose reduction with high-pitch spiral mode coronary calcium scanning in high and irregular heart rates (SS 1003), B-0789

**Vöö S.A., Kwee R., Sluimer J., Schreuder F., Wierls R., van Oostenbrugge R., Daemen M.J., Mottaghy F.M., Kooi M.**

<sup>18</sup>F-fluorocholine PET-CT imaging of vulnerable atherosclerotic plaques: prospective study with immunohistochemical validation (SS 215), B-0056

**Voormolen M., van der Zijden T., Menovsky T., Yperzele L., Baar I., d'Archembeau O., De Belder F., Parizel P.M.**

Thrombo-embolic complications during intracranial arterial endovascular procedures treated with stent retrievers by mechanical thrombectomy: technical and clinical results (SS 311c), B-0403

**Voormolen M., van der Zijden T., d'Archembeau O., De Belder F., Maes J., Yperzele L., Baar I., Parizel P.M.**

Thrombo-aspiration in acute ischemic cerebral stroke: first results (SS 1011a), B-0803

**Vora M.P.**

Involvement of corpus callosum differs in bulbar vs. limb onset amyotrophic lateral sclerosis (SS 1911), B-1346

**Vörös E., Cho M., Garami Z., Battyáni I., Decuzzi P., Tóth K.**

TPA immobilisation on iron oxide nanocubes and localised magnetic hyperthermia accelerate blood clot lysis (SS 715), B-0613

**Vreemann S., Gubern-Mérida A., Lardenoije S., Karssemeijer N., Mann R.M.**

Prognostic factors of interval carcinomas occurring in an intermediate and high risk breast cancer screening program (SS 1402a), B-0921

**Vreemann S., Gubern-Mérida A., Borelli C., Karssemeijer N., Mann R.M.**

Background parenchymal enhancement as a predictor of breast cancer grade: a pilot study (SS 1402b), B-1071

**Vujnovic S., Stojanov D.**

Pre-operative prediction of operating time for laparoscopic cholecystectomy using ultrasonographic and MRCP parameters (SS 1901b), B-1302

## W

**Waade G.G., Highnam R., Hauge I.H.R., McEntee M.F., Hofvind S., Denton E., Kelly J.F., Sarwar J.J., Hogg P.**

Error in recorded compressed breast thickness measurement impacts on volumetric density classification (SS 1502), B-1119

**Waage J.E.R.**

Rectal cancer: staging and restaging local disease: A. Transrectal ultrasonography (E<sup>3</sup> 1618), A-664

**Wafaie A.M., Kotb M., El-Azab M., Abo El-Regal A.**

A comparative study between whole body diffusion imaging with background signal suppression (DWIBS) and FDG PET/CT in assessment of lymphoma patients (SS 716), B-0663

**Walecki J.**

Neuroradiology: brain: Tumours (Basic 1), A-175



# Authors' Index

**Walecki J.**

Acute pain: your friend and enemy in emergency radiology: Chairman's introduction: patients with acute pain - management and therapeutic pathways (RC 917), A-375

**Wallin E., Rubertsson S., Larsson I., Kristofferzon M., Larsson E.-M.B., Raininko R.**

Relationship of acute brain lesions on MRI after cardiac arrest treated with hypothermia to neurological outcome 6 months later (SS 1011b), B-0814

**Walsh D.**

Patient-centred care in clinical radiology: do we really put our patients first?: View of a patient representative from the neurological disease area (ESR-PAG 1), A-532

**Wang H., Schabath M., Liu Y., Han Y., Li Q., Gillies R., Ye Z.**

Comparison of clinicoradiologic characteristics of lung adenocarcinomas harbouring ALK rearrangements or EGFR mutations treated by surgical resection (SS 616), B-0510

**Wang M., Gao J.**

Spectral CT combined with contrast-enhanced ultrasonography (CEUS) in evaluation on the blood perfusion and the correlation with angiogenesis of rabbit VX2 liver tumour (SS 701a), B-0599

**Wang M., Gao J.**

Spectral CT combined with dynamic contrast-enhanced magnetic resonance imaging in evaluation on the blood perfusion and the correlation with angiogenesis of rabbit VX2 liver tumour (SS 701a), B-0600

**Wang S., Gao J.**

Diagnosis of solitary pulmonary nodule: one-step spectral and perfusion imaging (SS 604), B-0583

**Wang W., Dong Y., Zhang X., Mao F.**

Contrast-enhanced ultrasound features for differentiation of histologically proven small solitary ( $\leq 2$ cm) liver metastases and hepatocellular carcinomas (SS 216a), B-0095

**Wang X., Henzler T., Diehl S.,**

**Schönberg S.O., Jin Z., Xue H., Smakic A.** Quantitative response evaluation of hepatocellular carcinoma after transarterial chemoembolisation using 70 kVp 4D volume perfusion CT of the liver (SS 701c), B-0739

**Wang X., Henzler T., Diehl S.,**

**Schönberg S.O., Xue H., Jin Z., Smakic A.** Comparison between quantitative dual-energy CT iodine maps and dynamic volume perfusion CT parameters in patients with hepatocellular carcinoma before and after TACE (SS 1001b), B-0836

**Wang Y., Fan L., Liu S.**

Multi-detector computed tomography features of peripheral lung cancer associated with cystic airspace (SS 704), B-0682

**Wang Y., Fan L., Guan Y., Xia Y., Liu S., Zou W.**

Bone suppression images improve radiologists' performance on detection of lung nodules on chest radiographs (SS 1004), B-0847

**Ward A.M., Stanton M.T.**

Quality assurance in Irish ultrasound departments (SS 714), B-0715

**Warin-Fresse K., Guérin P., Guyomarc'h Delassale B., Le Touze D., Senage T., Dacher J.**

Conception and realisation of a amagnetic pulsatile flow phantom to compare 2D phase contrast post treatment software (SS 1803), B-1151

**Wasserman M., Melamud K., Soto J.**

Use of IV-contrast versus IV-and oral-contrast in the evaluation of abdominal pain on CT in the emergency department (SS 717), B-0693

**Weber C., Ossadnik C., Abel T., Hentschel H., Bannas P.**

The impact of MRI total spine on targeted patient selection for surgical therapy of geriatric vertebral fractures (SS 610a), B-0492

**Weber C., Schroeder T.H.**

Clinical relevance of consecutive CT scans for the evaluation and monitoring of geriatric pelvic fractures (SS 717), B-0695

**Weber C., Peldschus K., Adam G., Rabe K.F., Welker L., Schroeder T.H.**

Diagnostic contribution of HRCT in the diagnosis and differentiation of interstitial lung diseases using ICCOERD visual grading score and Bayes' rule for post hoc probability prediction (SS 1804), B-1219

**Weber M.-A.**

Imaging in the presence of orthopaedic hardware: Optimising CT for imaging metalwork (SF 9b), A-372

**Weber R.J.P., van Bommel R.M.G., Setz-Pels W., Voogd A.C., Klompenhouwer E.G., Louwman M.W., Strobbe L.J.A., Tjan-Heijnen V.C.G., Duijm L.E.M.**

Type and extent of surgery for screen-detected and interval cancers at blinded vs non-blinded double reading in a population-based screening mammography programme (SS 1402a), B-0925

**Weckbach S.**

Risks and benefits of reporting incidental findings: Questions and answers (part 1) (PS 427), A-126

**Weinheimer O., Wielpütz M.O., Konietzke P., Heußel C.P., Kauczor H.-U., Galban C.J., Robinson T.E.**

Evaluation of a new fully automated pulmonary lobe segmentation algorithm on inspiratory and expiratory MDCT scans over 4 time-points (SS 605), B-0439

**Weir-McCall J., Cassidy D., Belch J.J.F.,**

**Gandy S., Houston G., Lambert M., Littleford R., Struthers A.D., Khan F.** Atherosclerotic burden and cardiac remodelling in healthy South Asian and European adults: a cohort comparison study (SS 703), B-0748

**Weiss C.**

Imaging in obesity: Is there a role for bariatric embolisation in the treatment of the obese patient? (SF 8c), A-282

**Wellenberg R.H.H., Boomsma M.F., van Osch J.A.C., Vlassenbroek A., Milles J., Edens M.A., Streekstra G.J., Maas M., Slump C.H.**

Metal artefact reduction capacity of virtual monochromatic dual-layer detector spectral CT-imaging in unilateral and bilateral total hip prostheses (SS 1410), B-0954

**Wengert G.J., Pinker-Domenig K., Helbich T.H., Vogl W., Clauser P., Bickel H., Marino M., Magometschnigg H., Baltzer P.A.T.**

Influence of fat separation and spatial resolution on the results of automated volumetric MRI measurements of fibroglandular breast tissue (SS 602a), B-0428

**Wengert G.J., Helbich T.H., Wittek R., Kapetas P., Baltzer P.A.T., Vogl W., Weber M., Meyer-Baese A., Pinker-Domenig K.** BI-RADS-based subjective estimation of fibroglandular breast tissue with magnetic resonance imaging: comparison to automated quantitative assessment (SS 1502), B-1116

**Wenkel E.**

Breast MRI perspective (SY 1d)

**Werner J.**

Pancreatic cancer: radiological diagnosis and treatment: Surgical oncological management (MS 8), A-265

**Weston M.**

Emergencies: C. Imaging of obstetric and puerperal emergencies (E<sup>3</sup> 722), A-236

**Wetter A., Schaarschmidt B., Lütje S., Rübben H., Lauenstein T.**

Comparison of [18F] choline PET/CT with [18F] choline MRI/PET in patients with suspected recurrent prostate cancer: a prospective study (SS 1006), B-0900

**Wiśniewska M., Palczewski P., Gołbowski M., Bielecki M., Goliszek S., Pruszczyk P.**

Prognostic value of CT-angiographic features of right ventricular dysfunction in patients with acute pulmonary embolism (SS 204), B-0113

**Wichmann J.L., De Cecco C.N.,**

**Varga-Szemes A., Mangold S., Vogl T.J., Schoepf U.J.**

Noise-optimised virtual monochromatic imaging improves image quality in 3rd-generation dual-source dual-energy CT angiography of the lower extremity run-off (SS 315), B-0264

**Widmann G., Uri C., Dejaco D., Haug A.,**

**Fischer N., Riedl D., Riechelmann H.** Estimation of tumour and lymph node volumes in head and neck cancer to predict response to radiochemotherapy (SS 608), B-0564

**Wienbeck S., von Fintel E., Lotz J., Fischer U.**

Vacuum-assisted breast biopsy guided by dedicated breast CT: first clinical experiences compared with conventional stereotactic breast biopsy (SS 202), B-0014

**Wienbeck S., von Fintel E., Lotz J., Fischer U.**

First clinical experiences with a noncontrast cone-beam breast CT for the detection of breast masses (SS 302), B-0218

**Wienbeck S., von Fintel E., Lotz J., Fischer U.**

Visualisation of microcalcifications by cone-beam breast CT in comparison to full field digital mammography (SS 302), B-0222

**Wiesinger I., Wohlgemuth W.A.,**

**Stroszczyński C., Jung E.M.** Perfusion quantification of vascular malformations using contrast-enhanced ultrasound (CEUS) with time intensity curve analysis (TIC) before and after percutaneous treatment (SS 615), B-0475

**Wiesinger I., Kroiss E., Stroszczyński C.,**

**Jung E.M.** Perfusion analysis in malignant and benign thyroid lesions: analysis of microvascularisation in contrast-enhanced ultrasound (CEUS) (SS 1408), B-1026

**Wieske V., Alkadhi H., Leschka S.,**

**Nørgaard B.L., Knuuti J., Diederichsen A.C.P., Halvorsen B.A., Micklethay H., Sun K., Büchel R.R., Muraglia S., Marcus R., Walther M., Schlattmann P., Dewey M.**

Computed tomography angiography vs Agatston score for diagnosis of coronary artery disease: results from the international Collaborative Meta-Analysis of Cardiac CT (COME-CCT) (CTIR 1)

**Wildberger J.E.**

Individualised contrast enhanced CT scans in clinical practice - challenges and solutions (SY 17)

# Authors' Index

**Wildner S., Kollmann C.**

Ultrasound within the Austrian mammography screening: benefit of regular quality assurance for clinical partners (SS 602b), B-0534

**Willaime J.M.Y., Pickup L.C., Boukerroui D., Talwar A., Gooding M.J., Gleeson F.V., Kadir T.**

Impact of segmentation techniques on the performance of a CT texture-based lung nodule classification system (SS 605), B-0436

**Williams M.C., Morley N., Muir K., van Beek E.J.H., Reid J.H., Murchison J.**

Coronary and vascular calcification assessed by computed tomography in patients with pulmonary embolism (SS 204), B-0118

**Williams M.C., Hunter A., Shah A., Assi V., Lewis S., Roditi G., van Beek E.J.R., Timmis A., Newby D.E.**

Impact of computed tomography coronary angiography on clinical management and outcomes in patients with suspected angina due to coronary heart disease (SS 703), B-0741

**Wilson D.J.**

MSK and intervention: B. Lower back pain: what can I do? (E<sup>3</sup> 1826), A-776

**Wirth S.**

Severe trauma patients: myths, realities and future: 'When time is gold': whole-body CT in polytrauma patients (SF 13d), A-553

**Wirth W., Roemer F.W., Maschek S., Eckstein F.**

Cross-sectional and longitudinal layer-specific femorotibial cartilage T2 mapping in knees without risk of, with risk of, and with early knee osteoarthritis (SS 610b), B-0555

**Wojtaszek M., Wnuk E., Maciag R., Lamparski K., Korzeniowski K., Rowinski O.**

Inducing false lumen thrombosis in type B aortic dissection by selectively excluding true lumen re-entry points (SS 1909), B-1374

**Wolf F.**

The evolving role of cardiac CT: Keynote speaker (SS 203b), K-01

**Wong S., De-Paoli L., Hausegger K.**

Cerebral whole brain CT-Perfusion with single rotation angiography (srCTA) of the neck - evaluation of a one-stop-shopping CT stroke protocol (SS 1411a), B-0973

**Wong Y., Wang L., Wu C.**

Comparisons of CT grading with clinical outcome of gastric corrosive injury at emergency room (SS 617), B-0523

**Woodley H.**

Hepatobiliary imaging in children: A. Imaging of liver masses (RC 912), A-318

**Wörtler K.**

Oncology: Keynote speaker (SS 1010a), K-24

**Wozniak M.**

Emergency imaging of the pregnant patient: MRI and contrast media: what are the risks for the fetus? (SA 17), A-746

**Wright C.L., Binzel K., Zhang J., Wuthrick E., Maniawski P., Knopp M.V.**

Phase Ia trial comparing digital photon counting detector PET/CT with current photomultiplier PET technology for Yttrium-90 imaging after radioembolisation (SS 206), B-0029

**Wu Y., Tan C.**

The value of chemical shift MRI in characterising adrenal incidentalomas found in routine contrast-enhanced CT (SS 1807), B-1241

**Wuest W., May M., Uder M., Lell M.**

Low-dose CT of the paranasal sinuses: minimising x-ray exposure with spectral shaping (SS 1008), B-0879

**Wüst W.**

The Multitom Rax - the new versatility in diagnostic imaging: experiences from the first installed system (SY 6)

## X

**Xiao L., Yuen M., Tung Y., Wong P., Ho H.**

Assessing the influence of MRI scan position on image quality of head and neck MR images for radiotherapy treatment planning (SS 308), B-0359

**Xiao Y., Chen Y., Chen Y., He Z., Pan J.**

Nasopharyngeal carcinoma: predictive value of IVIM-DWI on the radio-sensitivity (SS 616), B-0505

**Xiao Y., Chen Y., Pan J., Zheng D., Zheng X., Chen Y.**

Intravoxel incoherent motion diffusion weighted imaging in evaluating the radio-sensitivity of nasopharyngeal carcinoma xenografts (SS 616), B-0511

**Xu H., Koo H.J., Lee H.N., Lim S., Kim M.Y.**

Lung cancers in patients with fibrothorax and chronic empyema caused by tuberculosis (SS 704), B-0681

**Xu J., Wang X., You Y., Wang Q., Liu H., Lei J., Xue H.D., Jin Z.Y.**

Gd-EOB-DTPA-enhanced MRI: perfusion and multi-hepatocyte-phase images for the evaluation of liver fibrosis induced by carbon tetrachloride in rats (SS 1501), B-1093

**Xu Y., Xu Y.**

RGD modified nano iron probe targeted hepatocellular carcinoma cells (SS 216a), B-0098

## Y

**Yagami K., Miyoshi T., Shigeyama S., Okada H., Ukai T., Suzuki S.**

An evaluation of organ doses and effective dose with dual-energy CT (DECT) and single-energy CT (SECT) using adult whole body imaging protocols (SS 1014), B-0872

**Yamada A., Ishida M., Goto Y., Uno M., Nakamori S., Ichikawa Y., Nagata M., Kitagawa K., Sakuma H.**

Diagnostic performance of 3.0-T whole-heart coronary MR angiography performed as a part of routine contrast-enhanced CMR study (SS 1903), B-1309

**Yamamura J., Keller S., Kooijman H., Kording F., Schramm C., Schuler T., Adam G.**

Multimodal MRI of the liver for detecting of acute inflammation in patients with primary sclerotic cholangitis (SS 201a), B-0007

**Yang Y.X., Chong M.S., Tay L., Yew S., Yeo A., Tan C.H.**

Validity of estimating muscles and fat volume from single MRI slice in older adults with sarcopenia and sarcopenic obesity (SS 610a), B-0489

**Yassin M., Amitai M., Kanana N., Apter S., Raskin S., Konen E., Kiang E.**

Guidelines for intra-luminal uterine hypodensity (ILUH) seen on CTs of postmenopausal women (SS 607a), B-0472

**Yeap P.M., Evans A., Purdie C., Lee J., Waugh S., Vinnicombe S.**

Are the magnetic resonance imaging (MRI) features of the pleomorphic variant of invasive lobular carcinoma (ILC) different from classic ILC of the breast? (SS 602a), B-0427

**Yeap P.M., Vinnicombe S., Purdie C., Lee J., Evans A.**

Does pleomorphic invasive lobular carcinoma (ILC) have different mammographic and ultrasound features compared with classical ILC? (SS 602b), B-0526

**Yeap P.M., Oliver T.B.**

A review of 10 years' experience: prevalence and patterns of radiographically occult femoral and pelvic fractures detected by MRI following low-energy trauma (SS 1010b), B-0916

**Yeon E.**

Characteristic MR signal intensity pattern of exercise-induced rhabdomyolysis in thigh muscle: differential point from other causes and its clinical significance (SS 710), B-0636

**Yi Y., Wang Y., Liu J., Cao J., Wang Y., Jin Z.**

Preliminary study on high-pitch dual-source CT coronary angiography with low contrast volume injection protocols at ultra low tube voltage (70kV) (SS 203b), B-0177

**Yilmaz E.U.A.K.**

A role of diffusion-weighted MRI in prediction of mediastinal lymph node metastasis in patients with NSCLC: comparison to PET results (SS 304), B-0318

**Yim Y., Jung S., Yu M., Park H., Kim Y., Jeon H.**

CT predictors for selecting conservative surgery or adnexectomy to treat adnexal torsion (SS 607a), B-0464

**Yim Y., Jung S., Yu M., Park H., Kim Y., Jeon H.**

Adnexal torsion: added diagnostic value of coronal reformations at CT (SS 1907), B-1331

**Yong Q., Zhang L., Feng L., Yuan J., Shi S., Bao J., Pu T.**

Comparative study of neovascularisation in homogeneous and heterogeneous with juxtaluminal black area hypoechoic carotid plaques by SMI and CEUS (SS 215), B-0059

**Yoon J., Kwon S.**

Radiologic placement of uncovered stents for the treatment of malignant colonic obstruction at ascending and transverse colon (SS 609), B-0546

**Yoon J., Lee J., Lee K., Han J.**

Added value of Gd-EOB-DTPA enhanced liver MRI for diagnosis of small HCC and atypical hepatic nodules ( $\leq 2$ cm) (SS 601a), B-0410

**Yoon Y., Oh D., Song Y.**

Diagnostic performance of conventional MRI and apparent diffusion coefficient values in differentiating benign and malignant soft tissue tumours (SS 1010a), B-0812

**You C., Kaiser C., Kaiser A., Knaudt J., Gu Y.J., Peng W.J., Schönberg S.O.**

The assessment of background parenchymal enhancement (BPE) in the high risk population: What causes BPE? (SS 1402b), B-1070

**Youn I., Choi S., Choi Y., Kook S.**

Diagnostic performance of DWI and DCE-MR for evaluating residual breast cancer after local excision (SS 1002), B-0754

**Yousry T.A.**

Functional MRI of the brain opens new horizons: Chairman's introduction (E<sup>3</sup> 419), A-106

# Authors' Index

## Yousry T.A.

Brain hypersignals after repeated gadolinium administrations: Hypersignals in the brain: which clinical impact (SF 9c), A-337

## Yousry T.A.

White spots in the brain: A. White spots and blots in the brain: what are they? (RC 1511), A-655

## Youssef A., Abdelhady Mohammed D., Edward R.

MRI with diffusion weighted imaging of salivary gland tumours, prediction of the benignancy and malignancy (SS 308), B-0356

## Yurtutan N., Baykara M., Gundogdu Secen O., Kizildag B., Sarica M.A.

Ultrasonographic evaluation of CCA and FA IMT and compliance after atorvastatin treatment in premenopausal dyslipidaemic females (SS 215), B-0066

## Z

## Zackrisson S.

Is digital breast tomosynthesis ready for mammo-screening? (SY 1b)

## Zackrisson S.

State-of-the-art breast imaging: Chairmen's introduction (part 2) (RC 914), A-351

## Zackrisson S.

Mammography in Nordic countries: screening and new developments: Breast density, risk for breast cancer and how to personalise screening: what are the future breast imaging modalities? (EM 1), A-387

## Zackrisson S.

Tomosynthesis: the new mammography: A. Should we abandon 2D mammography? (RC 1602), A-702

## Zagoria R.J.

Abdominal emergencies: B. The enemy within: non-traumatic abdominal emergencies (MC 528), A-194

## Zagoria R.J.

Abdominal emergencies: C. Interactive case discussion (part 2) (MC 528), A-196

## Zakharova N.

Recommendations, protocols and modern technologies in neurooncology and neurotrauma (part II) (SY 22)

## Zamboni G.

The spleen: the forgotten organ: A. Acute and chronic splenic disease (RC 1601), A-661

## Zanca F.

IT tools for dose tracking and workflow optimisation: B. Patient dose index tracking: a must have? (RC 1513), A-653

## Zanetti G.

Big data: why should radiologists care?: Big data: big science (NH 4), A-066

## Zanetti M.

Imaging in the presence of orthopaedic hardware: Chairman's introduction (SF 9b), A-371

## Zanetti M.

Musculoskeletal: trauma: Shoulder (Basic 4), A-562

## Zanetti M.

MR imaging in sports medicine II: B. Shoulder injury (E<sup>3</sup> 1721), A-720

## Zantedeschi L., Cenzi D., Motton M., Schenal G., Borsato A., Montemezzi S.

Comparison between Likert scale, prostate imaging reporting and data system (PIRADS) v1 and v2 in detection and characterisation of prostate cancer using multiparametric (mp) MRI (SS 1016), B-0832

## Zech C.J.

Hepatocellular tumours: A. The revised adenoma classification (RC 901), A-315

## Zefov V.N., El-Maadawy S.M.,

## Abdul Rahman D.

Can we avoid unnecessary scrotal exploration? The value of the sonographic chondral sign in the diagnosis of hydatid of Morgagni torsion in children: a decade's experience (SS 1012), B-0888

## Zerolo A.

Sports injuries: diagnosis and management: The physiotherapist's view (MS 16b), A-692

## Zhang D., Xue H., Wang X., Jin Z.

The evaluation of different tube voltages multidetector CT angiography in assessment of aorta and lower peripheral arterial occlusive disease (SS 1815), B-1177

## Zhang G., Sun H., Xue H., Jin Z.

Attenuation-based automatic tube voltage selection with tube current adaption in nonenhanced CT for detection of urolithiasis: diagnostic performance and radiation exposure (SS 607b), B-0571

## Zhang G., Sun H., Xue H., Jin Z.

Can quantitative CT texture analysis be used to differentiate between low- and high-grade urothelial carcinoma? (SS 1807), B-1235

## Zhang J., Hall N., Binzel K., Natwa M., Knopp M.V.

Feasibility of low dose 18FDG PET/CT in paediatric oncology (SS 312), B-0374

## Zhang X., Yang Y., Yin L., Hao X., Tian J.

Imaging the remodeling of ipsilateral internal capsule following focal cerebral ischemia in rats by DKI (SS 1411a), B-0970

## Zhang Y., Cheng J., Hua X., Yu M., Xu C.,

## Zhang F., Xu J., Wu H.

Can spectral CT imaging improve the differentiation between malignant and benign solitary pulmonary nodules? (SS 604), B-0584

## Zhang Y., Cao D., Yu S.

Nonenhanced MR angiography of the foot with flow spoiled-fresh blood imaging(FS-FBI): feasibility study and comparison of different parameters (SS 315), B-0265

## Zhang Z.

The application of kV assist in low-dose chest CT screening (SS 1404), B-0991

## Zhao Q., Abeyakoon O., Muellner A.,

## Carbonaro L., Sutton E., Wang S., Morris E.

Can MRI features before and after neoadjuvant chemotherapy predict surgical margins? (SS 1902b), B-1274

## Zheng L., Zhang Z., Li W., Gordon A.C.,

## Larson A.C.

Quantitative functional MRI in a clinical orthotopic model of pancreatic cancer in immunocompetent Lewis rats (SS 216b), B-0193

## Zheng L., Li Y., Zhang Z., Zhang G.

Semi-quantitative dynamic contrast-enhanced magnetic resonance imaging parameters for evaluating tumour hypoxia in a maxillofacial VX2 rabbit model (SS 1406), B-0938

## Zhou Y., Gao J.B.

Virtual monochromatic spectral CT in small feeding arteries of abdominal tumours: can spectral image fusion optimise the image quality? (SS 701c), B-0733

## Zhou Y., Gao J.B.

Dose performance of virtual monochromatic spectral CT protocol optimised for "double low scanning" on oesophageal cancer? (SS 701c), B-0734

## Zhou Y., Gao J.B.

Optimal monochromatic spectral computed tomography with low iodine concentration contrast medium in a rabbit VX2 liver model: investigation of image quality and detection (SS 701c), B-0735

## Zhu L., Xue H., Sun Z., Sun H., Wang X.,

## Jin Z.

Insulinoma localisation with cross-sectional imaging: head-to-head comparison of CECT, DCE-CT and multi-sequence MR (SS 1901a), B-1265

## Zhu L., Xue H., Sun Z., Wang X., Sun H.,

## Jin Z.

Localisation of CT-equivocal insulinomas: value of multi-sequence pancreatic MR (SS 1901a), B-1266

## Zhu L., Xue H., Liu W., Wang X., Sun H., Jin Z.

Differentiation of heterogeneously enhancing pancreatic lesions: key features on multiphasic multidetector CT (SS 1901a), B-1268

## Zidan D.Z., El Ghazaly H.

Can unenhanced multiparametric MRI substitute gadolinium-enhanced MRI in the characterisation of vertebral marrow infiltrative lesions? (SS 316), B-0294

## Zidi A., Mnif N.

Sphericity index (SI) of the left ventricle assessed by cardiovascular magnetic resonance imaging (CMRI) in non-ischemic dilated cardiomyopathies (SS 203a), B-0046

## Zidi A., Mnif N.

Simple and rapid evaluation of left ventricular function in cardiac MRI (SS 1903), B-1308

## Ziegeler K., Diekhoff T., Hermann S.,

## Böttner A., Hamm B., Hermann K.

Identification of specific CT features for the diagnosis of CPPD arthropathy of the wrist (SS 210), B-0067

## Zijlstra I.A.J.

Association of automatically quantified blood volume after aneurysmal subarachnoid haemorrhage with delayed cerebral ischemia (SS 311c), B-0407

## Zikou A., Alexiou G., Goussia A., Kosta P.,

## Xydis V., Argyropoulou I.M.

The role of diffusion tensor imagin (DTI) and dynamic susceptibility perfusion (DSP) MRI in the evaluation of meningioma grades and subtypes (SS 1411b), B-1059

## Zini C., Corona M., Cirelli C., Lucatelli P.,

## Ricciuti G., Salvatori F.M.

Combined endoscopic-radiological ureteral rendezvous: technique and results (SS 609), B-0537

## Zini C., Venneri M., Miglietta S., Rengo M.,

## Porta N., Isidori A., Petrozza V., Laghi A.

USPIO-labeling in M1 and M2 macrophage population: an in vitro MR study (SS 1406), B-0941

## Zinsser D., Marcus R., Körner E., Othman A.,

## Bamberg F., Nikolaou K., Notohamprojo M.

One-step one-phase vs. multi-step multi-phase whole-body staging CT - comparison of radiation dose and diagnostic confidence (SS 316), B-0292

## Zolda P.

Gateway to European funding for research projects: Maximising your chances to obtain European research funding: opportunities, strategies, services (EIBIR 3), A-455